

## 6. Earth Closets and Privies

No person shall construct or cause to be constructed any earth closet or privy which does not comply with the following conditions: —

- (a) It shall not be less than —  
1.5 m in length, or  
1 m in width, or  
2 m in height.
- (b) It shall not be within 6m of any house or tank, nor within 15m. of any other water supply, nor within 15m of the milking shed or milk room of any dairy, and shall be so constructed that the pan may be withdrawn from the rear of the convenience.
- (c) The walls shall be of stone, brick, or other material approved by the Commission.
- (d) There shall be at least two ventilating openings, of 325 cm<sup>2</sup>, in area, one in each of two opposite walls, and situated 1.8 m above the floor level.
- (e) The roof shall be of galvanised iron, or other impervious material.
- (f) The door shall be hung so that there is, when the door is closed, a clear space of at least 8 cm above and below it.
- (g) The floor shall be of approved impervious material, and shall have a uniform fall of 1 in 30 from back to front and its upper surface shall be not less than 15 cm above the level of the ground adjoining.
- (h) The panstead shall measure 50 cm long by 40 cm wide. It shall be totally enclosed and constructed in a manner to exclude flies.
- (i) The under surface of the seat shall be 40 cm above the floor.
- (j) A hinged aperture cover shall be provided to the seat.
- (k) A service door shall be provided in the rear wall of the convenience through which the pan must be withdrawn.

*[By-law 6 amended by Gazette 29 December 1995 p.6309; 29 May 2001 p.2706-7.]*