

WA302

WATER AUTHORITY ACT 1984

WATER AUTHORITY AMENDMENT BY-LAWS (NO. 2) 1992

Made by the Water Authority of Western Australia with the approval of the Minister for Water Resources.

PART 1 — PRELIMINARY

Citation

1. These by-laws may be cited as the *Water Authority Amendment By-laws (No. 2) 1992*.

Commencement

2. These by-laws come into operation on 1 January 1993.

PART 2 — *METROPOLITAN WATER SUPPLY, SEWERAGE AND DRAINAGE BY-LAWS 1981***Principal by-laws**

3. In this Part the *Metropolitan Water Supply, Sewerage and Drainage By-laws 1981** are referred to as the principal by-laws.

[* Reprinted in the Gazette of 11 December 1986 at pp. 4557-4800.
For amendments to 6 November 1992 see 1991 Index to
Legislation of Western Australia, pp. 540-541 and Gazettes of 3
January and 26 June 1992.]

Figure 18.4 deleted

4. Figure 18.4 of the principal by-laws is deleted.

By-law 18.13.6.1 amended

5. By-law 18.13.6.1 of the principal by-laws is amended by deleting "150 mm above ground surface, or such other minimum distances as approved" and substituting the following —

" 75 mm above ground level ".

By-law 18.13.6.2 amended

6. By-law 18.13.6.2 of the principal by-laws is amended in paragraph (b) by deleting "150 mm above ground level, or such other minimum distances as approved" and substituting the following —

" 75 mm above ground level ".

New figure 18.4 inserted

7. After by-law 18.13.6.3 of the principal by-laws the following figure is inserted —

“




FIGURE 18.4 OVERFLOW RELIEF GULLIES

”.

By-law 18.13.7.1 amended

8. By-law 18.13.7.1 of the principal by-laws is amended in paragraph (a) by deleting “150 mm above ground level, or such other minimum distances as approved” and substituting the following —

“ 75 mm above ground level ”.

By-law 19.3.1 amended

9. By-law 19.3.1 of the principal by-laws is amended —

(a) in paragraph (e) —

(i) by deleting “the commencement of the *Metropolitan Water Supply, Sewerage and Drainage Amendment By-laws 1991*” and substituting the following —

“ 1 January 1993 ”; and

(ii) by deleting “either of the 9/4.5 litre dual-flush type or of the 6 litre single-flush type” and substituting the following —

“ of the 6/3 litre dual-flush type ”;

and

(b) in paragraph (f) —

(i) by deleting “the commencement of the *Metropolitan Water Supply, Sewerage and Drainage Amendment By-laws 1991*” and substituting the following —

“ 1 January 1993 ”; and

(ii) by deleting “9/4.5 litre dual-flush type or the 6 litre single-flush type” and substituting the following —

“ 6/3 litre dual-flush type ”.

PART 3 — COUNTRY TOWNS SEWERAGE BY-LAWS 1952

Principal by-laws

10. In this Part the *Country Towns Sewerage By-laws 1952** are referred to as the principal by-laws.

[* Reprinted in the *Gazette of 9 April 1968* at pp. 931-978. For amendments to 6 November 1992 see 1991 Index to Legislation of Western Australia, pp. 527-29 and *Gazettes of 3 January and 26 June 1992.*]

By-law 176 amended

11. By-law 176 of the principal by-laws is amended —

(a) in sub-by-law (3) —

(i) by deleting “the commencement of the *Country Towns Sewerage Amendment By-laws 1991*” and substituting the following —

“ 1 January 1993 ”; and

(ii) by deleting “either of the 9/4.5 litre dual-flush type or of the 6 litre single-flush type” and substituting the following —

“ of the 6/3 litre dual-flush type ”;

and

(b) in sub-by-law (4) —

(i) by deleting “the commencement of the *Country Towns Sewerage Amendment By-laws 1991*” and substituting the following —

“ 1 January 1993 ”;

(ii) by deleting “9/4.5 litre dual-flush type or the 6 litre single-flush type” and substituting the following —

“ 6/3 litre dual-flush type, ”; and

(iii) by deleting “9/4.5 litre dual-flush apparatus or 6 litre single-flush apparatus” and substituting the following —

“ 6/3 litre dual-flush apparatus ”.

By-law 218A inserted

12. After by-law 218 of the principal by-laws the following by-law is inserted —

“ **Installation of overflow-relief gullies and disconnecter gullies**

218A. The installation of overflow-relief gullies and disconnecter gullies shall be carried out in accordance with the requirements set out in by-laws 18.13.6 and 18.13.7 of the *Metropolitan Water Supply, Sewerage and Drainage By-laws 1981.* ”

PART 4 — COUNTRY AREAS WATER SUPPLY BY-LAWS 1957

By-law 5A amended

13. By-law 5A of the *Country Areas Water Supply By-laws 1957** is amended —

- (a) in sub-by-law (3) —
- (i) by deleting “the commencement of the *Country Areas Water Supply Amendment By-laws 1991*” and substituting the following —
“ 1 January 1993 ”; and
- (ii) by deleting “either of the 9/4.5 litre dual-flush type or of the 6 litre single-flush type” and substituting the following —
“ of the 6/3 litre dual-flush types ”;
and
- (b) in sub-by-law (4) —
- (i) by deleting “the commencement of the *Country Areas Water Supply Amendment By-laws 1991*” and substituting the following —
“ 1 January 1993 ”; and
- (ii) by deleting “9/4.5 litre dual-flush apparatus or a 6 litre single-flush apparatus” and substituting the following —
“ 6/3 litre dual-flush apparatus ”.

[* Reprinted in the Gazette of 1 May 1968 at pp. 1219-1242.
For amendments to 12 November 1992 see 1991 Index to
Legislation of Western Australia, pp. 524-527 and Gazettes of
3 January and 26 June 1992.]

By resolution of the Board.

The Seal of the Water Authority of Western Australia was affixed hereto in the presence of—

K. C. WEBSTER, Chairman.
W. J. COX, Managing Director.

Approved by the Minister for Water Resources.

E. BRIDGE.