

Supplement to Government Gazette

OF

WESTERN AUSTRALIA.

[Published by Authority.]

No. 82.
P.O. No. 51. }

PERTH: FRIDAY, DECEMBER 18.

[1903.]

CONTENTS:

SUBJECT.	PAGE	SUBJECT.	PAGE
Complete Specifications accepted	3345	Alphabetical list of Patentees	3348
Renewal Fees paid, Patents	3346	Alphabetical list of Inventions for which Patents have been granted	3349
Applications Abandoned, Patents	3346	Applications for Registration of Trade Marks... ..	3349
Applications for Patents	3347	Subsequent Proprietors of Trade Marks registered	3349
Provisional Specification accepted	3347	Alphabetical list of Registrants of Trade Marks	3350
Alphabetical list of Applicants for Patents	3347	Index of Goods for which Trade Marks have been registered	3350
Alphabetical list of Inventions for which Patents have been applied for	3348		

Note.—Throughout this Gazette the names in Italics within parentheses are those of Communicators of Inventions.

Complete Specifications.

Patent Office, Perth,
18th December, 1903.

NOTICE is hereby given that the undermentioned Applications for the Grant of Letters Patent, and the complete Specifications annexed thereto, have been accepted, and are now open to public inspection at this Office.

Any person or persons intending to oppose such applications must leave particulars, in writing, in duplicate (on Form D), of his or their objections thereto, within two calendar months from the date of this Gazette. A fee of Ten shillings (10s.) is payable with such notice.

Application No. 4720.—RAYMOND CONCRETE PILE COMPANY, of 135 Adams Street, Chicago, County of Cook, State of Illinois, United States of America, Manufacturers (assignee of Alfred Augustus Raymond), "*Improvements and apparatus for forming concrete piles.*"
—Dated 1st December, 1903.

Claims:—

1. The method of forming piles consisting in driving a temporary shell and finally filling such shell with a suitable filling, such as cement, concrete and the like, substantially as described.
2. The method of forming a pile consisting in sinking a temporary shell by means of a core arranged therein, then removing the core, and finally filling such shell with a suitable filling, such as cement, concrete and the like, substantially as described.
3. The method of forming a concrete pile consisting in sinking a tapering shell by means of a correspondingly tapering core arranged therein, then withdrawing the core, and finally filling such shell with concrete, substantially as described.
4. A core for driving a temporary shell for piles comprising expandible sections adapted to be expanded within the shell while being driven and to be contracted when it is desired to remove the core, substantially as described.
5. A core for driving a temporary shell for piles comprising expandible sections and a core proper arranged between them for expanding them against the shell and permitting them to contract when the core is removed, substantially as described.
6. A core for driving a shell for piles comprising tapering expandible sections and a core proper arranged between them, substantially as described.

Specification, 4s. 6d. Drawings on application.

Application No. 4721.—RAYMOND CONCRETE PILE COMPANY, of 135 Adams Street, Chicago, County of Cook, State of Illinois, United States of America, Manufacturers (Assignee of Alfred Augustus Raymond), "*Improvements in piles and method of forming same.*"
Dated 1st December, 1903.

Claims:—

1. The method of forming a pile consisting in sinking a shell and filling such shell with a suitable filler during the sinking operation.

2. The method of forming a pile consisting in sinking a series of shell sections, section by section, and filling the same with a suitable filler.

3. The method of forming a pile consisting in sinking a series of shell sections by means of fluid jetting, and filling the same with a suitable filler.

4. The method of forming a pile consisting in arranging around a tip to be sunk a series of shell sections which engage each other to form a shell or tube, sinking said tip and shells, and filling the shell with a suitable filler.

5. The method of forming a pile consisting in arranging around a tip to be sunk a series of sections of a tapering shell adapted when extended to engage each other to form a continuous shell, sinking said tip and shells by fluid jetting, and filling said shell with a suitable filler during the sinking operation.

6. A pile consisting of a shell or covering composed of a plurality of nested sections adapted for longitudinal distribution and interlocking engagement when so distributed so as to form a continuous shell, and a suitable filler within such shell.

7. A pile consisting of a shell or covering composed of a plurality of nested sections arranged for interlocking engagement to form a continuous shell, a tip connected to the innermost section, and a suitable filler within the shell.

8. A pile consisting of a shell or covering, a suitable filler therein, a tip arranged at the lower end of the shell, and a pipe connected to such tip and extending longitudinally of the filler.

9. A pile consisting of a shell or covering composed of a plurality of nested sections arranged for interlocking engagement to form a continuous shell, a tip connected to the innermost section, a suitable filler within the shell, and a pipe connected to the tip and extending through the filler.

Specification, 7s. Drawings on application.

Application No. 4732.—RICHARD ERNEST PENNINGTON, of 159 Station Street, Carlton, near Melbourne, Australia, Engineer, "*An improved nut-locking spring washer specially adapted for securing nuts on fish bolts.*"
—Dated 8th December, 1903.

Claims:—

1. The herein described nut-locking spring-washer consisting essentially of a slightly arched steel plate with a hole through it for the bolt and a tongue (as G) on one side normally adapted to spring forward so as to project slightly, the whole being constructed, arranged, and operating substantially as and for the purposes specified and as illustrated in the drawings.

2. The modified nut-locking spring-washer formed of a slightly arched steel plate with a hole through it for the passage of the bolt and a tongue on one side adapted to be wedged or held in its forward position to engage the flats of the nut, substantially as and for the purposes specified and as illustrated in the drawings.

Specification, 6s. Drawings on application.

Application No. 4735.—WILLIAM JOSEPH ARMBRUSTER, Chemist, and JOHN MORTON, Gentleman, both of the City of St. Louis, Missouri, U.S.A., "*Improvements in Chlorination Barrels.*"—Dated 10th December, 1903.

Claims:—

1. A chlorination barrel having a pulp chamber, and a chlorine-generating compartment carried thereby and rotatable, and in unobstructed communication therewith, through one of the ends of the barrel, and freely discharging the chlorine thereinto above the surface of the pulp, substantially as set forth.

2. A chlorination barrel having a pulp chamber, and a chlorine-generating compartment carried thereby and located contiguous thereto

and rotatable, and in unobstructed communication therewith through one of the ends of the barrel, and freely discharging the chlorine thereinto above the surface of the pulp, substantially as set forth.

3. A chlorination barrel having a pulp chamber and a chlorine-generating compartment rotatable therewith, a wall separating the pulp chamber from the compartment, said wall having an unobstructed opening disposed about the axis of rotation of the barrel for freely permitting the discharge of the chlorine above the surface of the pulp in the pulp-chamber, substantially as set forth.

4. A chlorination barrel having a pulp-chamber, a chlorine-generating compartment carried thereby and rotatable therewith, an unobstructed passage disposed about the axis of rotation of the barrel connecting said compartment with the pulp-chamber, whereby the chlorine is permitted to freely discharge into the pulp chamber above the surface of the pulp during the rotation of the barrel, substantially as set forth.

5. A chlorination barrel having a pulp chamber, a chlorine-generating compartment carried thereby and rotatable, and in unobstructed communication therewith through one end of the barrel, and freely discharging the chlorine thereinto above the surface of the pulp, and a valve for cutting off communication between the pulp chamber and the chlorine compartment, substantially as set forth.

6. A chlorination barrel having a pulp chamber, a chlorine-generating compartment carried thereby and rotatable, and in unobstructed communication therewith through a central opening disposed about the axis of rotation of the barrel, and freely discharging the chlorine into the pulp chamber through said opening above the surface of the pulp, and a valve for cutting off communication between the pulp chamber and the chlorine compartment, substantially as set forth.

7. A chlorination barrel having a pulp chamber, a chlorine-generating compartment located contiguous thereto and in communication therewith, said compartment having a series of sections for retaining apart the re-agents intended to generate the chlorine, substantially as set forth.

8. A chlorination barrel having a pulp chamber, radiating pipes rotatable with the barrel for heating the contents of said chamber, and a rotatable chlorine-generating compartment contiguous to, and in communication with said chamber, substantially as set forth.

9. A chlorination barrel having a pulp chamber, radiating pipes rotatable with the barrel for reheating the contents of said chamber during the rotation of the barrel, and a chlorine-generating compartment contiguous to and in communication with said chamber, and rotatable therewith, substantially as set forth.

10. A chlorination barrel having a pulp chamber, a chlorine-generating compartment located contiguous thereto and rotatable therewith, a chlorine-conducting pipe revolving with the barrel and having an intake or fixed end disposed about the axis of rotation of the barrel and in communication with the chlorine-generating compartment, and a delivery or discharge end opening into the pulp chamber at a point removed radially a suitable distance from the intake end of said pipe, substantially as set forth.

11. A chlorination barrel having a pulp chamber, a chlorine-generating compartment in open communication with said chamber and rotatable therewith, a steam supply pipe entering one of the trunnions of the barrel, a series of radiating pipes disposed along the inner surface of the barrel and rotating therewith, and having their converging ends in open communication with said steam-pipe, substantially as set forth.

12. A chlorination barrel having a pulp chamber, a chlorine-generating compartment located contiguous thereto and rotatable therewith, a chlorine-conducting pipe rotatable with the barrel and having a fixed end disposed about the axis of rotation of the barrel and in open communication with the chlorine-generating compartment, the opposite end of the pipe communicating with the pulp chamber at a point removed radially a suitable distance from the fixed end of the pipe, substantially as set forth.

13. A chlorination barrel having a pulp chamber, and a chlorine-generating compartment divided into a series of sections for temporarily separating the chlorine-generating materials, substantially as set forth.

14. A chlorination barrel having a pulp chamber, a chlorine-generating compartment located contiguous thereto and rotatable therewith, a chlorine-conducting pipe revolving with the barrel and having an intake end disposed about the axis of rotation of the barrel and in communication with the chlorine-generating compartment, and a delivery end opening into the pulp chamber at a point removed radially from the axis of rotation of the barrel and a valve controlling the intake end of the revolving pipe, substantially as set forth.

15. A chlorination barrel having a pulp chamber, a chlorine-generating compartment located contiguous thereto, a chlorine-conducting pipe leading from said compartment to the pulp chamber and revolving with the barrel, the delivery end of said pipe being adapted to discharge the chlorine alternately into the body of the pulp and above the surface thereof depending on the position of the delivery end in the course of its rotation, substantially as set forth.

16. A chlorination barrel having a pulp-chamber, a chlorine-generating compartment carried by and rotatable therewith, a chlorine-conducting pipe leading from said compartment to the pulp chamber and revolving with the barrel, the delivery end of the pipe being adapted to discharge the chlorine alternately into and above the pulp during the rotation of the barrel, substantially as set forth.

17. A chlorination barrel having a pulp chamber, a chlorine-generating compartment carried by and rotatable therewith, a chlorine-conducting pipe leading from said compartment to the pulp-chamber and revolving with the barrel, said pipe being extended a suitable distance radially from the axis of rotation of the barrel, and having a delivery end discharging into the pulp chamber, substantially as set forth.

Specifications, £1 2s. Drawings on application.

Application No. 4736.—RICHARD SPARROW, of Perth, Western Australia, Patents Agent (*William Reginald Ridings*), "*Improvements in Electric Arc Lamps*."—Dated 10th December, 1903.

Claims:—

1. For an electric arc lamp a magazine comprising a number of independent compartments or receptacles adapted to contain a supply of electrodes and means for automatically rotating said magazine so as to bring its several compartments successively into line with the holder to permit of a fresh electrode being automatically projected into the holder when the electrode in use has been consumed by a predetermined amount substantially as described.

2. In an electric arc lamp of the kind described, the arrangement for rotating the magazine and successively projecting the electrodes into the holder substantially as described with reference to Figures 4 to 6 of the accompanying drawings.

3. In an electric arc lamp of the kind described, the employment of the magnet for controlling the shape and position of the arc as an additional relay for cutting the feeding and regulating mechanism of the lamp into and out of operation substantially as described.

4. An electric arc lamp of the kind described, having its circuits and connections arranged and operating substantially as described with reference to Figure 7 or to Figure 8 of the accompanying drawings.

5. For an electric arc lamp a contact device for leading current to and from the electrodes comprising a number of metallic discs or washers located adjacent to and adapted to make contact with the electrode substantially as described.

6. An electric arc lamp having its several parts constructed, arranged and adapted for use substantially as described and shown in the accompanying drawings.

Specifications, 7s. 6d. Drawings on application.

R. G. FERGUSON,

Registrar of Patents.

Renewal Fees paid on Patents registered from the 5th to 12th December, 1903.

Fees payable before the end of the fourth year in respect of the three following years:—

No. 2798.—D. McROBIE.

No. 2799.—J. G. NASH.

Fees payable before the end of the seventh year in respect of the seven following years:—

No. 1413.—PAPE & HENNEBERG.

No. 1421.—J. HALL.

Applications Abandoned.

DECEMBER 5TH—12TH.

Application No. 4267.—RICHARD HENRY TALBOT, of Perth, in the State of Western Australia, commission agent, "*A new and improved lantern for aerial advertising purposes*."—Dated 10th February, 1903.

Application No. 4268.—RALPH DUNNE, of George Street, Dunedin, New Zealand, picture framer, "*Improved mitre box*."—Dated 10th February, 1903.

Application No. 4271.—JOHN SOMER, of Maldon, in the State of Victoria, legal manager, "*An improved method of and means for adjusting, folding, and packing duplicate rubber tyre bladders to cycles and the like, so as to be readily transposable*."—Dated 10th February, 1903.

Application No. 4272.—HARVEY P. WELLMAN, of the Federal Palace Hotel, 547 Collins Street, Melbourne, in the State of Victoria, Commonwealth of Australia, engineer, "*An improved elevating gate for farmers or others*."—Dated 10th February, 1903.

Application No. 4283.—JAMES GITSHAM, of 9 Smith Street, Footscray, in the State of Victoria, mine manager, "*An improved spraying attachment to rock drills*."—Dated 12th February, 1903.

Applications for Patents.

DECEMBER 5TH—12TH.

[Where Provisional Specification accompanies Application an asterisk is affixed.]

No.	Date.	Name.	Address.	Title.
4725	7th Dec., 1903	Levien, C. J.	Kalgoorlie, W.A.	An improved lighting and shading apparatus for sporting and amusement grounds.
*4726	8th Dec., 1903	Hoadley, W. E. C.	South Melbourne, Victoria	An improved process for the inversion of sugar.
4727	8th Dec., 1903	Rodriguez, F.	Broome, W.A. ...	Combined pivotted gaff spar and mast sleeve.
*4728	8th Dec., 1903	Ritscher, J.	Melbourne, Victoria	An adjustable throw crank for cycles and other machines.
*4729	8th Dec., 1903	Humble, W.; Humble, T. S.; Humble, W. H., and Humble, G. B. (assignee of McDonald, W. M.)	Geelong, Victoria	An improved floor cramp.
*4730	8th Dec., 1903	Waters, E., jun. (communicated by Midgley, E.)	Melbourne, Victoria	A new or improved construction of pneumatic tyre cover.
4731	8th Dec., 1903	Synnot, M. D. (assignee of Murphy, M.)	Melbourne, Victoria	An improved method of trapping rabbits.
4732	8th Dec., 1903	Pennington, R. E.	Carlton, Victoria ...	An improved nut locking spring washer specially adapted for securing nuts on fish bolts.
*4733	10th Dec., 1903	Johnstone, A. E.	London, England ...	Improvements in and relating to liquid fuel burners.
*4734	10th Dec., 1903	Wales, R.	Dunedin, N.Z. ...	Method of and apparatus for cutting material to form mitre or bevel joints.
4735	10th Dec., 1903	Armbruster, W. J., and Morton, J.	St. Louis, U.S.A. ...	Improvements in chlorination barrels.
4736	10th Dec., 1903	Sparrow, R. (communicated by Ridings, W. R.)	Perth, W.A. ...	Improvements in electric arc lamps.
*4737	11th Dec., 1903	Russell, T. G., and Noble, A. H. P.	Christchurch, N.Z.	Improved process for exterminating rabbits and the like and apparatus to be used in connection therewith.

Provisional Specifications accepted.

Patent Office, Perth, 18th December, 1903.

APPLICATIONS for Letters Patent, accompanied by Provisional Specifications, which have been accepted from 5th to 12th December, 1903:—

Application No. 4713.—JOSEPH BENNETTS, Engineer, of 13 Freedman's Chambers, Perth, "*Improvements in Rabbit and Dog-proof fencing.*"—Dated 26th November, 1903.

Application No. 4717.—COSMANN NETTHEIM, of the firm Farleigh, Nettheim and Co., of No. 80 Clarence Street, Sydney, in the State of New South Wales and Commonwealth of Australia, Leather Merchant; and RICHARD STEELE, of No. 40 Porter Street, Waverley, near Sydney aforesaid, Factory Manager, "*An Improved Boot.*"—Dated 1st December, 1903.

Application No. 4722.—GEORGE McMULLEN, of Barrack Street, Perth, Western Australia, Architect, "*Dust prevention encasement for the underside of tram and motor cars, railway carriages, and such like vehicles.*"—Dated 1st December, 1903.

R. G. FERGUSON,
Registrar of Patents.

Index of Applicants for Patents.

DECEMBER 5TH—12TH.

Name.	Title.	No.	Date.
Armbruster, W. J., and Morton, J. ...	Improvements in chlorination barrels	4735	10th Dec., 1903
Hoadley, W. E. C.	An improved process for the inversion of sugar	4726	8th Dec., 1903
Humble, W., T. S., W. H., and G. B. (assignees of McDonald, W. M.)	An improved floor cramp	4729	8th Dec., 1903
Johnstone, A. E.	Improvements in and relating to liquid fuel burners ...	4733	10th Dec., 1903
Levien, C. J.	An improved lighting and shading apparatus for sporting and amusement grounds	4725	7th Dec., 1903
McDonald, W. M.	<i>Vide</i> Humble, W., and others (assignees of McDonald, W. M.)	4733	10th Dec., 1903
Midgley, E.	<i>Vide</i> Waters, E., jun. (communicated by Midgley, E.) ...	4730	8th Dec., 1903
Morton, J.	<i>Vide</i> Armbruster, W. J., and Morton, J.	4735	10th Dec., 1903
Murphy, M.	<i>Vide</i> Synnot, M. D.	4731	8th Dec., 1903
Noble, A. H. P.	<i>Vide</i> Russell, T. G., and Noble, A. H. P.	4737	11th Dec., 1903
Pennington, R. E.	An improved nut locking spring washer specially adapted for securing nuts on fish bolts	4732	8th Dec., 1903
Ridings, W. R.	<i>Vide</i> Sparrow, R. (communicated by Ridings, W. R.) ...	4736	10th Dec., 1903
Ritscher, J.	An adjustable throw crank for cycles and other machines	4728	8th Dec., 1903
Rodriguez, F.	Combined pivotted gaff spar and mast sleeve	4727	8th Dec., 1903
Russell, T. G., and Noble, A. H. P. ...	Improved process for exterminating rabbits and the like and apparatus to be used in connection therewith	4737	11th Dec., 1903
Sparrow, R. (communicated by Ridings, W. R.)	Improvements in electric arc lamps	4736	10th Dec., 1903
Synnot, M. D. (assignee of Murphy, M.)	An improved method of trapping rabbits	4731	8th Dec., 1903
Wales, R.	Method of and apparatus for cutting material to form mitre or bevel joints	4734	10th Dec., 1903
Waters, E., jun. (communicated by Midgley, E.)	A new or improved construction of pneumatic tyre cover	4730	8th Dec., 1903

Index of Subjects of Patent Applications.

DECEMBER 5TH—12TH.

Title.	Name.	No.	Date.
Arc Lamp (electric)	Sparrow, R. (<i>Ridings, W. R.</i>)	4736	10th Dec., 1903
Bevel Joints	<i>Vide</i> Mitre Joints (machine for cutting)	4734	10th Dec., 1903
Burners (liquid fuel)	Johnstone, A. E.	4733	10th Dec., 1903
Chlorination Barrels	Armbruster, W. J., and Morton, J.	4735	10th Dec., 1903
Cramps (floor)	Humble, W.; Humble, T. S.; Humble, W. H.; and Humble, G. B. (assignee of McDonald, W. M.)	4729	8th Dec., 1903
Crank (cycles)	Ritscher, J.	4728	8th Dec., 1903
Cycles	<i>Vide</i> Crank (cycles)	4728	8th Dec., 1903
Fish Bolts	<i>Vide</i> Nut Locks	4732	8th Dec., 1903
Gaff Spar and Mast Sleeve (combined)	Rodriguez, F.	4727	8th Dec., 1903
Joints	<i>Vide</i> Mitre Joints (machine for cutting)	4734	10th Dec., 1903
Lamps	<i>Vide</i> Arc Lamps (electric)	4736	10th Dec., 1903
Lighting Apparatus (for sporting grounds)	Levien, C. J.	4725	7th Dec., 1903
Masts	<i>Vide</i> Gaff Spar and Mast Sleeve (combined)	4727	8th Dec., 1903
Mitre Joints (machine for cutting)	Wales, R.	4734	10th Dec., 1903
Nut Locks	Pennington, R. E.	4732	8th Dec., 1903
Rabbits (extermination of)	Russell, T. G., and Noble, A. H. P.	4737	11th Dec., 1903
Rabbits (method of trapping)	Synnot, M. D. (assignee of Murphy, M.)	4731	8th Dec., 1903
Spars	<i>Vide</i> Gaff Spar and Mast Sleeve (combined)	4727	8th Dec., 1903
Sugar (process for inversion of)	Hoadley, W. E. C.	4726	8th Dec., 1903
Traps	<i>Vide</i> Rabbits (method of trapping)	4731	8th Dec., 1903
Tyre Cover (pneumatic)	Waters, E., junior (<i>Midgley, E.</i>)	4730	8th Dec., 1903

Index of Patentes.

DECEMBER 5TH—12TH.

Name.	Title.	No.	Date.	Gazette.		
				Date.	No.	Page.
Brown, W. C.	<i>Vide</i> Worthington, Henry R.	4608	18th Sept., 1903	9th Oct., 1903	41	2772
Brown, W. C.	<i>Vide</i> Worthington, Henry R.	4618	24th Sept., 1903	9th Oct., 1903	41	2773
Clapham, J. N. & G. S.	A device for preventing a horse from running away with a vehicle when unattended	4624	30th Sept., 1903	9th Oct., 1903	41	2773
Conrad, F.	<i>Vide</i> Sparrow, R.	4610	18th Sept., 1903	9th Oct., 1903	41	2772
Edwards, T.	<i>Vide</i> Turri, G. G.	4605	15th Sept., 1903	9th Oct., 1903	41	2772
Ferrell, J. L.	Improvements in wood preserving	4625	30th Sept., 1903	9th Oct., 1903	41	2773
Ferrell, J. L.	Improvements in wood preserving	4626	30th Sept., 1903	9th Oct., 1903	41	2773
Gill, A. B.	Improvements in apparatus for electrically lighting railway trains	4123	18th Nov., 1902	9th Oct., 1903	41	2771
Hatmaker, J. R. (assignee of Just, J. A.)	Improvements in drying and preserving milk and milk-like products	4405	2nd May, 1903	9th Oct., 1903	41	2772
Just, J. A.	<i>Vide</i> Hatmaker, J. R.	4405	2nd May, 1903	9th Oct., 1903	41	2772
Newman, G.	A new process for treating auriferous pug clay or clay earth by burning it in its crude state in either furnace, kiln, oven, clamp pile, or in open heap with solid or liquid fuel	4607	16th Sept., 1903	9th Oct., 1903	41	2772
Oakley, W. E.	Improvements in electric rail bonds	4617	24th Sept., 1903	9th Oct., 1903	41	2773
Patterson, J. H.	Improved appliances for carrying a rifle or carbine when mounted	4616	22nd Sept., 1903	9th Oct., 1903	41	2772
Sparrow, R. (<i>Conrad, F.</i>)	Improvements in alternating current Watt meters	4610	18th Sept., 1903	9th Oct., 1903	41	2772
Turri, G. G. (<i>Edwards, T.</i>)	Improvements in the working and construction of ore-roasting furnaces	4605	15th Sept., 1903	9th Oct., 1903	41	2772
Wolf, J. D.	Improvements in or relating to the separation of metals from their ores	4609	18th Sept., 1903	9th Oct., 1903	41	2772
Worthington, Henry R. (assignee of Brown, W. C.)	Improvements in compensating direct-acting engines	4608	18th Sept., 1903	9th Oct., 1903	41	2772
Worthington, Henry R. (assignee of Brown, W. C.)	Improvements in valve movements for duplex steam engines	4618	24th Sept., 1903	9th Oct., 1903	41	2773

Index of Subjects of Patents Granted.

DECEMBER 5TH--12TH.

Title.	Name.	No.	Date.	Gazette.		
				Date.	No.	Page.
Alternating Current Meter ...	Sparrow, R. (<i>Conrad, F.</i>) ...	4610	18th Sept., 1903	9th Oct., 1903	41	2772
Auriferous Pug-clay (treatment of)	Newman, G. ...	4607	16th Sept., 1903	9th Oct., 1903	41	2772
Brakes ...	Clapham, J. N. and G. S. ...	4624	30th Sept., 1903	9th Oct., 1903	41	2773
Electric Meter ...	<i>Vide Alternating Current Meter</i>	4610	18th Sept., 1903	9th Oct., 1903	41	2772
Electric Rail Bonds ...	Oakley, W. E. ...	4617	24th Sept., 1903	9th Oct., 1903	41	2773
Engines ...	<i>Vide Valves</i> ...	4618	24th Sept., 1903	9th Oct., 1903	41	2773
Engines (compensating, direct acting)	Worthington, Henry R. (assignee of Brown, W. C.)	4608	18th Sept., 1903	9th Oct., 1903	41	2772
Furnaces ...	<i>Vide Ore-roasting Furnaces</i>	4605	15th Sept., 1903	9th Oct., 1903	41	2772
Horses (device for preventing running away)	<i>Vide Brakes</i> ...	4624	30th Sept., 1903	9th Oct., 1903	41	2773
Lighting (electric for trains) ...	Gill, A. B. ...	4123	18th Nov., 1902	9th Oct., 1903	41	2771
Meter ...	<i>Vide Alternating Current Meter</i>	4610	18th Sept., 1903	9th Oct., 1903	41	2772
Military appliance ...	Patterson, J. H. ...	4616	22nd Sept., 1903	9th Oct., 1903	41	2772
Milk (preservation of) ...	Hatmaker, J. R. (assignee of Just, J. A.)	4405	2nd May, 1903	9th Oct., 1903	41	2772
Ore-roasting Furnaces ...	Turri, G. G. (<i>Edwards, T.</i>) ...	4605	15th Sept., 1903	9th Oct., 1903	41	2772
Ores (separation of metals from)	Wolf, J. D. ...	4609	18th Sept., 1903	9th Oct., 1903	41	2772
Rail Bonds ...	<i>Vide Electric Rail Bonds</i> ...	4617	24th Sept., 1903	9th Oct., 1903	41	2773
Rifles (improved means of carrying)	<i>Vide Military Appliance</i> ...	4616	22nd Sept., 1903	9th Oct., 1903	41	2772
Steam Engines ...	<i>Vide Valves</i> ...	4618	24th Sept., 1903	9th Oct., 1903	41	2773
Valves ...	Worthington, Henry R. (assignee of Brown, W. C.)	4618	24th Sept., 1903	9th Oct., 1903	41	2773
Wood Preserving ...	Ferrell, J. L. ...	4625	30th Sept., 1903	9th Oct., 1903	41	2773
Wood Preserving ...	Ferrell, J. L. ...	4626	30th Sept., 1903	9th Oct., 1903	41	2773

Trade Marks.

Patent Office, Trade Marks Branch, Perth, 18th December, 1903.


IT is hereby notified that I have received the under-mentioned Applications for the Registration of Trade Marks.

Any person or persons intending to oppose such applications must leave particulars, in writing, in duplicate (on Form F), of his or their objections thereto, within two calendar months from the date of this Gazette.

A fee of £1 is payable with such notice.

R. G. FERGUSON,
Registrar of Designs and Trade Marks.

Application No. 2981, dated 26th November, 1903.—L. ROSE & COMPANY, Limited, of 89 Worship Street, London, E.C., England, Manufacturers and Merchants, to register in Class 42, in respect of lime juice and lime juice preparations, a Trade Mark, of which the following is a representation :—




The essential particular of the Trade Mark is the distinctive label.

Application No. 2987, 8th December, 1903.—STEPHENS, GOODWIN AND TATTON, LIMITED, of Leck, Staffordshire, England, Silk Manufacturers, to register in Class 30, in

respect of Machine silks of all descriptions, silk twist legee, and sewing silks, a Trade Mark of which the following is a representation :—

THE CABLE



Applications Nos. 2988 and 2989, dated 10th December, 1903.—ALEXANDER MATHIESON & SONS, LIMITED, of Saracen Tool Works, 11 East Campbell Street, Glasgow, Scotland, manufacturers, Application No. 2988 to register in Class 13 in respect of metal goods not included in other classes; Application No. 2989 to register in Class 12 in respect of Cutlery and Edge Tools, a Trade Mark of which the following is a representation :—



Subsequent Proprietors of Trade Marks Registered from 5th to 12th December, 1903.

[NOTE.—The names in brackets are those of former proprietors.]

- No. 288.—British-American Tobacco Co., Ltd. [W. D. & H. O. Wills, Ltd.]
- No. 459.—British-American Tobacco Co., Ltd. [Richmond Cavendish Co., Ltd.]
- No. 460.—British-American Tobacco Co., Ltd. [Richmond Cavendish Co., Ltd.]
- No. 537.—British-American Tobacco Co., Ltd. [W. D. & H. O. Wills, Ltd.]
- No. 553.—British-American Tobacco Co., Ltd. [Hignett Brothers & Co.]
- No. 554.—British-American Tobacco Co., Ltd. [Hignett Brothers & Co.]
- No. 555.—British-American Tobacco Co., Ltd. [Hignett Brothers & Co.]
- No. 607.—R. White & Sons, Ltd. [R. J. & J. G. White.]
- No. 608.—R. White & Sons, Ltd. [R. J. & J. G. White.]
- No. 2209.—British-American Tobacco Co., Ltd. [W. D. & H. O. Wills, Ltd.]

Alphabetical List of Registrants of Trade Marks.

DECEMBER 5TH—12TH.

Name.	Goods.	Class.	No.	Date.	Gazette.		
					No.	Date.	Page.
Allan & Co. Proprietary, Ltd.	Mouth organs	9	2925	15th Sept., 1903	40	2nd Oct., 1903	2733
Falk, J. I., & Co., Ltd. ...	Canned salmon	42	2936	22nd Sept., 1903	40	2nd Oct., 1903	2733
Falk, J. I., & Co., Ltd. ...	Canned salmon	42	2937	22nd Sept., 1903	40	2nd Oct., 1903	2733
Garner, W. W. (trading as Faulding, F. H., & Co.)	Substances used as food or as ingredients in food	42	2935	22nd Sept., 1903	40	2nd Oct., 1903	2733
Morgan Crucible Co., Ltd.	Crucibles, scorifiers, cupels, and other like goods, porous cells, and plates for galvanic batteries	16	2944	2nd Oct., 1903	41	9th Oct., 1903	2776

Index of Goods for which Trade Marks have been registered.

DECEMBER 5TH—12TH.

Goods.	Name.	No.	Date.	Class.	Gazette.		
					No.	Date.	Page.
Crucibles	Morgan Crucible Co., Ltd.	2944	2nd Oct., 1903	16	41	9th Oct., 1903	2776
Cupels	<i>Vide</i> Crucibles	2944	2nd Oct., 1903	16	41	9th Oct., 1903	2776
Food Substances	Garner, W. W. (trading as Faulding, F. H. & Co.)	2935	22nd Sept., 1903	42	40	2nd Oct., 1903	2733
Organs (mouth)	Allan & Co. Proprietary, Ltd.	2925	15th Sept., 1903	9	40	2nd Oct., 1903	2733
Porous Cells and Plates (for galvanic batteries)	<i>Vide</i> Crucibles	2944	2nd Oct., 1903	16	41	9th Oct., 1903	2776
Salmon (canned)	Falk, J. I. & Co., Ltd.	2936	22nd Sept., 1903	42	40	2nd Oct., 1903	2733
Salmon (canned)	Falk, J. I. & Co., Ltd.	2937	22nd Sept., 1903	42	40	2nd Oct., 1903	2733
Scorifiers	<i>Vide</i> Crucibles	2944	2nd Oct., 1903	16	41	9th Oct., 1903	2776