



# Government Gazette

OF

## WESTERN AUSTRALIA.

[Published by Authority at 3.30 p.m.]

[REGISTERED AT THE GENERAL POST OFFICE, PERTH, FOR TRANSMISSION BY POST AS A NEWSPAPER.]

No. 32.]

PERTH : TUESDAY, 18th MARCH.

[1952.

### PRICES CONTROL ACT, 1948-1951.

Prices Control Order No. 652.

#### Joinery.

IN pursuance of the powers conferred upon me by the Prices Control Regulations, 1949, I, Constantin Paul Mathea, Prices Control Commissioner, hereby make the following Order:—

#### Citation.

1. This Order may be cited as Prices Control Order No. 652.

#### Revocation.

2. Prices Control Order No. 522 is hereby revoked.

#### Definitions and Interpretations.

3. In this Order and the Schedules thereto, unless the contrary intention appears, the expression—

“joinery” means joinery of all kinds and descriptions;

“W.A. hardwood,” or “Western Australian hardwood” means timber commonly known and referred to as jarrah, karri, wandoo, tuart, marri and W.A. blackbutt;

“seasoned selected quality” means, in relation to Western Australian hardwood, that such timber conforms to the requirements and specifications for joinery stock “A.S.O. 10 to A.S.O. 36—1948,” contained in “Grading Rules for Jarrah, Karri and Wandoo,” *Forests Department of Western Australia Bulletin*, No. 56, 1948;

“Perth Metropolitan Area” means all that area comprised within a radius of 20 miles from the General Post Office at Perth.

### Maximum Retail Prices—Joinery.

4. I fix and declare the maximum price at which any article of joinery of the types or descriptions set out in the first column of the Schedule to this Order may be sold by any person by retail in the Perth Metropolitan Area, delivered free to any place within that area nominated by the purchaser, to be—

(a) in respect of any unglazed article, the price specified in the third column of that Schedule according to the unit specified in the second column;

(b) in respect of any glazed article, the price specified in the fourth, fifth, sixth, seventh, eighth or ninth column of the Schedule, according to the weight and description of glass contained in such article and the units specified in the second column of the Schedule.

Provided that in respect of any article of joinery constructed from timber other than Western Australian hardwood, the maximum price fixed by the provisions of this Order may be increased by a sum calculated—

by multiplying the net superage of the timber contained in such article plus 10 per centum thereof, by the amount by which the maximum retail price per hundred super feet fixed under the Regulations for the particular size, length and type of timber used in such article exceeds the maximum retail price per hundred super feet fixed for the identical size, length and type of timber by the provisions of Prices Control Order No. 657.

#### Application for Maximum Prices.

5. A person shall not sell by retail any article of joinery a maximum price for which is not fixed by or under the provisions of this Order, unless

and until that person has made a written request to the Commissioner to fix the maximum price at which that joinery may be sold, and the Commissioner has fixed the maximum price accordingly.

Delivery of Invoices or Dockets.

6. Any person who sells any article of joinery, shall deliver with that joinery an invoice or docket specifying the following particulars:—

- (a) His name and place of business.
- (b) The name and address of the purchaser of that joinery.
- (c) The date of sale of that joinery.
- (d) A full description of each article sold.
- (e) The price charged for each such article of joinery.

Discounts.

7. Notwithstanding anything contained in the provisions of this Order—

- (i) where any person sells any article of joinery to any Government or semi-Government department, to any registered builder or contractor, or to any registered wood

working manufacturer for use in their own activities, the maximum price fixed by the provisions of this Order for the sale of those goods shall, in the case of any such sales, be reduced by 5 per centum;

- (ii) where payment for any article of joinery is made to the seller by any Government or semi-Government department or person specified in subparagraph (i) of this paragraph before the 25th day of the month following the month in which the goods are purchased and delivered, the maximum price fixed by the provisions of this Order for the sale of those goods shall be reduced by a further 2½ per centum.

Variation of Maximum Price by Notice.

8. Notwithstanding the foregoing provisions of this Order, I declare the maximum price at which any article of joinery specified in a notice in pursuance of this paragraph may be sold by any person to whom such notice is given, to be such price as is fixed by the Commissioner by notice in writing to that person.

THE SCHEDULE.

| Item. No. | First Column.   | Second Column.              | Third Column. | Fourth Column.    | Fifth Column. | Sixth Column.                                 | Seventh Column. | Eighth Column. | Ninth Column. |
|-----------|---|-----------------------------|---------------|-------------------|---------------|---|-----------------|----------------|---------------|
|           | Size, Class and Description of Joinery.   | Price per                   | Unglazed.     | Glazed.           |               | Maximum Retail Price—Perth Metropolitan Area. |                 |                |               |
|           |   |                             |               | Australian Glass. |               | Imported Glass.                               |                 |                |               |
|           |   |                             |               | 16 oz.            | 21 oz.        | Obscure.                                      | 16-18 oz.       | 24 oz.         | Obscure.      |
|           |   | s. d.                       | s. d.         | s. d.             | s. d.         | s. d.   | s. d.           | s. d.          | s. d.         |
|           | DOOR FRAMES.<br>(All Door Frames, including Mouldings, of Seasoned Selected W.A. Hardwood, Stiles and Head at 5 in. x 3 in. solid rebated, without Sills and Transoms.) |                             |               |                   |               |   |                 |                |               |
| 1         | Single Frame, up to 7 ft. x 3 ft.   | Each                        | 53 0          |                   |               |   |                 |                |               |
| 2         | Single Wing Frame, up to 5 ft. wide   | Each                        | 89 6          |                   |               |   |                 |                |               |
| 3         | Double Wing Frame, up to 6 ft. wide   | Each                        | 116 3         |                   |               |   |                 |                |               |
| 4         | Single Side Light Frame (no side panels) up to 5 ft. wide   | Each                        | 81 9          |                   |               |   |                 |                |               |
| 5         | Double Side Light Frame (no side panels) up to 6 ft. wide   | Each                        | 111 9         |                   |               |   |                 |                |               |
| 6         | Iron Dowels for Concrete  | Per Frame                   | 2 4           |                   |               |   |                 |                |               |
|           | SILLS.<br>(Of Seasoned Selected W.A. Hardwood.)   |                             |               |                   |               |   |                 |                |               |
|           | Up to 3 ft. wide opening—   |                             |               |                   |               |   |                 |                |               |
| 7         | 2 in.   | Per inch                    | 1 7           |                   |               |   |                 |                |               |
| 8         | 3 in.   | Per inch                    | 1 11          |                   |               |   |                 |                |               |
|           | Over 3 ft. wide opening—  |                             |               |                   |               |   |                 |                |               |
| 9         | 3 in.   | Per inch per foot of sill   | 0 8           |                   |               |   |                 |                |               |
|           | Extras if required—Windmoulds   |                             |               |                   |               |   |                 |                |               |
|           | Up to 1½ in. x ¾ in.  | Per lineal foot of moulding | 0 5           |                   |               |   |                 |                |               |
|           | DOOR JAMBS.<br>(All Door Jambs, including stops of Seasoned Selected W.A. Hardwood.)  |                             |               |                   |               |   |                 |                |               |
|           | Up to 6 ft. 8 in. x 2 ft. 10 in. opening without transoms—  |                             |               |                   |               |   |                 |                |               |
| 10        | Out of and up to 6 in. x 1½ in.   | Each                        | 37 6          |                   |               |   |                 |                |               |
| 11        | Out of and up to 6 in. x 2 in.  | Each                        | 42 6          |                   |               |   |                 |                |               |



|    |   |       |        |        |        |        |        |        |        |        |        |        |
|----|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 23 | 6 ft. 8 in. x 2 ft. 6 in. and 2 ft. 8 in. x 1 5/8 in.   | 86 0  | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    |
| 24 | 6 ft. 8 in. x 2 ft. 10 in. x 1 5/8 in.  | 88 9  | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    |
| 25 | <i>High Waisted Panelled Doors with Top Panel beaded for glass—</i><br>(As before for 1 3/8 in. finished Door, but top panel beaded for glass.)   | 80 3  | 86 9   | 88 3   | 89 2   | 86 9   | 88 3   | 89 2   | 86 9   | 88 3   | 89 2   | 90 5   |
| 26 | 6 ft. 8 in. x 2 ft. 6 in. and 2 ft. 8 in. x 1 3/8 in.   | 82 9  | 89 9   | 91 5   | 92 4   | 89 9   | 91 5   | 92 4   | 89 9   | 91 5   | 92 4   | 93 9   |
| 27 | 6 ft. 8 in. x 2 ft. 10 in. x 1 3/8 in.  | 86 0  | 92 6   | 94 0   | 94 11  | 92 6   | 94 0   | 94 11  | 92 6   | 94 0   | 94 11  | 96 2   |
| 28 | 6 ft. 8 in. x 2 ft. 8 in. x 1 3/8 in.   | 88 9  | 95 9   | 97 5   | 98 4   | 95 9   | 97 5   | 98 4   | 95 9   | 97 5   | 98 4   | 99 9   |
|    | <i>Flush Panelled Doors—</i><br>(Framing of Seasoned, Selected W.A. Hardwood, Stiles and Bottom Rail ex 4 in. x 1 1/4 in. Top Rail and 4 intermediate Rails ex 3 in. x 1 1/4 in., Panelled in 3/8 in. Plywood.)                       |       |        |        |        |        |        |        |        |        |        |        |
| 29 | <i>No Edge Strips:</i><br>6 ft. 8 in. x 2 ft. 4 in., 2 ft. 6 in. and 2 ft. 8 in. x 1 3/8 in., panelled in Hoop Pine Ply   | 59 9  | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    |
| 30 | 6 ft. 8 in. x 2 ft. 4 in., 2 ft. 6 in. and 2 ft. 8 in. x 1 3/8 in., panelled in Borneo Cedar Ply  | 72 9  | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    |
| 31 | <i>With 1/2 in. Edge Strips:</i><br>6 ft. 8 in. x 2 ft. 4 in., 2 ft. 6 in. and 2 ft. 8 in. x 1 3/8 in., panelled in Hoop Pine Ply   | 70 9  | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    |
| 32 | 6 ft. 8 in. x 2 ft. 4 in., 2 ft. 6 in. and 2 ft. 8 in. x 1 3/8 in., panelled in Borneo Cedar Ply  | 83 9  | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    |
| 33 | <i>With Edge Strips and Top Panel Beaded for Glass:</i><br>6 ft. 8 in. x 2 ft. 4 in., 2 ft. 6 in. and 2 ft. 8 in. x 1 3/8 in., panelled in Hoop Pine Ply  | 91 6  | 98 0   | 99 6   | 100 5  | 98 0   | 99 6   | 100 5  | 98 0   | 99 6   | 100 5  | 101 8  |
| 34 | 6 ft. 8 in. x 2 ft. 4 in., 2 ft. 6 in. and 2 ft. 8 in. x 1 3/8 in., panelled in Borneo Cedar Ply  | 104 6 | 111 0  | 112 6  | 113 5  | 111 0  | 112 6  | 113 5  | 111 0  | 112 6  | 113 5  | 114 8  |
|    | <i>1 Light Front Doors, Beaded to Bottom Rail and Unglazed—</i><br>(Square Edged Framing of Seasoned Selected W.A. Hardwood, Stiles and Top Rail 4 1/4 in. x 1 3/8 in. fin. Bottom Rail 8 3/8 in. x 1 3/8 in. fin. Beaded for Glass.) |       |        |        |        |        |        |        |        |        |        |        |
| 35 | 6 ft. 8 in. x 2 ft. 8 in. and 2 ft. 10 in. x 1 3/8 in.  | 48 3  | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    |
| 36 | 6 ft. 8 in. x 3 ft. x 1 3/8 in.   | 50 3  | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    |
| 37 | 6 ft. 8 in. x 2 ft. 8 in. x 1 5/8 in.   | 51 6  | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    |
| 38 | 6 ft. 8 in. x 2 ft. 10 in. x 1 3/8 in.  | 51 9  | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    |
| 39 | 6 ft. 8 in. x 3 ft. x 1 5/8 in.   | 54 3  | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    | ...    |
|    | <i>5 Light Front Doors, Glazed—</i><br>(Square Edged Framing of Seasoned Selected W.A. Hardwood, Stiles and Top Rails 4 1/4 in. x 1 3/8 in. fin. Bottom Rail 8 3/8 in. x 1 3/8 in. fin. Beaded.)                                      |       |        |        |        |        |        |        |        |        |        |        |
| 40 | 6 ft. 8 in. x 2 ft. 8 in. x 1 3/8 in.   | 71 9  | 96 11  | 102 9  | 106 3  | 96 11  | 102 9  | 106 3  | 96 11  | 102 9  | 106 3  | 111 4  |
| 41 | 6 ft. 8 in. x 2 ft. 10 in. x 1 3/8 in.  | 72 0  | 99 4   | 105 8  | 109 6  | 99 4   | 105 8  | 109 6  | 99 4   | 105 8  | 109 6  | 114 11 |
| 42 | 6 ft. 8 in. x 3 ft. x 1 3/8 in.   | 74 3  | 103 8  | 110 7  | 114 8  | 103 8  | 110 7  | 114 8  | 103 8  | 110 7  | 114 8  | 120 7  |
| 43 | 6 ft. 8 in. x 2 ft. 8 in. x 1 5/8 in.   | 75 9  | 100 11 | 106 9  | 110 3  | 100 11 | 106 9  | 110 3  | 100 11 | 106 9  | 110 3  | 115 4  |
| 44 | 6 ft. 8 in. x 2 ft. 10 in. x 1 3/8 in.  | 76 0  | 103 4  | 109 8  | 113 5  | 103 4  | 109 8  | 113 5  | 103 4  | 109 8  | 113 5  | 118 11 |
| 45 | 6 ft. 8 in. x 3 ft. x 1 5/8 in.   | 79 6  | 108 11 | 115 10 | 119 11 | 108 11 | 115 10 | 119 11 | 108 11 | 115 10 | 119 11 | 125 10 |

THE SCHEDULE—continued.

| Item No.         | First Column.   | Second Column. | Third Column.                                 | Fourth Column. | Fifth Column. | Sixth Column.   | Seventh Column. | Eighth Column. | Ninth Column. |
|------------------|---|----------------|---|----------------|---------------|-----------------|-----------------|----------------|---------------|
|                  |   |                | Maximum Retail Price—Perth Metropolitan Area. |                |               |                 |                 |                |               |
|                  |   | Price per      | Unglazed.                                     |                |               | Glazed.         |                 |                |               |
|                  |   |                | Australian Glass.                             |                |               | Imported Glass. |                 |                |               |
|                  |   |                | 16 oz.  | 21 oz.         | Obsecure.     | 16-18 oz.       | 24 oz.          |                |               |
|                  |   |                | s. d.   | s. d.          | s. d.         | s. d.           | s. d.           | s. d.          | s. d.         |
| DOORS—continued. |   |                |   |                |               |                 |                 |                |               |
|                  | <i>Casement Doors in Pairs—</i>   |                |   |                |               |                 |                 |                |               |
|                  | <i>1 Light (no Bars) Beaded to Bottom Rail—Unglazed:</i>  |                |   |                |               |                 |                 |                |               |
|                  | (Square Edged Framing of Seasoned Selected W.A. Hardwood, Stiles and Top Rail $3\frac{1}{2}$ in. x $1\frac{3}{8}$ in. fin. Bottom Rails $8\frac{1}{2}$ in. x $1\frac{3}{8}$ in. fin. Beaded for Glass).   |                |   |                |               |                 |                 |                |               |
| 46               | 6 ft. 8 in. x 3 ft. x $1\frac{3}{8}$ in.  | Pair           | 87  | 9              | ...           | ...             | ...             | ...            | ...           |
| 47               | 6 ft. 8 in. x 3 ft. 6 in. x $1\frac{3}{8}$ in.  | Pair           | 90  | 3              | ...           | ...             | ...             | ...            | ...           |
| 48               | 6 ft. 8 in. x 4 ft. x $1\frac{3}{8}$ in.  | Pair           | 94  | 0              | ...           | ...             | ...             | ...            | ...           |
| 49               | 6 ft. 8 in. x 4 ft. 6 in. x $1\frac{3}{8}$ in.  | Pair           | 96  | 6              | ...           | ...             | ...             | ...            | ...           |
| 50               | 6 ft. 8 in. x 3 ft. x $1\frac{3}{8}$ in. (As before, but finished to $1\frac{1}{8}$ in.)  | Pair           | 93  | 6              | ...           | ...             | ...             | ...            | ...           |
| 51               | 6 ft. 8 in. x 3 ft. 6 in. x $1\frac{3}{8}$ in.  | Pair           | 96  | 3              | ...           | ...             | ...             | ...            | ...           |
| 52               | 6 ft. 8 in. x 4 ft. x $1\frac{3}{8}$ in.  | Pair           | 100   | 6              | ...           | ...             | ...             | ...            | ...           |
| 53               | 6 ft. 8 in. x 4 ft. 6 in. x $1\frac{3}{8}$ in.  | Pair           | 103   | 3              | ...           | ...             | ...             | ...            | ...           |
|                  | <i>Top Panels Glazed up to 3 Lay Lights each Leaf. Bottom Panelled in <math>\frac{5}{16}</math> in. Plywood:</i>  |                |   |                |               |                 |                 |                |               |
|                  | (Square Edged Framing of Seasoned Selected W.A. Hardwood. Stiles and Top Rail $3\frac{1}{2}$ in. x $1\frac{3}{8}$ in. fin. Bottom Rail and Lock Rail $8\frac{1}{2}$ in. x $1\frac{3}{8}$ in. fin. Panelled in $\frac{5}{16}$ in. Borneo Cedar Plywood). |                |   |                |               |                 |                 |                |               |
| 54               | 6 ft. 8 in. x 3 ft. x $1\frac{3}{8}$ in.  | Pair           | 120   | 6              | 135           | 7               | 141             | 2              | 144           |
| 55               | 6 ft. 8 in. x 3 ft. 6 in. x $1\frac{3}{8}$ in.  | Pair           | 126   | 0              | 146           | 1               | 153             | 7              | 157           |
| 56               | 6 ft. 8 in. x 4 ft. x $1\frac{3}{8}$ in.  | Pair           | 134   | 9              | 157           | 5               | 165             | 10             | 170           |
| 57               | 6 ft. 8 in. x 4 ft. 6 in. x $1\frac{3}{8}$ in.  | Pair           | 141   | 0              | 168           | 8               | 175             | 1              | 184           |
|                  | <i>(As before, but finished to <math>1\frac{1}{8}</math> in.)</i>   |                |   |                |               |                 |                 |                |               |
| 58               | 6 ft. 8 in. x 3 ft. x $1\frac{3}{8}$ in.  | Pair           | 128   | 9              | 143           | 10              | 147             | 4              | 152           |
| 59               | 6 ft. 8 in. x 3 ft. 6 in. x $1\frac{3}{8}$ in.  | Pair           | 136   | 9              | 156           | 10              | 161             | 7              | 168           |
| 60               | 6 ft. 8 in. x 4 ft. x $1\frac{3}{8}$ in.  | Pair           | 144   | 0              | 166           | 8               | 171             | 11             | 179           |
| 61               | 6 ft. 8 in. x 4 ft. 6 in. x $1\frac{3}{8}$ in.  | Pair           | 150   | 6              | 178           | 2               | 184             | 7              | 194           |



THE SCHEDULE—continued.

| Item No.  | First Column.                          | Second Column. | Third Column. | Fourth Column. | Fifth Column. | Sixth Column.     | Seventh Column. | Eighth Column.  | Ninth Column. |  |          |
|---|--|----------------|---------------|----------------|---------------|-------------------|-----------------|-----------------|---------------|--|----------|
|   |  |                |               |                |               |                   |                 |                 |               | Maximum Retail Prices—Perth Metropolitan Area. |          |
| Size, Class and Description of Joinery.   |  |                |               |                |               |                   |                 |                 |               |  |          |
|   |  |                | Unglazed.     |                |               | Glazed.           |                 |                 |               |  |          |
|   |  |                | Price per     |                |               | Australian Glass. |                 | Imported Glass. |               |  |          |
|   |  |                |               |                |               | 16 oz.            | 21 oz.          | Obscure.        | 16-18 oz.     | 24 oz.   | Obscure. |
| CASEMENT FRAMES AND SASHES.   |  |                |               |                |               |                   |                 |                 |               |  |          |
| <i>Single Frame—</i><br>(Frames and Sashes of Seasoned Selected W.A. Hardwood. Stiles and Head <i>ex</i> 5 in. x 3 in. Single Rebated, Sill <i>ex</i> 7 in. x 3 in. Single Rebated, Sash Stiles and Top Rail 2½ in. x 1½ in. fin. Bottom Rail 3¼ in. x 1½ in. fin. Sash Bar 1½ in. x ½ in. fin. Glazed up to 3 Lay Lights). |  |                |               |                |               |                   |                 |                 |               |  |          |
| 78  | Sash Size 4 ft. x 1 ft. 6 in.:         | Each           | s. d.         | s. d.          | s. d.         | s. d.             | s. d.           | s. d.           | s. d.         | s. d.  |          |
| 78A   | Frame                                  | Each           | 50 9          | 30 4           | 32 8          | 34 1              | 30 4            | 32 8            | 36 1          | 36 1   |          |
| 78B   | Sash                                   | Each           | 20 3          |                |               |                   |                 |                 |               |  |          |
| 79  | Sash Size 4 ft. x 1 ft. 8 in.:         | Each           | 50 9          | 32 1           | 34 9          | 36 3              | 32 1            | 34 9            | 38 7          | 38 7   |          |
| 79A   | Frame                                  | Each           | 20 9          |                |               |                   |                 |                 |               |  |          |
| 79B   | Sash                                   | Each           | 20 9          |                |               |                   |                 |                 |               |  |          |
| 80  | Sash Size, 4 ft. x 1 ft. 10 in.:       | Each           | 50 9          | 33 10          | 36 9          | 38 6              | 33 10           | 36 9            | 41 0          | 41 0   |          |
| 80A   | Frame                                  | Each           | 21 3          |                |               |                   |                 |                 |               |  |          |
| 80B   | Sash                                   | Each           | 21 3          |                |               |                   |                 |                 |               |  |          |
| 81  | Sash Size, 4 ft. 6 in. x 1 ft. 8 in.:  | Each           | 51 0          | 34 2           | 37 3          | 39 0              | 34 2            | 37 3            | 41 7          | 41 7   |          |
| 81A   | Frame                                  | Each           | 21 3          |                |               |                   |                 |                 |               |  |          |
| 81B   | Sash                                   | Each           | 21 3          |                |               |                   |                 |                 |               |  |          |
| 82  | Sash Size, 4 ft. 6 in. x 1 ft. 10 in.: | Each           | 51 0          | 36 1           | 39 6          | 41 5              | 36 1            | 39 6            | 44 4          | 44 4   |          |
| 82A   | Frame                                  | Each           | 21 9          |                |               |                   |                 |                 |               |  |          |
| 82B   | Sash                                   | Each           | 21 9          |                |               |                   |                 |                 |               |  |          |
| <i>Double Frame—</i><br>(As before but with double rebated mullion <i>ex</i> 5 in. x 3 in.)   |  |                |               |                |               |                   |                 |                 |               |  |          |
| 83  | Sash Size, 4 ft. x 1 ft. 6 in.:        | Each           | 81 3          | 60 7           | 65 4          |                   | 60 7            | 65 4            |               |  |          |
| 83A   | Frame                                  | Each           | 40 6          |                |               |                   |                 |                 |               |  |          |
| 83B   | Sashes                                 | Pair           | 40 6          |                |               |                   |                 |                 |               |  |          |
| 84  | Sash Size, 4 ft. x 1 ft. 8 in.:        | Each           | 81 3          | 64 2           | 69 5          |                   | 64 2            | 69 5            |               |  |          |
| 84A   | Frame                                  | Each           | 41 6          |                |               |                   |                 |                 |               |  |          |
| 84B   | Sashes                                 | Pair           | 41 6          |                |               |                   |                 |                 |               |  |          |
| 85  | Sash Size, 4 ft. x 1 ft. 10 in.:       | Each           | 81 6          | 67 8           | 73 6          |                   | 67 8            | 73 6            |               |  |          |
| 85A   | Frame                                  | Each           | 42 6          |                |               |                   |                 |                 |               |  |          |
| 85B   | Sashes                                 | Pair           | 42 6          |                |               |                   |                 |                 |               |  |          |
| 86  | Sash Size, 4 ft. 6 in. x 1 ft. 8 in.:  | Each           | 81 9          | 68 4           | 74 5          |                   | 68 4            | 74 5            |               |  |          |
| 86A   | Frame                                  | Each           | 42 6          |                |               |                   |                 |                 |               |  |          |
| 86B   | Sashes                                 | Pair           | 42 6          |                |               |                   |                 |                 |               |  |          |





## THE SCHEDULE—continued.

| Item No.   | First Column.   | Second Column. | Third Column. | Fourth Column. | Fifth Column. | Sixth Column. | Seventh Column. | Eighth Column. | Ninth Column.   |   |  |           |  |  |        |  |  |          |  |
|--|---|----------------|---------------|----------------|---------------|---------------|-----------------|----------------|-----------------|---|--|-----------|--|--|--------|--|--|----------|--|
|  |   |                |               |                |               |               |                 |                |                 | Maximum Retail Price—Perth Metropolitan Area. |  |           |  |  |        |  |  |          |  |
| Size, Class and Description of Joinery.  |   | Price per      | Unglazed.     |                |               | Glazed.       |                 |                | Imported Glass. |   |  |           |  |  |        |  |  |          |  |
|  |   |                | 16 oz.        |                |               | 21 oz.        |                 |                | Obscure.        |   |  | 16-18 oz. |  |  | 24 oz. |  |  | Obscure. |  |
| CASEMENT FRAMES AND SASHES—continued.  |   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| <i>Double Frame—</i>   |   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| (As before, but with Rebated Mullion <i>ex</i> 5 in. x 3 in.).   |   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 99   | Sash size 4 ft. 4 in. x 1 ft. 10 in.:   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 99A  | Frame   | Each           | 100 6         | s. d.          |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 99B  | Sashes  | Pair           | 43 6          |                | 78 11         |               | 72 3            |                | 78 11           |   |  |           |  |  |        |  |  |          |  |
| <i>Triple Frame—</i>   |   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| (As before, but with Rebated Mullions <i>ex</i> 5 in. x 3 in.).  |   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 100  | Sash size 4 ft. 4 in. x 1 ft. 10 in.:   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 100A   | Frame   | Each           | 133 6         | s. d.          |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 100B   | Sashes  | Three          | 65 3          |                | 118 5         |               | 108 4           |                | 118 5           |   |  |           |  |  |        |  |  |          |  |
| <i>Triple Frame with 36 in. Centre Sash—</i>   |   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| (As before).   |   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 101  | Side Sashes, 4 ft. 4 in. x 1 ft. 10 in.:  |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 101A   | Frame   | Each           | 155 9         | s. d.          |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 101B   | Side Sashes   | Pair           | 43 6          |                | 78 11         |               | 72 3            |                | 78 11           |   |  |           |  |  |        |  |  |          |  |
| 101C   | Centre Sash   | Each           | 38 0          |                | 68 2          |               | 62 5            |                | 68 2            |   |  |           |  |  |        |  |  |          |  |
| <i>Triple Angle Frame with 36 in. Return—</i>  |   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| (As before, but with 5 in. x 5 in. Boxed Corner Mullion).  |   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 102  | Front Sashes (2), 4 ft. 4 in. x 1 ft. 10 in. with Return Sash, 4 ft. 4 in. x 3 ft.: |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 102A   | Frame   | Each           | 225 9         | s. d.          |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 102B   | Front Sashes  | Pair           | 43 6          |                | 78 11         |               | 72 3            |                | 78 11           |   |  |           |  |  |        |  |  |          |  |
| 102C   | Return Sash   | Each           | 38 0          |                | 68 2          |               | 62 5            |                | 68 2            |   |  |           |  |  |        |  |  |          |  |
| <i>For Timber Framed Houses—</i>   |   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| (Frames and Sashes of Seasoned Selected W.A. Hardwood, Stiles and Head <i>ex</i> 5 in. x 3 in. Rebated and throated for Sash and rebated for Fly Screen, 7 in. x 3 in. Double Rebated Sill and Rebated for Flashing. Sash Stiles and Top Rail 2½ in. x 1½ in. fin. Rebated Bottom Rail 3½ in. x 1½ in. fin. Sash Bar 1½ in. x ½ in. fin. Glazed 4 Lay Lights). |   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| <i>Single Frame—</i>   |   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 103  | Sash Size, 4 ft. 4½ in. x 1 ft. 10 in.:   |                |               |                |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 103A   | Frame   | Each           | 56 3          | s. d.          |               |               |                 |                |                 |   |  |           |  |  |        |  |  |          |  |
| 103B   | Sash  | Each           | 21 9          |                | 39 6          |               | 36 1            |                | 39 6            |   |  |           |  |  |        |  |  |          |  |

|   |  |               |       |       |       |       |       |       |      |
|---|--|---------------|-------|-------|-------|-------|-------|-------|------|
| 104   | <i>Double Frame—</i><br>(As before, but with Rebated Mullion <i>ex</i> 5 in. x 3 in.)                  | 89 6          | 72 3  | 78 11 | 72 3  | 78 11 | 78 11 | 78 11 | 35 6 |
| 104A  | Sash Size, 4 ft. 4½ in. x 1 ft. 10 in.:  | 43 6          |       |       |       |       |       |       |      |
| 104B  | Frame<br>Sashes  | Each<br>Pair  |       |       |       |       |       |       |      |
| 105   | <i>Triple Frame—</i><br>(As before, but with Rebated Mullions <i>ex</i> 5 in. x 3 in.)                 | 122 3         | 108 4 | 118 5 | 108 4 | 118 5 | 118 5 | 118 5 | 35 6 |
| 105A  | Sash Size 4 ft. 4½ in. x 1 ft. 10 in.:   | 65 3          |       |       |       |       |       |       |      |
| 105B  | Frame<br>Sashes  | Each<br>Three |       |       |       |       |       |       |      |
| 106   | <i>Triple Angle Frame with 36 in. Return—</i><br>(As before, with 5 in. x 5 in. Boxed Corner Mullion). | 200 9         | 72 3  | 78 11 | 72 3  | 78 11 | 78 11 | 78 11 | 35 6 |
| 106A  | Front Sashes (2) 4 ft. 4½ in. x 1 ft. 10 in. with Return Sash 4 ft. 4½ in. x 3 ft.:                    | 43 6          | 62 5  | 68 2  | 62 5  | 68 2  | 68 2  | 68 2  |      |
| 106B  | Frame  | Each          |       |       |       |       |       |       |      |
| 106C  | Return Sash  | Each          |       |       |       |       |       |       |      |
| <i>Single Casement Laundry Frame and Sash—</i>  |  |               |       |       |       |       |       |       |      |
| <i>To W.H.B. Specification for 4½ in. Wall—</i><br>(Frame and Sash of Seasoned Selected W.A. Hardwood. Stiles and Head <i>ex</i> 4 in. x 2 in. with 5 in. x 3 in. Sill Rebated for Flashing. Sash Stiles and Top Rail 2½ in. x 1½ in. fin. Rebated Bottom Rail 3½ in. fin. Glazed). |  |               |       |       |       |       |       |       |      |
| 107   | Sash Size 3 ft. 0½ in. x 1 ft. 10 in.:   | 41 9          | 29 3  | 31 10 | 29 3  | 31 10 | 31 10 | 31 10 | 35 6 |
| 107A  | Frame  | Each          |       |       |       |       |       |       |      |
| 107B  | Sash   | Each          |       |       |       |       |       |       |      |
| <i>To W.H.B. Specifications for 11 in. Wall—</i><br>(As before, but Frame <i>ex</i> 5 in. x 3 in. and with Windmould).  |  |               |       |       |       |       |       |       |      |
| 108   | Sash Size 3 ft. 0½ in. x 1 ft. 10 in.:   | 52 3          | 29 3  | 31 10 | 29 3  | 31 10 | 31 10 | 31 10 | 35 6 |
| 108A  | Frame  | Each          |       |       |       |       |       |       |      |
| 108B  | Sash   | Each          |       |       |       |       |       |       |      |
| <i>Single Casement Sashes—Up to Three Lay Lights—Glazed—</i><br>(Sashes of Seasoned Selected W.A. Hardwood. Stiles and Top Rail 2½ in. x 1½ in. fin. Bottom Rail 3½ in. x ½ in. fin. Glazed up to 3 Lay Lights).  |  |               |       |       |       |       |       |       |      |
| 109   | Sash Size 3 ft. x 1 ft. 10 in.   | 19 6          | 30 3  | 32 10 | 30 3  | 32 10 | 32 10 | 32 10 | 36 6 |
| 110   | Sash Size 4 ft. x 1 ft. 6 in.  | 20 3          | 30 4  | 32 8  | 30 4  | 32 8  | 32 8  | 32 8  | 36 1 |
| 111   | Sash Size 4 ft. x 1 ft. 8 in.  | 20 9          | 32 1  | 34 9  | 32 1  | 34 9  | 34 9  | 34 9  | 38 7 |
| 112   | Sash Size 4 ft. x 1 ft. 10 in.   | 21 3          | 33 10 | 36 9  | 33 10 | 36 9  | 36 9  | 36 9  | 41 0 |
| 113   | Sash Size 4 ft. 6 in. x 1 ft. 8 in.  | 21 3          | 34 2  | 37 3  | 34 2  | 37 3  | 37 3  | 37 3  | 41 7 |
| 114   | Sash Size 4 ft. 6 in. x 1 ft. 10 in.   | 21 9          | 36 1  | 39 6  | 36 1  | 39 6  | 39 6  | 39 6  | 44 4 |
| <i>Single Casement Sashes, 1 Light Readed, Unglazed—</i><br>(Sashes of Seasoned Selected W.A. Hardwood. Stiles and Top Rail 2½ in. x 1½ in. fin. Bottom Rail 3½ in. x 1½ in. fin. Beaded for Glass and Unglazed).   |  |               |       |       |       |       |       |       |      |
| 115   | Sash Size 4 ft. x 1 ft. 6 in.  | 20 3          |       |       |       |       |       |       |      |
| 116   | Sash Size 4 ft. x 1 ft. 8 in.  | Each          |       |       |       |       |       |       |      |
| 117   | Sash Size 4 ft. x 1 ft. 10 in.   | Each          |       |       |       |       |       |       |      |
| 118   | Sash Size 4 ft. 6 in. x 1 ft. 8 in.  | Each          |       |       |       |       |       |       |      |
| 119   | Sash Size 4 ft. 6 in. x 1 ft. 10 in.   | Each          |       |       |       |       |       |       |      |

## THE SCHEDULE—continued.

| Item No.   | First Column.                               | Second Column.          | Third Column. | Fourth Column. | Fifth Column. | Sixth Column.     | Seventh Column. | Eighth Column.  | Ninth Column. |  |
|--|---|-------------------------|---------------|----------------|---------------|-------------------|-----------------|-----------------|---------------|--|
|  |   |                         |               |                |               |                   |                 |                 |               | Maximum Retail Prices—Perth Metropolitan Area. |
| Size, Class and Description of Joinery.  |   |                         |               |                |               |                   |                 |                 |               |  |
| Price per  |   |                         |               |                |               |                   |                 |                 |               |  |
|  |   |                         | Unglazed.     |                |               | Glazed.           |                 |                 |               |  |
|  |   |                         |               |                |               | Australian Glass. |                 | Imported Glass. |               |  |
|  |   |                         |               |                |               | 16 oz.            | 21 oz.          | Obscure.        | 16-18 oz.     | 24 oz.   |
|  |   |                         | s. d.         | s. d.          | s. d.         | s. d.             | s. d.           | s. d.           | s. d.         | s. d.  |
| <b>CASEMENT FRAMES AND SASHES—continued.</b>                                       |   |                         |               |                |               |                   |                 |                 |               |  |
| <i>Caseмент Sashes in Pairs and Frames—</i>  |   |                         |               |                |               |                   |                 |                 |               |  |
| <i>(Frames and Sashes of Seasoned Selected W.A. Hardwood. Stiles and Head</i>      |   |                         |               |                |               |                   |                 |                 |               |  |
| <i>ex 6 in. x 2 in. Single Rebated. Sill ex 8 in. x 3 in. Single Rebated. Sash</i> |   |                         |               |                |               |                   |                 |                 |               |  |
| <i>Stiles and Top Rail 2½ in. x 1½ in. fin. Bottom Rail 3¼ in. x 1½ in. fin.</i>   |   |                         |               |                |               |                   |                 |                 |               |  |
| <i>Sash Bars 1½ in. x ¾ in. fin. Rebated and Beaded Page. Up to 3 Lay</i>          |   |                         |               |                |               |                   |                 |                 |               |  |
| <i>Lights Glazed).</i>   |   |                         |               |                |               |                   |                 |                 |               |  |
| 120  | Frame—Sash Size 4 ft. 6 in. x 3 ft. 3½ in.  | Each                    | 52 9          | 72 10          | 78 11         | 82 6              | 72 10           | 78 11           | 87 8          |  |
| 121  | Sashes—Sash Size 4 ft. 6 in. x 3 ft. 3½ in. | Pair                    | 47 0          | 72 10          | 78 11         | 82 6              | 72 10           | 78 11           | 87 8          |  |
| 122  | Frame—Sash Size 4 ft. x 3 ft. 3½ in.        | Each                    | 52 9          | 68 2           | 73 5          | 76 7              | 68 2            | 73 5            | 81 1          |  |
| 123  | Sashes—Sash Size 4 ft. x 3 ft. 3½ in.       | Pair                    | 45 6          | 68 2           | 73 5          | 76 7              | 68 2            | 73 5            | 81 1          |  |
| 124  | Frame—Sash Size 4 ft. x 2 ft. 11½ in.       | Each                    | 50 6          | 65 4           | 70 1          | 72 10             | 65 4            | 70 1            | 76 11         |  |
| 125  | Sashes—Sash Size 4 ft. x 2 ft. 11½ in.      | Pair                    | 45 3          | 65 4           | 70 1          | 72 10             | 65 4            | 70 1            | 76 11         |  |
| <i>Odd Sized Sashes, Glazed 16 oz.—</i>  |   |                         |               |                |               |                   |                 |                 |               |  |
| <i>(As before).</i>  |   |                         |               |                |               |                   |                 |                 |               |  |
| 126  | Up to 5 square feet                         | Each                    | ...           | ...            | ...           | ...               | ...             | ...             | ...           |  |
| 127  | Plus extra area over 5 square feet          | Per square foot extra   | ...           | ...            | ...           | ...               | ...             | ...             | ...           |  |
| 128  | Odd Size Casement Frames and Sashes         | Per square foot overall | ...           | ...            | ...           | ...               | ...             | ...             | ...           |  |
| <i>Extra if required—</i>  |   |                         |               |                |               |                   |                 |                 |               |  |
| <i>Windmoulds up to 1½ in. x ¾ in.</i>   |   |                         |               |                |               |                   |                 |                 |               |  |
|  |   |                         | 0 5           | ...            | ...           | ...               | ...             | ...             | ...           |  |
|  |   |                         | 0 6           | ...            | ...           | ...               | ...             | ...             | ...           |  |
|  |   |                         | 1 1           | ...            | ...           | ...               | ...             | ...             | ...           |  |
|  |   |                         | 0 9           | ...            | ...           | ...               | ...             | ...             | ...           |  |

BALANCE FRAMES WITH SASHES.

|      |  |      |       |       |        |       |       |        |       |
|------|--|------|-------|-------|--------|-------|-------|--------|-------|
| 129  | <i>Single Frame—</i><br>Sash Size 3 ft. 10½ in. x 1 ft. 9 in.:   | Each | 73 6  | 45 9  | 48 4   | 49 10 | 45 9  | 48 4   | 52 0  |
| 129A | Frame ...  | Pair | 35 0  |       |        |       |       |        |       |
| 129B | Sashes ...   |      |       |       |        |       |       |        |       |
| 130  | Sash Size 4 ft. 6½ in. x 1 ft. 9 in.:  | Each | 74 6  | 49 5  | 52 6   | 54 3  | 49 5  | 52 6   | 56 10 |
| 130A | Frame ...  | Pair | 36 6  |       |        |       |       |        |       |
| 130B | Sashes ...   |      |       |       |        |       |       |        |       |
| 131  | Sash Size 4 ft. 6½ in. x 2 ft. 10 in.:   | Each | 74 6  | 64 4  | 69 4   | 72 4  | 64 4  | 69 4   | 76 8  |
| 131A | Frame ...  | Pair | 42 9  |       |        |       |       |        |       |
| 131B | Sashes ...   |      |       |       |        |       |       |        |       |
| 132  | <i>Double Frame—</i><br>(As before, but Mullion <i>ex</i> 5 in. x 2 in.).<br>Sash Size 3 ft. 10½ in. x 1 ft. 9 in.:  | Each | 124 6 | 91 7  | 96 7   |       | 91 7  | 96 7   |       |
| 132A | Frame ...  | Four | 70 0  |       |        |       |       |        |       |
| 132B | Sashes ...   |      |       |       |        |       |       |        |       |
| 133  | Sash Size 4 ft. 6½ in. x 1 ft. 9 in.:  | Each | 127 0 | 98 10 | 104 11 |       | 98 10 | 104 11 |       |
| 133A | Frame ...  | Four | 73 0  |       |        |       |       |        |       |
| 133B | Sashes ...   |      |       |       |        |       |       |        |       |
| 134  | Sash Size 4 ft. 6½ in. x 2 ft. 10 in.:   | Each | 127 9 | 128 7 | 138 8  |       | 128 7 | 138 8  |       |
| 134A | Frame ...  | Four | 85 6  |       |        |       |       |        |       |
| 134B | Sashes ...   |      |       |       |        |       |       |        |       |
| 135  | <i>Triple Frame—</i><br>(As before, but Mullions <i>ex</i> 5 in. x 2 in.).<br>Sash Size 3 ft. 10½ in. x 1 ft. 9 in.: | Each | 176 0 | 137 4 | 144 11 |       | 137 4 | 144 11 |       |
| 135A | Frame ...  | Six  | 105 0 |       |        |       |       |        |       |
| 135B | Sashes ...   |      |       |       |        |       |       |        |       |
| 136  | Sash Size 4 ft. 6½ in. x 1 ft. 9 in.:  | Each | 181 0 | 148 3 | 157 4  |       | 148 3 | 157 4  |       |
| 136A | Frame ...  | Six  | 109 6 |       |        |       |       |        |       |
| 136B | Sashes ...   |      |       |       |        |       |       |        |       |
| 137  | <i>Triple Frame with 36 in. Centre Sash—</i><br>(As before).<br>Side Sashes 3 ft. 10½ in. x 1 ft. 9 in.:             | Each | 183 3 | 91 7  | 96 7   |       | 91 7  | 96 7   |       |
| 137A | Frame ...  | Four | 70 0  |       |        |       |       |        |       |
| 137B | Side Sashes  |      |       |       |        |       |       |        |       |
| 137C | Centre Sash  | Each | 35 3  | 56 7  | 61 7   |       | 56 7  | 61 7   |       |
| 138  | Side Sashes, 4 ft. 6½ in. x 1 ft. 9 in.:   | Each | 190 3 | 98 10 | 104 11 |       | 98 10 | 104 11 |       |
| 138A | Frame ...  | Four | 73 0  |       |        |       |       |        |       |
| 138B | Side Sashes  |      |       |       |        |       |       |        |       |
| 138C | Centre Sash  | Each | 38 0  | 62 5  | 68 2   |       | 62 5  | 68 2   |       |

## THE SCHEDULE—continued.

| Item.<br>No.  | First Column.                           | Second<br>Column. | Third<br>Column.  | Fourth<br>Column. | Fifth<br>Column. | Sixth<br>Column. | Seventh<br>Column. | Eighth<br>Column. | Ninth<br>Column. |   |  |
|---|---|-------------------|-------------------|-------------------|------------------|------------------|--------------------|-------------------|------------------|---|--|
|   |   |                   |                   |                   |                  |                  |                    |                   |                  | Maximum Retail Price—Perth Metropolitan Area. |  |
| Size, Class and Description of Joinery.   |   | Price per         | Unglazed.         |                   |                  | Glazed.          |                    |                   | Imported Glass.  |   |  |
|   |   |                   | Australian Glass. |                   |                  | Obscure.         |                    |                   | Obscure.         |   |  |
|   |   |                   | 16 oz.            | 21 oz.            | 16-18 oz.        | 24 oz.           | Obscure.           | 16-18 oz.         | 24 oz.           | Obscure.                                      |  |
|   |   | s. d.             | s. d.             | s. d.             | s. d.            | s. d.            | s. d.              | s. d.             | s. d.            | s. d.   |  |
| BALANCE FRAMES WITH SASHES—continued.   |   |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| <i>To Workers' Homes Board Specifications—</i>  |   |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| <i>For Timber Framed Houses—</i>  |   |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| <i>Single Frame—</i>  |   |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| (Frames and Sashes of Seasoned Selected W.A. Hardwood, Stiles and Head<br>ex 5 in. x 2 in. Sill ex 7 in. x 3 in. double rebated. Sash Stiles and Top<br>Rails 2½ in. x 1½ in. fin. Bottom Rail 2½ in. x 1½ in. fin. Sash Bar 1½ in. x<br>¾ in. fin. Extra rebate on bottom Sash Rails. Glazed up to 4 Lay Lights<br>per pair. Balances not included.) |   |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| 139   | Sash Size, 4 ft. 6 in. x 2 ft. 10 in.:  |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| 139A  | Frame                                   | Each              | 75 9              | 70 8              | 65 5             | 73 10            | 65 5               | 70 8              | 78 4             |   |  |
| 139B  | Sashes                                  | Pair              | 42 9              |                   |                  |                  |                    |                   |                  |   |  |
| 140   | Sash Size, 4 ft. 11 in. x 2 ft. 10 in.: |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| 140A  | Frame                                   | Each              | 83 9              | 77 6              | 71 2             | 81 3             | 71 2               | 77 6              | 86 8             |   |  |
| 140B  | Sashes                                  | Pair              | 44 3              |                   |                  |                  |                    |                   |                  |   |  |
| 141   | Sash Size, 4 ft. 11 in. x 3 ft. 3 in.:  |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| 141A  | Frame                                   | Each              | 92 9              | 84 0              | 76 11            | 88 2             | 76 11              | 84 0              | 94 3             |   |  |
| 141B  | Sashes                                  | Pair              | 46 9              |                   |                  |                  |                    |                   |                  |   |  |
| <i>Double Frame—</i>  |   |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| (As before, but Mullion ex 5 in. x 2 in.)   |   |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| 142   | Sash Size, 4 ft. 6 in. x 2 ft. 10 in.:  |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| 142A  | Frame                                   | Each              | 136 6             | 138 8             | 128 7            | 138 8            | 128 7              | 138 8             | 138 8            |   |  |
| 142B  | Sashes                                  | Four              | 85 6              |                   |                  |                  |                    |                   |                  |   |  |
| 143   | Sash Size, 4 ft. 11 in. x 2 ft. 10 in.: |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| 143A  | Frame                                   | Each              | 141 6             | 155 0             | 142 4            | 155 0            | 142 4              | 155 0             | 155 0            |   |  |
| 143B  | Sashes                                  | Four              | 88 6              |                   |                  |                  |                    |                   |                  |   |  |
| <i>Triple Frame with 36 in. Centre Sash—</i>  |   |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| (As before, but Mullions ex 5 in. x 2 in.)  |   |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| 144   | Side Sashes, 4 ft. 6 in. x 2 ft. 4 in.: |                   |                   |                   |                  |                  |                    |                   |                  |   |  |
| 144A  | Frame                                   | Each              | 195 9             | 126 1             | 117 4            | 126 1            | 117 4              | 126 1             | 126 1            |   |  |
| 144B  | Side Sashes                             | Four              | 80 0              | 68 2              | 62 5             | 68 2             | 62 5               | 68 2              | 68 2             |   |  |
| 144C  | Centre Sash                             | Each              | 38 0              |                   |                  |                  |                    |                   |                  |   |  |



THE SCHEDULE—continued.

| Item No. | First Column.  | Second Column.              | Third Column.                                  | Fourth Column. | Fifth Column. | Sixth Column.   | Seventh Column. | Eighth Column. | Ninth Column. |
|----------|--|-----------------------------|--|----------------|---------------|-----------------|-----------------|----------------|---------------|
|          | Size, Class and Description of Joinery.  |                             | Maximum Retail Prices—Perth Metropolitan Area. |                |               |                 |                 |                |               |
|          |  | Price per                   | Unglazed.                                      |                |               | Glazed.         |                 |                |               |
|          |  |                             | Australian Glass.                              |                |               | Imported Glass. |                 |                |               |
|          |  |                             | 16 oz.   | 21 oz.         | Obscure.      | 16-18 oz.       | 24 oz.          | Obscure.       |               |
|          |  |                             | s. d.  | s. d.          | s. d.         | s. d.           | s. d.           | s. d.          | s. d.         |
| 157      | BALANCE FRAMES WITH SASHES—continued.<br>To W.H.B. Specifications—for Brick Houses—continued.<br>Triple Frame with 36 in. Centre Sash—All to Slide—<br>(As before).  |                             |  |                |               |                 |                 |                |               |
| 157A     | Side Sashes, 4 ft. 9 in. x 2 ft. 4 in. :<br>Frame  | Each                        | 199 6  |                |               |                 |                 |                |               |
| 157B     | Side Sashes  | Four                        | 81 6   | 135 7          |               | 125 4           | 135 7           |                |               |
| 157C     | Centre Sash  | Pair                        | 44 9   | 80 0           |               | 73 4            | 80 0            |                |               |
| 158      | Triple Angle Frame—<br>(As before, but with 5 in. x 5 in. Boxed Corner Mullion).   |                             |  |                |               |                 |                 |                |               |
| 158A     | Sash Size (3 pairs in all) 4 ft. 6 in. x 2 ft. 10 in. :  | Each                        | 261 3  |                |               |                 |                 |                |               |
| 158B     | Frame  | Six                         | 128 3  | 208 0          |               | 192 11          | 208 0           |                |               |
|          | Extras if required—  |                             |  |                |               |                 |                 |                |               |
|          | Wind Mould, up to 1½ in. x ¾ in.   | Per lineal foot of moulding | 0 5  |                |               |                 |                 |                |               |
|          | 1¼ in. Sashes (Nominal)  | Per sq. ft. extra           | 0 6  |                |               |                 |                 |                |               |
| 159      | BOX FRAMES WITH SASHES.<br>Single Frame—<br>(Frame and Sashes of Seasoned Selected W.A. Hardwood. Pulley Stiles and Head 3½ in. x ½ in. fin. Sill ex 7 in. x 3 in. Inside Linings 3½ in. x ½ in. fin. Outside Linings 4½ in. x ½ in. fin. Parting Bead ½ in. x ½ in. fin. Stop Bead 1¼ in. x ½ in. fin. Wagtail ex 1½ in. x ½ in. (no back Linings or Wind Moulds). Sash Stiles 2½ in. x 1½ in. fin. Meeting Rail 1½ in. x 1¼ in. fin. Bottom Rail 3¼ in. x 1½ in. fin. with Weights and Cords, Glazed 2 or 4 Lights). |                             |  |                |               |                 |                 |                |               |
| 159A     | Sash Size 3 ft. 10¼ in. x 2 ft. 4 in. :  | Each                        | 93 9   | 55 6           | 57 5          | 52 1            | 55 6            | 60 4           |               |
| 159B     | Frame  | Pair                        | 37 9   |                |               |                 |                 |                |               |



|   |  |     |     |     |     |     |       |        |      |        |        |       |
|---|--|-----|-----|-----|-----|-----|-------|--------|------|--------|--------|-------|
| 160   | Sash Size 4 ft. 6½ in. x 2 ft. 10 in.: |     |     |     |     |     | 98 3  | 64 4   | 72 4 | 64 4   | 69 4   | 76 8  |
| 160A  | Frame .....                            | ... | ... | ... | ... | ... | 42 9  |        |      |        |        |       |
| 160B  | Sashes .....                           | ... | ... | ... | ... | ... |       |        |      |        |        |       |
| 161   | Sash Size 5 ft. 2¼ in. x 2 ft. 10 in.: |     |     |     |     |     | 101 0 | 70 8   | 80 0 | 70 8   | 76 6   | 85 1  |
| 161A  | Frame .....                            | ... | ... | ... | ... | ... | 45 6  |        |      |        |        |       |
| 161B  | Sashes .....                           | ... | ... | ... | ... | ... |       |        |      |        |        |       |
| 162   | Sash Size 5 ft. 6½ in. x 2 ft. 10 in.: |     |     |     |     |     | 102 0 | 73 5   | 83 6 | 73 5   | 79 9   | 88 11 |
| 162A  | Frame .....                            | ... | ... | ... | ... | ... | 46 6  |        |      |        |        |       |
| 162B  | Sashes .....                           | ... | ... | ... | ... | ... |       |        |      |        |        |       |
| <p><i>Double Frame—</i><br/>                     (As before, but including 6 in. x ⅝ in. fin. and 7¼ in. x ⅝ in. fin. Dividing<br/>                     Linings and 4½ in. x ¼ in. fin. Wagtail).</p> |  |     |     |     |     |     |       |        |      |        |        |       |
| 163   | Sash Size 3 ft. 10¼ in. x 1 ft. 9 in.: |     |     |     |     |     | 175 3 | 91 7   |      | 91 7   | 96 7   |       |
| 163A  | Frame .....                            | ... | ... | ... | ... | ... | 70 0  |        |      |        |        |       |
| 163B  | Sashes .....                           | ... | ... | ... | ... | ... |       |        |      |        |        |       |
| 164   | Sash Size 3 ft. 10¼ in. x 2 ft.:       |     |     |     |     |     | 180 3 | 96 7   |      | 96 7   | 102 2  |       |
| 164A  | Frame .....                            | ... | ... | ... | ... | ... | 72 6  |        |      |        |        |       |
| 164B  | Sashes .....                           | ... | ... | ... | ... | ... |       |        |      |        |        |       |
| 165   | Sash Size 4 ft. 6½ in. x 1 ft. 9 in.:  |     |     |     |     |     | 182 9 | 98 10  |      | 98 10  | 104 11 |       |
| 165A  | Frame .....                            | ... | ... | ... | ... | ... | 73 0  |        |      |        |        |       |
| 165B  | Sashes .....                           | ... | ... | ... | ... | ... |       |        |      |        |        |       |
| 166   | Sash Size 4 ft. 6½ in. x 2 ft.:        |     |     |     |     |     | 188 9 | 105 3  |      | 105 3  | 111 11 |       |
| 166A  | Frame .....                            | ... | ... | ... | ... | ... | 76 6  |        |      |        |        |       |
| 166B  | Sashes .....                           | ... | ... | ... | ... | ... |       |        |      |        |        |       |
| <p><i>Triple Frame—</i><br/>                     (As before).</p>   |  |     |     |     |     |     |       |        |      |        |        |       |
| 167   | Sash Size 3 ft. 10¼ in. x 1 ft. 9 in.: |     |     |     |     |     | 260 0 | 137 4  |      | 137 4  | 144 11 |       |
| 167A  | Frame .....                            | ... | ... | ... | ... | ... | 105 0 |        |      |        |        |       |
| 167B  | Sashes .....                           | ... | ... | ... | ... | ... |       |        |      |        |        |       |
| 168   | Sash Size 3 ft. 10¼ in. x 2 ft.:       |     |     |     |     |     | 263 0 | 144 10 |      | 144 10 | 153 4  |       |
| 168A  | Frame .....                            | ... | ... | ... | ... | ... | 108 9 |        |      |        |        |       |
| 168B  | Sashes .....                           | ... | ... | ... | ... | ... |       |        |      |        |        |       |
| 169   | Sash Size 4 ft. 6½ in. x 1 ft. 9 in.:  |     |     |     |     |     | 270 6 | 148 3  |      | 148 3  | 157 4  |       |
| 169A  | Frame .....                            | ... | ... | ... | ... | ... | 109 6 |        |      |        |        |       |
| 169B  | Sashes .....                           | ... | ... | ... | ... | ... |       |        |      |        |        |       |
| 170   | Sash Size 4 ft. 6½ in. x 2 ft.:        |     |     |     |     |     | 274 9 | 157 10 |      | 157 10 | 167 11 |       |
| 170A  | Frame .....                            | ... | ... | ... | ... | ... | 114 9 |        |      |        |        |       |
| 170B  | Sashes .....                           | ... | ... | ... | ... | ... |       |        |      |        |        |       |
| <p><i>Triple Frame with 36 in. Centre Sash—</i><br/>                     (As before).</p>   |  |     |     |     |     |     |       |        |      |        |        |       |
| 171   | Sash Size 3 ft. 10¼ in. x 1 ft. 9 in.: |     |     |     |     |     | 253 9 | 91 7   |      | 91 7   | 96 7   |       |
| 171A  | Frame .....                            | ... | ... | ... | ... | ... | 70 0  |        |      |        |        |       |
| 171B  | Side Sashes .....                      | ... | ... | ... | ... | ... | 35 3  |        |      |        |        |       |
| 171C  | Centre Sash .....                      | ... | ... | ... | ... | ... |       |        |      |        |        |       |
| 172   | Sash Size 4 ft. 6½ in. x 1 ft. 9 in.:  |     |     |     |     |     | 263 9 | 98 10  |      | 98 10  | 104 11 |       |
| 172A  | Frame .....                            | ... | ... | ... | ... | ... | 73 0  |        |      |        |        |       |
| 172B  | Side Sashes .....                      | ... | ... | ... | ... | ... | 38 0  |        |      |        |        |       |
| 172C  | Centre Sashes .....                    | ... | ... | ... | ... | ... |       |        |      |        |        |       |

THE SCHEDULE—continued.

| Item. No.                                | First Column.  | Second Column.              | Third Column. | Fourth Column. | Fifth Column. | Sixth Column. | Seventh Column. | Eighth Column. | Ninth Column. |  |
|--|--|-----------------------------|---------------|----------------|---------------|---------------|-----------------|----------------|---------------|--|
| Size, Class and Description of Joinery.  | Maximum Retail Price—Perth Metropolitan Area.  |                             |               |                |               |               |                 |                |               |  |
| Price per                                | Unglazed.  |                             |               | Glazed.        |               |               | Imported Glass. |                |               |  |
|  | Australian Glass.  |                             |               | Obscure.       |               |               | 24 oz.          |                |               |  |
|  | 16 oz.   |                             |               | 21 oz.         |               |               | 16-18 oz.       |                |               |  |
|  |  |                             |               |                |               |               |                 |                |               |  |
| <b>BOX FRAMES WITH SASHES—continued.</b> |  |                             |               |                |               |               |                 |                |               |  |
|  | <i>Extras, if required—</i>  |                             |               |                |               |               |                 |                |               |  |
|  | Wind Mould up to 1½ in. x ¾ in.  | s. d.                       | 0 5           | ...            | ...           | ...           | ...             | ...            | ...           |  |
|  | Back Linings   | Per lineal foot of moulding | 0 9           | ...            | ...           | ...           | ...             | ...            | ...           |  |
|  | 1½ in. Sashes (Nominal)  | Per lineal foot of lining   | 0 6           | ...            | ...           | ...           | ...             | ...            | ...           |  |
|  | Per square foot extra  | s. d.                       | 125 9         | ...            | ...           | ...           | ...             | ...            | ...           |  |
| 173A                                     | Sash   | Each                        | 18 3          | ...            | ...           | ...           | ...             | ...            | ...           |  |
| 173B                                     | Sashes   | Each                        | 35 9          | ...            | ...           | ...           | ...             | ...            | ...           |  |
| 173C                                     | Door with Mirror   | Each                        | 35 9          | ...            | ...           | ...           | ...             | ...            | ...           |  |
| <b>COMBINATION BATHROOM FRAMES.</b>      |  |                             |               |                |               |               |                 |                |               |  |
|  | <i>With Single Sash, 11 in. Door and 21 in. Mirror—Stock Line only—</i>  |                             |               |                |               |               |                 |                |               |  |
|  | (Frame, Sash and Cabinet of Seasoned Selected W.A. Hardwood. Stiles ex 6 in. x 3 in. Double Rebated. Head ex 6 in. x 2 in. Single Rebated. Sill ex 8 in. x 3 in. Sash up to 3 Lay Lights. Door Frame 2¼ in. x ½ in. fin. with ½ in. Plywood backing, etc. Glazed). |                             |               |                |               |               |                 |                |               |  |
| 174                                      | Sash Size (Single) 3 ft. x 1 ft. 10 in.:   | Each                        | 125 9         | ...            | ...           | ...           | ...             | ...            | ...           |  |
| 173A                                     | Frame with Cabinet   | Each                        | 18 3          | ...            | ...           | ...           | ...             | ...            | ...           |  |
| 173B                                     | Sash   | Each                        | 35 9          | ...            | ...           | ...           | ...             | ...            | ...           |  |
| 173C                                     | Door with Mirror   | Each                        | 35 9          | ...            | ...           | ...           | ...             | ...            | ...           |  |
|  | <i>With 2 Sashes, 11 in. Door and 21 in. Mirror—Stock Line only—</i>   |                             |               |                |               |               |                 |                |               |  |
|  | (Frame, Sashes and Cabinet of Seasoned Selected W.A. Hardwood. Stiles and Head ex 6 in. x 3 in. Double Rebated. Sill ex 7 in. x 3 in. with 5 in. x 1½ in. Nosing and 3 in. x 1 in. Elbow Lining. Sash, Door and Cabinet as before. Glazed).                        |                             |               |                |               |               |                 |                |               |  |
| 174                                      | Sash Sizes (Double) 3 ft. x 1 ft. 6 in.:   | Each                        | 152 6         | ...            | ...           | ...           | ...             | ...            | ...           |  |
| 174A                                     | Frame with Cabinet   | Pair                        | 36 6          | ...            | ...           | ...           | ...             | ...            | ...           |  |
| 174B                                     | Sashes   | Each                        | 35 9          | ...            | ...           | ...           | ...             | ...            | ...           |  |
| 174C                                     | Door with Mirror   | Each                        | 35 9          | ...            | ...           | ...           | ...             | ...            | ...           |  |



THE SCHEDULE—continued.

| Item No. | First Column.<br>Size, Class and Description of Joinery. | Second Column.<br>Price per | Third Column. | Fourth Column.    | Fifth Column. | Sixth Column. | Seventh Column. | Eighth Column. | Ninth Column. |
|----------|--|-----------------------------|---------------|-------------------|---------------|---------------|-----------------|----------------|---------------|
|          |  |                             |               |                   |               |               |                 |                |               |
|          |  |                             |               | Unglazed.         |               |               | Glazed.         |                |               |
|          |  |                             |               | Australian Glass. |               |               | Imported Glass. |                |               |
|          |  |                             |               | 16 oz.            | 21 oz.        | Obscure.      | 16-18 oz.       | 24 oz.         | Obscure.      |
|          |  |                             | s. d.         | s. d.             | s. d.         | s. d.         | s. d.           | s. d.          | s. d.         |
|          |  |                             | 77 0          | ...               | ...           | ...           | ...             | ...            | ...           |
|          |  |                             | 16 9          | ...               | ...           | ...           | ...             | ...            | ...           |
|          |  |                             | 199 9         | 214 3             | 217 9         | 219 8         | 214 3           | 217 9          | 222 8         |
|          |  |                             | Each          | Each              | Each          | Each          | Each            | Each           | Each          |
|          |  |                             | 23 9          | 70 9              | 23 9          | 83 9          | ...             | ...            | ...           |

W.H.B. BOXED MANTLE.

(Of Seasoned Selected W.A. Hardwood. Mantle Top *ex* 9 in. x 1 in. Bottom *ex* 6 in. x 1 in. Filler *ex* 2 in. x 1½ in.)

185

E.C. SEATS.

(Of Seasoned Selected W.A. Hardwood *ex* 18 in. x 1 in.)

186

W.H.B. TYPE CHINA CUPBOARD.

(Frame and Doors of Seasoned Selected W.A. Hardwood. Solid Top and Bottom, *ex* 13 in. x 1 in. Framed Ends. Shelf *ex* 11 in. x 1 in. Ends and Back Sheeted with ¼ in. Plywood. Door Frames *ex* 2 in. and 3 in. x 1 in. Glazed).

187

CUPBOARD FRONTS TO W.H.B. SPECIFICATIONS.

*Single Door with Jamb—*  
(Jambs *ex* 2 in. x 1½ in. of Seasoned Selected W.A. Hardwood with Flush Panelled Door up to 6 ft. 8 in. x 2 ft. 8 in. x 1½ in. with ½ in. Edge Strips).

188

188A

188B

189

189A

189B

With Door Panelled in Hoop Pine Plywood:  
Jamb  
Door with ½ in. Edge Strips  
With Door Panelled in Forneo Cedar Plywood:  
Jamb  
Door with ½ in. Edge Strips

|      |  |   |           |        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|------|--|---|-----------|--------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 189  | <i>Double Doors with Jambs—</i>  |   |           |        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 190A | (Jamb as before with Mullion ex 3 in. x 1 1/2 in. and with Flush Panelled Doors up to 6 ft. 8 in. x 2 ft. 8 in. x 1 1/2 in. with 1/2 in. Edge Strips).   |   |           |        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 190B | With Doors Panelled in Hoop Pine Plywood:  |   |           |        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 191  | Jamb   | Each                                    | 41        | 9      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 191A | Doors with 1/2 in. Edge Strips   | Pair                                    | 141       | 6      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 191B | With Doors Panelled in Borneo Cedar Plywood:   |   |           |        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|      | Jamb   | Each                                    | 41        | 9      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|      | Doors with 1/2 in. Edge Strips   | Pair                                    | 167       | 6      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 192  | <b>SINK CUPBOARDS TO W.H.B. SPECIFICATION.</b>   |   |           |        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 193  | (Framed of Seasoned Selected W.A. Hardwood. Front Plinth Rail and four Flooring Rails ex 4 in. x 2 in. Top, Front and Back Rails ex 3 in. x 1 in. Balance of Framing 3 in. x 1 1/2 in. fin. Floor and Shelf ex lin. T. and G. Flooring. Sink Top of 1 1/2 in. Parana Pine with Upstand and Return of Parana Pine ex 5 in. x 1 in. Cupboard Ends and Back Sheeted in 3/8 in. Karri Plywood and with three 1 1/2 in. Doors Panelled both sides).<br>5 ft. x 3 ft. x 1 ft. 9 in.<br>6 ft. x 3 ft. x 1 ft. 9 in. | Each<br>Per lineal<br>foot of<br>front. | 413<br>72 | 3<br>6 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 194  | <i>Sink Cupboards to Three Walls—</i><br>(As before).<br>4 ft 6 in. x 8 ft. 6 in. x 3 ft. 6 in. x 1 ft. 9 in. = 10 ft. 6 in. of Front  | Per lineal<br>foot of<br>front.         | 72        | 6      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 195  | <i>Sink Cupboards without Top—</i><br>(As before, but less Parana Pine Sink Top).<br>Including Return End  | Per lineal<br>foot of<br>front          | 62        | 6      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|      | <i>Sink Cupboard Extras—</i>   |   |           |        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|      | Corners  | Each                                    | 58        | 9      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|      | Drawers  | Each                                    | 35        | 3      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 196  | 1 1/2 in. Cupboard Doors, Flush Panelled both sides—<br>(As before).   |   |           |        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 197  | Up to 6 square feet  | Per sq. ft.                             | 5         | 3      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|      | Over 6 and up to 12 square feet  | Per sq. ft.                             | 4         | 3      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

Dated at Perth this 28th day of February, 1952.

C. P. MATHEA,  
Prices Control Commissioner.