



Government Gazette

OF

WESTERN AUSTRALIA.

[Published by Authority at 4.30 p.m.]

[REGISTERED AT THE GENERAL POST OFFICE, PERTH, FOR TRANSMISSION BY POST AS A NEWSPAPER.]

No. 89.]

PERTH : TUESDAY, 2nd SEPTEMBER.

[1952.]

PRICES CONTROL ACT, 1948-1951.

Prices Control Order No. 751.

Guttering, Ridgescaping, Round Downpipe, Square Downpipe, Bore Casing, Vent Pipe, Irrigation Pipe, Plumbers' Clips and Fittings, and Galvanised Iron Curved, or Curved Fitted Punched and Marked, for Rainwater Tanks.

Made from Galvanised Iron, or Black Iron Hot Galvanised.

IN pursuance of the powers conferred upon me by the Prices Control Regulations, 1949, I, Constantin Paul Mathea, Prices Control Commissioner, hereby make the following Order:—

Citation.

1. This Order may be cited as Prices Control Order No. 751.

Revocation.

2. Prices Control Order No. 593 is hereby revoked.

Definitions and Interpretations.

3. (i) In this Order and the Schedule thereto, unless the contrary intention appears—

“builder” means, a person who engages, undertakes or contracts to erect, alter, renovate or repair any building or edifice;

“plumber” means, a person who engages, undertakes or contracts to instal, alter, renovate or repair plumbing on or incidental to any building, water supply or gas supply;

“Perth Metropolitan Area” means, all that area comprised within a radius of 15 miles from the General Post Office, Perth;

“length” means 6ft., unless otherwise specified in the Schedule to this Order;

“point of delivery” means, in relation to any of the goods specified in this Order, the place at which liability for payment of transport charges in relation to such goods passed to the purchaser from the person from whom such goods were purchased;

“cost of transporting” means, freight charges, provided that where more than one freight service operates, the lowest freight charge shall be allowed.

(ii) The prices specified in this Order shall in the case of the “Perth Metropolitan Area,” be for delivery of the goods by the seller “free on rail,” “free on board,” or “delivery free to the purchaser,” as the case may be, within that area.

Maximum Price—Perth Metropolitan Area.

4. I fix and declare the maximum price at which any goods manufactured from galvanised iron, or black iron hot galvanised, of the types or descriptions set out in the first column of the Schedule to this Order may be sold by any person whose place of business is situated within the Perth Metropolitan Area to be—

(a) in respect of any sale of such goods to a wholesale seller by any person being the manufacturer of such goods, the price specified for those goods in the second column of that Schedule, less—

(i) in the case of guttering, ridgescaping, round downpipe, square downpipe, borecasing, vent pipe or irrigation pipe, 14 per centum of such price;

(ii) in the case of galvanised iron, curved, or curved fitted punched and marked for rainwater tanks, 11½ per centum of such price;

(iii) in the case of plumbers' clips or fittings, 21½ per centum of such price;

(b) in respect of any sale of such goods by any person by wholesale, or by any person to a builder or plumber, the price specified for those goods in the second column of the Schedule, less—

(i) in the case of guttering, ridgescaping, round downpipe, square downpipe, borecasing, vent pipe or irrigation pipe, 7½ per centum of such price;

- (ii) in the case of galvanised iron, curved, or curved fitted punched and marked for rainwater tanks, 6½ per centum of such price;
- (iii) in the case of plumbers' clips or fittings, 7½ per centum of such price;
- (c) in respect of any sale of such goods by any person by retail, the price specified for those goods, in the second column of the Schedule.

Maximum Price—Sales Outside the Perth Metropolitan Area.

5. I fix and declare the maximum price at which any goods manufactured from galvanised iron, or black iron hot galvanised, of the types or descriptions set out in the first column of the Schedule to this Order, may be sold by any person whose place of business is situated outside the Perth Metropolitan Area to be the sum of—

- (i) in respect of any sale of such goods to a wholesale seller by any person being the manufacturer of such goods, the price fixed for those goods by subparagraph 4 (a) of this Order;
 - (ii) in respect of any sale of such goods by any person by wholesale or by any person to a builder or plumber, the price fixed for such goods by subparagraph 4 (b) of this Order;
 - (iii) in respect of any sale by any person by retail, the price fixed for such goods by subparagraph 4 (c) of this Order,
- plus, in each case, cartage actually incurred, and the cost of transporting such goods from the point of delivery to the seller, to the seller's premises and attributable to such goods and recorded upon an invoice delivered in relation thereto.

Discounts.

6. Notwithstanding the foregoing provisions of this Order, where any seller of the goods specified therein has customarily allowed any difference in price—

- (a) to any person or to persons included in any class of persons;
- (b) in respect of sales of certain quantities of such goods; or
- (c) in respect of sales of such goods under certain conditions of sale, or upon certain terms of payment,

the maximum price fixed by or under this Order in respect of those goods shall, in the case of sales to any such person or persons or of such quantities or under such conditions, or upon such terms of payment be reduced by the allowance of that difference.

Delivery of Invoices.

7. Every person who sells any goods specified in this Order shall deliver to the purchaser with such goods an invoice or docket containing the following particulars and shall retain a copy of such invoice or docket—

- (a) his name and place of business;
- (b) the name and address of the purchaser of those goods;
- (c) the date of sale of those goods;
- (d) the point of delivery of those goods to the purchaser;
- (e) a full description of the goods sold, including the quantity, size, length and gauge;
- (f) in relation to each item of goods sold, the price charged.

Variation of Maximum Price by Notice.

8. Notwithstanding the foregoing provisions of this Order, I declare the maximum price at which any goods a maximum price for the sale of which is fixed by the foregoing provisions of this Order and which are specified in a notice given in pursuance of this paragraph may be sold by any person to whom such notice is given, to be such price as is fixed by the Commissioner by notice in writing to that person.

The Schedule.

Guttering, Ridgescaping, Round Downpipe, Square Downpipe, Borecasing, Vent Pipe, Irrigation Pipe, Plumbers' Clips and Fittings, Galvanised Iron Curved, or Curved Fitted Punched and Marked, for Rainwater Tanks.

Made from Galvanised Iron, or Black Iron Hot Galvanised.

First Column.	Second Column.
	s. d.
Gutter, O.G. or Quad—24 gauge—	
3 in. and 3½ in.	4 6 per length
4 in.	4 9 per length
4½ in.	5 4 per length
5 in.	5 7 per length
6 in.	6 0 per length
Gutter, O.G. or Quad—26 gauge—	
3 in. and 3½ in.	3 6 per length
4 in.	3 9 per length
4½ in.	4 1 per length
5 in.	4 4 per length
6 in.	4 7 per length
Downpipe—Square—24 gauge—	
3 in. x 2 in.	9 8 per length
4 in. x 2 in.	10 6 per length
4 in. x 3 in.	11 6 per length
4 in. x 4 in.	12 2 per length
5 in. x 4 in.	13 0 per length
6 in. x 4 in.	13 10 per length
6 in. x 5 in.	14 8 per length
6 in. x 6 in.	15 6 per length
Downpipe—Square—26 gauge—	
3 in. x 2 in.	7 1 per length
4 in. x 2 in.	7 8 per length
4 in. x 3 in.	8 5 per length
4 in. x 4 in.	8 11 per length
5 in. x 4 in.	9 6 per length
6 in. x 4 in.	10 1 per length
6 in. x 5 in.	10 8 per length
6 in. x 6 in.	11 4 per length
Downpipe—Soldered—Round—24 gauge—	
1½ in.	4 5 per length
2 in.	5 0 per length
2½ in.	5 9 per length
3 in.	6 3 per length
4 in.	7 6 per length
Downpipe—Soldered—Round 26 gauge—	
1½ in.	3 8 per length
2 in.	4 1 per length
2½ in.	4 7 per length
3 in.	5 0 per length
4 in.	5 11 per length
Downpipe—Grooved—Round—24 gauge—	
1½ in.	4 10 per length
2 in.	5 6 per length
2½ in.	6 4 per length
3 in.	6 10 per length
4 in.	8 4 per length
Downpipe—Grooved—Round—26 gauge—	
1½ in.	4 2 per length
2 in.	4 8 per length
2½ in.	5 3 per length
3 in.	5 7 per length
4 in.	6 8 per length
Ridgescaping—24 gauge—	
12 in.	6 0 per length
14 in.	7 6 per length
16 in.	7 9 per length
18 in.	8 6 per length
Ridgescaping—26 gauge—	
12 in.	4 6 per length
14 in.	5 6 per length
16 in.	5 9 per length
18 in.	6 3 per length
Borecasing—	
4 in. x 24 gauge	9 6 per length
5 in. x 24 gauge	10 7 per length
6 in. x 24 gauge	12 1 per length
4 in. x 22 gauge	11 9 per length
5 in. x 22 gauge	13 6 per length
6 in. x 22 gauge	15 1 per length
4 in. x 20 gauge	14 5 per length
5 in. x 20 gauge	16 7 per length
6 in. x 20 gauge	18 5 per length
Irrigation Pipe—	£ s. d.
3 in. Nominal 24 gauge	2 12 9 per 17 ft. 6 in. length
3 in. Nominal 24 gauge in lengths shorter than 17 ft. 6 in.	3 0 per foot
3 in. Full 24 gauge	2 16 5 per 17 ft. 6 in. length
3 in. Full 24 gauge in lengths shorter than 17 ft. 6 in.	3 2 per foot
3 in. Nominal 22 gauge	2 17 3 per 17 ft. 6 in. length
3 in. Nominal 22 gauge in lengths shorter than 17 ft. 6 in.	3 3 per foot
3 in. Full 22 gauge	3 2 2 per 17 ft. 6 in. length
3 in. Full 22 gauge in lengths shorter than 17 ft. 6 in.	3 6 per foot
4 in. Full 22 gauge	3 12 7 per 17 ft. 6 in. length

First Column.	Second Column.	First Column.	Second Column.
	£ s. d.		£ s. d.
4 in. Full 22 gauge in lengths shorter than 17 ft. 6 in.	4 1 per foot	Galvanised Iron for Rainwater Tanks, 24 gauge sides curved only with 24 gauge bottom and 26 gauge top and Tinsmiths rivets, without Solder or Tank Cock—	
4 in. Full 20 gauge	4 2 2 per 17 ft. 6 in. length	100 gallon	2 1 3
4 in. Full 20 gauge in lengths shorter than 17 ft. 6 in.	4 7 per foot	200 gallon	3 1 6
5 in. Full 20 gauge	4 17 10 per 17 ft. 6 in. length	300 gallon	4 9 0
5 in. Full 20 gauge in lengths shorter than 17 ft. 6 in.	5 6 per foot	400 gallon	5 5 6
Vent Pipe 4 in. Tested, made from 20 gauge Galvanised Iron and Vent Pipe 4 in. Tested, made from 22 gauge Black Iron Hot Galvanised—		500 gallon	5 15 0
3 ft. length	12 3 per 3 ft. length	600 gallon	6 10 3
6 ft. length	19 6 per 6 ft. length	800 gallon	7 15 3
6 ft. length fitted with saddle	2 0 3 per 6 ft. length	1,000 gallon, Reputed	8 14 3
9 ft. length	1 18 1 per 9 ft. length	1,000 gallon, Full	9 0 0
12 ft. length	2 5 11 per 12 ft. length	1,200 gallon	9 12 0
15 ft. length	3 3 5 per 15 ft. length	1,500 gallon	11 0 9
18 ft. length	3 11 3 per 18 ft. length	2,000 gallon, Reputed	14 2 6
21 ft. length	4 8 9 per 21 ft. length	3,000 gallon	19 2 0
24 ft. length	4 16 6 per 24 ft. length	4,000 gallon	21 16 6
27 ft. length	5 14 0 per 27 ft. length	5,000 gallon	25 17 6
30 ft. length	6 1 10 per 30 ft. length	Galvanised Iron for Rainwater Tanks, 24 gauge sides and 24 gauge bottom, curved, fitted, punched and marked, and Tinsmiths rivets, without top, Solder and Tank Cock—	
Vent Branch—Tested—		100 gallon	2 9 0
2 ft. x 4 in. fitted with 2 ft. Branch	1 3 4 each	200 gallon	3 13 0
Vent Cows—		300 gallon	5 4 3
4 in. Tested	10 0 each	400 gallon	6 6 0
Plumbers Clips and Fittings—		500 gallon	6 14 0
Tub Clips	1 7½ per pair	600 gallon	7 9 3
½ in. and ¾ in. Stand Off Clips	1 7½ each	800 gallon	9 0 6
1 in. and 1½ in. Stand Off Clips	1 9 each	1,000 gallon, Reputed	10 9 0
2 in. Stand Off Clips	1 11 each	1,000 gallon, Full	10 18 6
4 in. Extension Clips with 6 in. Shank	5 0 each	1,200 gallon	11 11 9
Wall and Post Clips	2 8½ each	1,500 gallon	13 12 9
Wall Clip Back Plates	1 5 each	2,000 gallon, Reputed	16 2 3
Soil Clips, 4½ in.	8 5 each	3,000 gallon	20 12 0
Cistern Brackets—2 gallon	4 4 per pair	4,000 gallon	23 10 9
Cistern Brackets—10 gallon	18 5 per pair	5,000 gallon	27 5 9
Galvanised Iron for Rainwater Tanks, 24 gauge sides curved only with 24 gauge bottom and Tinsmiths rivets, without top, solder or Tank Cock—		Galvanised Iron for Rainwater Tanks, 24 gauge sides and 24 gauge bottom and 26 gauge top, curved, fitted, punched and marked and Tinsmiths rivets without Solder and Tank Cock—	
100 gallon	1 14 0	100 gallon	3 3 6
200 gallon	2 14 3	200 gallon	4 7 9
300 gallon	4 1 9	300 gallon	6 2 3
400 gallon	4 16 6	400 gallon	7 6 3
500 gallon	5 4 6	500 gallon	7 15 9
600 gallon	5 16 0	600 gallon	8 14 9
800 gallon	6 16 0	800 gallon	10 11 0
1,000 gallon, Reputed	7 13 3	1,000 gallon, Reputed	12 1 0
1,000 gallon, Full	7 19 0	1,000 gallon, Full	12 10 6
1,200 gallon	8 8 9	1,200 gallon	13 6 0
1,500 gallon	9 18 6	1,500 gallon	15 15 9
2,000 gallon, Reputed	12 0 6	2,000 gallon, Reputed	19 13 9
3,000 gallon	15 19 3	3,000 gallon	25 4 6
4,000 gallon	18 3 3	4,000 gallon	28 16 9
5,000 gallon	21 3 3	5,000 gallon	33 13 0

Dated at Perth this 26th day of August, 1952
 C. P. MATHEA,
 Prices Control Commissioner