

Government Gazette

OF

WESTERN AUSTRALIA

(Published by Authority at 3.30 p.m.)

PERTH: WEDNESDAY, 31st JANUARY

No. 9]

[1973

PUBLIC SERVICE ARBITRATION ACT, 1966-1970.

STATE PUBLIC SERVICE

DETERMINATION

MEDICAL LABORATORY TECHNOLOGISTS

PUBLIC SERVICE ARBITRATION ACT, 1966-1970

STATE PUBLIC SERVICE

DETERMINATION—MEDICAL LABORATORY TECHNOLOGISTS

PURSUANT to Section 12 of the Public Service Arbitration Act, 1966–1970, the Public Service Board hereby gives notice that the titles, salaries or salary ranges allocated to offices and salary within each salary range allocated to officers covered by the Public Service Professional Division (Medical Laboratory Technologists) Salaries Agreement, No. 20 of 1972, as at 1st June, 1972, shall be in accordance with the following Determination.

The allocation of salaries or salary ranges to offices is indicated by Level as shown below:—

| | | | | \mathbf{P}^{ϵ} | er Annum |
|----------|---------------------------------------------------------------------------|------------------|------|-------------------------|----------|
| | | | | | \$ |
| Level 1. | Medical Laboratory Technologist | 1st year | | | 5,142 |
| | | 2nd year | | | 5,533 |
| | | $3rd year \dots$ | | | 6,078 |
| | | 4th year | | | 6,467 |
| | | 5th year | | | 6,829 |
| | | 6th year | | •••• | 7,191 |
| | | 7th year | | | 7,590 |
| Level 2. | Senior Laboratory Technologist | 1st year | •••• | | 7,966 |
| | | 2nd year | | | 8,155 |
| | | 3rd year | | | 8,362 |
| | | 4th year | | •••• | 8,762 |
| Level 3. | Laboratory Technologist in Charge $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$ | 1st year | | | 8,997 |
| | Senior Technologist Special | 2nd year | •••• | | 9,447 |
| Level 4. | Laboratory Technologist in Charge | | •••• | | 10,229 |
| Level 5 | Assistant Principal Technologist | | •••• | | 10,778 |
| Level 6. | Deputy Principal Technologist | | •••• | | 12,082 |
| Level 7. | Principal Technologist | | | | 13,794 |

| | cein No. | Title of Office | Name of Officer | 3 Level | 1/5/72 Salary Excluding Allowances | Level | 1/6/72 Salary Excluding Allowances |
|----|---------------------|-------------------------------------------------------------------------------------|-------------------------------------|------------------------------------|---------------------------------------------|---------------|---------------------------------------------|
| | | DEPA | RTMENT OF AGRI | CULTUF | RE | | |
| | | Animal Waalth | ANIMAL DIVISION | | | | |
| | | Animal Health | | | 8 | | \$ |
| 01 | $2567 \\ 2570$ | Laboratory Technologist in Charge Laboratory Technologist in Charge | Larkin, J. V Coackley, W | $rac{3}{2}$ | $8,997 \\ 8,762$ | $rac{4}{3}$ | $10,229 \\ 8,997$ |
| | 2590 2591 | Laboratory Technologist in Charge Laboratory Technologist | Easther, A. C Vacant | 2 | 8,155 | $\frac{3}{1}$ | 8,997 |
| | $2592 \\ 2593$ | Laboratory Technologist Laboratory Technologist | De Piazzi, L. J Robertson, J. P | 1 1 | $6,467 \\ 6,078$ | 1 1 | $6,467 \\ 6,078$ |
| | 2000 | | • | | | | |
| 01 | 7465 | Laboratory Technologist | Weir, R. N |) N 1 | 7,191 | 1 | 7,191 |
| | | Officers Attached | | | | | |
| 01 | $9916 \\ 9917$ | Laboratory Technologist Laboratory Technologist | Mackin, H Green, D. M | 1 1 | 5,533 $5,533$ | l l | 5,533 $5,533$ |
| | 9919 9921 | Laboratory Technologist Laboratory Technologist | Whately, R. J Barett Lennard, H. E. | 1 1 | $5,142 \\ 5,142$ | 1 1 | $5,142 \\ 5,142$ |
| | | v | | | _ | | |
| | | | C HEALTH DEPAR | | ľ | | |
| | | Pathology | DELIC HEADIN DABORATO | III | | | |
| 08 | $\frac{3160}{3165}$ | Principal Technologist Deputy Principal Technologist | Drummond, A. F Baker, D. H | $egin{array}{c} 5 \ 4 \end{array}$ | $11,\!375 \\ 9,\!447$ | $\frac{7}{6}$ | $13,794 \\ 12,082$ |
| | 3170 | Senior Laboratory Technologist Relieving | Feeney, A. M | 2 | 8,155 | 2 | 8,155 |
| | 3171 | Senior Laboratory Technologist Relieving | Vacant | 2 | **** | 2 | |
| | *3172 3173 | Laboratory Technologist in Charge Senior Laboratory Technologist | Sivewright, N Langford, F. H | 2_2 | 8,762 7,966 | $\frac{3}{2}$ | 8,997 7,966 |
| | $\frac{3174}{3175}$ | Relieving Laboratory Teehnologist Relieving Laboratory Technologist Relieving | Rodgers, J. A Flynn, J. G | 1 1 | $5,533 \\ 5,142$ | 1 1 | 5,533 $5,142$ |
| | | Branch Laboratories (Albany) | | | | | |
| 08 | 3500 3510 | Laboratory Technologist in Charge Senior Laboratory Technologist | Battersby, I. S Kelly, G. E | 3_2 | 8,997 8,762 | $_2^3$ | $9,447 \\ 8,762$ |
| | | (Bunbury) | | | | | |
| 08 | | Laboratory Technologist in Charge | Cobb, M. J | 3 1 | 8,997 6,467 | 3 1 | 8,997 $6,467$ |
| | 3565 | Laboratory Technologist | Gulley, C. H | 1 | 0,107 | 1 | 0,10. |
| 08 | 3600 | (Busselton) Senior Laboratory Technologist | Sheen, R. M | 2 | 8,762 | 2 | 8,762 |
| 00 | 3605 | Laboratory Technologist | Vacant | 1 | | 1 | |
| | 0.000 | (Pinjarra) | T/ a t | 2 | | $_2$ | |
| 08 | 3620 | Senior Laboratory Technologist | Vacant | 2 | •••• | 2 | •••• |
| 08 | 3670 | (Derby) Laboratory Technologist in Charge | Coales, M. F | 2 | 8,362 | 3 | 8,997 |
| 00 | 3680 | Senior Laboratory Technologist Laboratory Technologist | Taylor, D. R | $\frac{2}{1}$ | 8,155 | 2 1 | 8,155 |
| | 3685 | · | racare | • | | | |
| 08 | 3720 | (Narrogin) Laboratory Technologist in Charge | Faulkner, G. S | 2 | 8,762 | 3 | 8,997 |
| | 3725 | Laboratory Technologist | | 1 | 5,533 | 1 | 5,533 |
| 08 | 3760 | (Northam) Senior Laboratory Technologist | Schorsch, I | 2 | 8,762 | 2 | 8,762 |
| Uð | 9100 | · | | _ | , | | , |
| 08 | 3815 | (Claremont) Laboratory Technologist in Charg | e Lello, H. M | 3 | 8,997 | 3 | 9,447 |
| | 3820 | Laboratory Technologist | 777 (1 11 TO 3.5 | 1 | 5,142 | 1 | 5,142 |
| ٠. | | (Merredin) | Forestry D F | o | 7,966 | 2 | 7,966 |
| 08 | 3845 3850 | Senior Laboratory Technologist Laboratory Technologist | | | 7,966 5,533 | 1 | 5,533 |
| | | | | | | | |

^{*}Item to be relocated and renumbered.

| | em Vo. | Title of Office | Name of Officer | | Level | Salary Excluding Allowances | Level | 1/6/72 Salary Excluding Allowances | |
|------------------------------------------------|---------------------------------------------|-----------------------------------------------------------------------|----------------------------------------|------|---------------|-----------------------------|---------------|---------------------------------------------|--|
| PUBLIC HEALTH DEPARTMENT—continued (Geraldton) | | | | | | | | | |
| | | (avialubil) | | | | \$ | | \$ | |
| 8(| 3870 3880 | Laboratory Technologist in Charge Laboratory Technologist | Corner, N. F Mavath, D. L | | 3 1 | 8,997 6,467 | $\frac{3}{1}$ | 9,447 $6,467$ | |
| | | (Manjimup) | | | | | | | |
| 8(| $\frac{3970}{3975}$ | Senior Laboratory Technologist Laboratory Technologist | Willox, R. M Vacant | | $\frac{2}{1}$ | 8,362 | $\frac{2}{1}$ | 8,362 | |
| | | (Carnarvon) | | | | | | | |
| 8 | $\begin{array}{c} 4030 \\ 4035 \end{array}$ | Senior Laboratory Technologist Laboratory Technologist | Watson, F. E Bell, P. A | | $\frac{2}{1}$ | 8,762 5,533 | $\frac{2}{1}$ | 8,762 5,533 | |
| 10 | 4050 | (Broome) Senior Laboratory Technologist | Wollo T T | | 9 | 8,362 | 2 | 8,362 | |
| 98 | 4050 | · | Wells, J. I | | 2 | 0,302 | 4 | 3,302 | |
| 08 | 4070 | (Esperance) Senior Laboratory Technologist | Lenihan, P. A | •••• | 2 | 7,966 | 2 | 7,966 | |
| | | (Wyndham) | | | | | | | |
| 80 | 4080 4081 | Senior Laboratory Technologist Laboratory Technologist | Skinner, K. J Vacant | | $\frac{2}{1}$ | 8,762 | $\frac{2}{1}$ | 8,762 | |
| | | (Port Hedland) | | | | | | | |
| 08 | $\begin{array}{c} 4086 \\ 4090 \end{array}$ | Laboratory Technologist in Charge Laboratory Technologist | Browning, E. F. Brenton Rule, H. M. | | $\frac{2}{1}$ | $8,762 \\ 5,142$ | 3 1 | $8,997 \\ 5,142$ | |
| | | Bacteriology | | | | | | | |
| 80 | $\frac{4140}{4150}$ | Assistant Principal Technologist Laboratory Technologist in Charge | Fergie, A. R Iveson, J. B | | $\frac{3}{2}$ | $8,997 \\ 8,762$ | 5 3 | 10,778 8,997 | |
| | 4155 4156 | Senior Technologist Special Senior Laboratory Technologist | McAleer, R Vacant | | $\frac{2}{2}$ | 8,762 | $\frac{3}{2}$ | 8,997 | |
| | 4159 | Senior Laboratory Technologist | Vacant | | 2 | | 2 | | |
| | $\frac{4160}{4180}$ | Laboratory Technologist Laboratory Technologist | Bamford, V. W. $Vacant$ | **** | 1 1 | 7,590 | 1 1 | 7,590 | |
| | 4181 | Laboratory Technologist | Clarence, S. I | | 1 1 | $6,078 \\ 5,142$ | 1 1 | $6,078 \\ 5,142$ | |
| | $\frac{4182}{4183}$ | Laboratory Technologist Laboratory Technologist | Froudist, J. H Wagland, A | | 1 | 6,078 | 1 | 6,078 | |
| | $\frac{4184}{4185}$ | Laboratory Technologist Laboratory Technologist | Scerri, G O'Brien, F. G | | 1 | 5,533 6,467 | 1 1 | 5,533 $6,467$ | |
| | 4190 | Laboratory Technologist | Sooby, J. A | | 1 | 6,078 | 1 | 6,078 | |
| | $\frac{4192}{4193}$ | Laboratory Technologist Laboratory Technologist | Vacant Collins, J. M | | 1 | 6,078 | 1 1 | 6,078 | |
| | 4194 | Laboratory Technologist | Wright, J. A | | 1 1 | 6,078 | 1 1 | 6,078 | |
| | 4195 4197 | Laboratory Technologist Laboratory Technologist | Charlton, K. S | | 1 | 5,5 3 3 | i | 5,533 | |
| 08 | 4340 | Media Senior Laboratory Technologist | Fitzsimmons, A. H. | | 2 | 8,762 | 2 | 8,762 | |
| 00 | 4345 | Laboratory Technologist | Lai. P | | ĩ | 5,142 | 1 | 5,142 | |
| 08 | 4500 | Tuberculosis Laboratory Technologist in Charge | Timmins, J. A. H. | | 2 | 8,762 | 3 | 8,997 | |
| 00 | 4505 | Senior Laboratory Technologist | Fogarty, J. M | | 2 | 8,762 | 2 | 8,762 | |
| | 4510 4515 | Laboratory Technologist Laboratory Technologist | O'Connor, R. F. Vacant | | 1 | 7,590 | 1 1 | 7,590 | |
| • | | Serology | T 1 70 T | | 2 | 0.800 | | 0.00# | |
| 08 | 4655 | Senior Technologist Special Laboratory Technologist in Charge | Jenkyn, D. J Dagnia, H. T | | $\frac{2}{2}$ | $8,762 \\ 8,762$ | 3 | 8,997 8,997 | |
| | 4656 4660 | Senior Laboratory Technologist Laboratory Technologist | Vacant Bennet, M. E | | $\frac{2}{1}$ | 5,533 | $\frac{2}{1}$ | 5,533 | |
| 08 | 4810 | Biochemistry Laboratory Technologist in Charge | Fullerton, L. R | | 3 | 8,997 | 4 | 10,229 | |
| 50 | 4811 | Laboratory Technologist in Charge | Stepatschuk, I | | 2 | 8,762 | 3 | 8,997 | |
| | $\frac{4823}{4825}$ | Laboratory Technologist Laboratory Technologist | Millar, D. J Wheatland, D. P. | | 1 1 | 5,533 5,533 | 1 1 | 5,533 5,533 | |
| | 4826 4827 | Laboratory Technologist Laboratory Technologist | Vacant Masel, P. S | | 1 1 | 5,533 | 1 1 | 5,533 | |
| | | Radio Isotope and Biological Assay | | | | | | | |
| | | many isotope and Diological issay | | | 2 | | 2 | | |

PUBLIC HEALTH DEPARTMENT—continued

| | | Haematology | | | | \$ | | 8 |
|----|---------------------|------------------------------------------------------------------------|-------------------------------|------|---------------|------------------|----------------------|------------------|
| 08 | 4930 4935 | Laboratory Technologist in Charge Laboratory Technologist in Charge | Elliott, M. H Saunoris, A | •••• | $\frac{3}{2}$ | $8,997 \\ 8,762$ | 4 3 | 10,229 8,997 |
| | 4937 | Senior Laboratory Technologist | Vacant | | 2 | | $\tilde{2}$ | , |
| | 4940 | Laboratory Technologist | Vacant | | I | •••• | I | |
| | 4942 | Laboratory Technologist | Gordon, M | | 1 | 7,590 | 1 | 7,590 |
| | 4943 | Laboratory Technologist | Vacant | | 1 | | I | |
| | *4944 | Senior Laboratory Technologist | Harland, D. H | | 1 | 5,533 | 2 | 7,966 |
| | 4945 | Laboratory Technologist | Hall, P. C | | 1 | 7,590 | l | 7,590 |
| | $\frac{4947}{4948}$ | Laboratory Technologist | Hall, R. A | | 1 1 | $6,078 \\ 6,078$ | 1 1 | $6,078 \\ 6,078$ |
| | 4940 | Laboratory Technologist | Cheney, M. A | | 1 | 0,076 | 1 | 0,076 |
| | ~0.00 | Histopathology | D 6 11 77 79 | | | 0.005 | | 10 200 |
| 08 | 5060 | Laboratory Technologist in Charge | Byfield, K. E | •••• | $\frac{3}{2}$ | 8,997 | $rac{4}{2}$ | 10,229 |
| | $5062 \\ 5064$ | Senior Laboratory Technologist Senior Laboratory Technologist | Visser, A. P V $acant$ | •••• | $\frac{2}{2}$ | 8,762 | $\frac{2}{2}$ | 8,762 |
| | 5065 | Laboratory Technologist | Wilson, A. M | | ĩ | 6.467 | ĩ | 6,467 |
| | *5067 | Senior Laboratory Technologist | Peterson, D. J | | i | 5,142 | $\dot{\overline{2}}$ | 7,966 |
| | 5068 | Laboratory Technologist | Last, M | | ī | 6,078 | ī | 6,078 |
| | 5069 | Laboratory Technologist | Vacant | | . 1 | | Ī | |
| | | Virology | | | | | | |
| 08 | 5170 | Laboratory Technologist in Charge | Harnett, G. B | | 2 | 8,762 | 3 | 8,997 |
| | 5180 | Senior Laboratory Technologist | De Koning, F. C. | | 1 | 6,078 | 2 | 7,966 |
| | 5185 | Laboratory Technologist | Swingler, J. E | | 1 | 5,533 | 1 | 5,533 |
| | | Parasitology | | | | | | |
| 08 | 5290 | Laboratory Technologist | Vacant | | 1 | • | 1 | •••• |
| | 5450 | Laboratory Technologist | Paulos, C | | 1 | 6,467 | 1 | 6,467 |
| | 5460 | Laboratory Technologist | Vacant | | 1 | | 1 | • |
| | 5470 | Laboratory Technologist | Vacant | | 1 | | 1 | •• |
| | | Officers Attached | | | _ | | | |
| 08 | 5501 | Laboratory Technologist | Langford, R. E | | 1 | 5,533 | 1 | 5,533 |
| | 5502 | Laboratory Technologist | Rossi, E | •••• | 1 | 5,533 | 1 | 5,533 |
| | 5505 5508 | Laboratory Technologist Laboratory Technologist | Briggs, R Medley, A. S | | 1 1 | 5,533 5.142 | 1 1 | 5,533 $5,142$ |
| | 5508 5509 | | Medley, A. S Dunstan, J. A | | l | 5.142 5.142 | l | 5,142 $5,142$ |
| | 5510 | Laboratory Technologist Laboratory Technologist | Xanthis, C. P | | 1 | 5.142 | l | 5,142 $5,142$ |
| | 5511 | Laboratory Technologist | Elliott, J. D | | 1 | 5.142 | Ī | 5.142 |
| | 5512 | Laboratory Technologist | Haverkort, F. A. | | î | 5,142 | î | 5,142 |
| | 5513 | Laboratory Technologist | Hodgen, A. N | | 1 | 5,142 | ī | 5,142 |
| | 5514 | Laboratory Technologist | Blunis, M | | 1 | 5,142 | 1 | 5,142 |
| | 5515 | Laboratory Technologist | Sampson, I. A | | 1 | 5,142 | 1 | 5,142 |
| | 5516 | Laboratory Technologist | Mackenzie, B. F. | •••• | 1 | 5,142 | 1 | 5,142 |

^{*}Item to be relocated and renumbered.