

Supplement to Government Gazette

OF

WESTERN AUSTRALIA.

[Published by Authority.]

No. 76.
P.O. No. 47.

PERTH: FRIDAY, NOVEMBER 21.

[1902.]

CONTENTS:

SUBJECT.	PAGE	SUBJECT.	PAGE
Complete Specifications accepted	4425	Alphabetical list of Inventions for which Patents have been granted	4427
Renewal Fees paid, Patents	4425	Application Abandoned, Patents	4427
Subsequent Proprietor registered, Patents	4425	Applications for Registration of Trade Marks	4427
Applications for Patents	4426	Subsequent Proprietors registered, Trade Mark	4428
Alphabetical list of Applicants for Patents	4426	Alphabetical list of Registrants of Trade Marks	4428
Alphabetical list of Inventions for which Patents have been applied for	4426	Alphabetical list of Goods for which Trade Marks have been registered	4428
Alphabetical list of Patentees	4427		

Note.—Throughout this Gazette the names in Italics within parentheses are those of Communicators of Inventions.

Complete Specifications

Patent Office, Perth,
21st November, 1902.

NOTICE is hereby given that the undermentioned Applications for the Grant of Letters Patent, and the complete Specifications annexed thereto, have been accepted, and are now open to public inspection at this Office.

Any person or persons intending to oppose such applications must leave particulars, in writing, in duplicate (on Form D), of his or their objections thereto, within two calendar months from the date of this Gazette. A fee of Ten shillings (10s.) is payable with such notice.

Application No. 4051.—OTTO BORS, of Coala Trundle, in the State of New South Wales, and Commonwealth of Australia, Grazier, "*Improvements in Sheep Shears.*"—Dated 17th September, 1902.

Claims:—

1. In hand operated sheep shears provided with detachable blades, the combination with the bow shanks, of extensions thereon, blades having shoulders with grooves therein in which the edges of the extensions takes the parts being held together by a screw or screws, substantially as hereinbefore described and explained and as illustrated in the drawings.

2. In hand operated sheep shears provided with detachable blades, the combination with the bow shanks of extensions thereon such as 2, (2), recessed grooves or slots therein (such as 3, 3), blades partially cut away at their base and having recessed shoulders (such as 5, 6), dovetails or tongues (such as 7), the parts being held in position by a screw or screws, substantially as hereinbefore described and explained and as illustrated in Figures 1 to 5 of the drawings.

3. In hand operated sheep shears provided with detachable blades, the combination with the bow shanks of extensions thereon (such as 2, 2) having bevelled edges, blades (such as 4) partially cut away at their base and having recessed shoulders (such as 5, 6), the parts being held in position by a screw or screws, substantially as hereinbefore described and explained and as illustrated in Figures 6, 7, and 8 of the drawings.

Specifications, 8s. Drawings on application.

Application No. 4108.—GOODE, DURRANT, & CO., LIMITED, whose registered office is at 27 Milton Street, London, England (assignee of Payne, L. R.), "*An improved Water-bag Filter and Cooler combined.*"—Dated 4th November, 1902.

Claims:—

1. A combined water bag filter and cooler having two compartments and a tube air communication between the lower compartment and the atmosphere, substantially as described.

2. A combined water bag filter and cooler having two compartments and a tube air communication between the lower compartment and the atmosphere and means for maintaining an opening in the top of the tube for the egress of air from the lower compartment.

3. In a combined water bag filter and cooler a pipe or tube of any suitable material constituting a means of air communication between the lower compartment and the air in or adjacent to the upper compartment and means for maintaining the mouth of the tube in an operative condition, substantially as described.

4. The combination and arrangement of a water bag filter and cooler with a pipe or tube constituting a means of air communication between two compartments as and for the purposes set forth.

5. The combination and arrangement of a water bag filter and cooler consisting of two compartments one above the other, a lateral division between the two parts peripherally sewn to the side of the bag, a circular hole with sewn border in the centre of such division, a filter fitting into such hole, an air tube communication between the bottom compartment and the atmosphere, means of suspending the bag and means of withdrawing the water from the bottom compartment, all substantially as described.

Specification, 5s. Drawings on application.

Application No. 4112.—DOMINIK BRUMMER, of Gymnosiumstrasse 93, Vienna, XIX, Austria, Municipal Master Carpenter, "*Improvements in or relating to Portable Buildings.*"—Dated 5th November, 1902.

Claims:—

1. A building capable of being taken to pieces and altered in form, wherein panels serving for the formation of the outer and partition walls are each composed of two layers of boards joined together and fixed to a frame and are connected at the corners of the building and at the junction of outer walls with partition walls or of partition walls with partition walls, by standards each having two suitably formed edges of which one bears on the adjacent longitudinal dovetailed edges of two outer wall panels or partition wall panels or against a similar pair of surfaces formed by an outer wall panel or partition wall panel and a dovetailed upright, whilst the other edge of the standard bears against the edge of a wall panel of the partition or outer wall, and the joint is in each case covered externally by a post which fits the longitudinal dovetailed adjacent edges of the two panels or of the panel and the upright and is secured by means of bolts and nuts, substantially as described.

2. In a building according to the preceding claim, wall panels for the outer and partition walls which are combined with bed frames that can be inserted into recesses of the panels in such a way that the upper end of each bed frame can be slid in its recess by means of lateral pins engaging vertical guides.

3. In a building according to Claim 1, a ceiling composed of panels stiffened by frames and resting on the horizontal tie beams and the posts, each ceiling panel adjacent to the wall plates being provided with a longitudinal hinged board which bears on the adjacent wall plate and closes the opening between the ceiling panel and the wall plate.

4. In a building according to Claim 1, a roof composed of panels which are placed close together longitudinally on the ridge piece and the wall plates, are stiffened by frames, and are covered as to their vertical joints by strips, and which are connected to the ridge piece by means of a common covering strip and bolts and wing nuts, and are prevented from sliding on and removal from the ridge piece and wall plates by means of pieces of flat iron attached to the ridge piece and the wall-plates and engaging in recesses in the roof panels, and with abutments secured thereto.

5. Portable buildings constructed as hereinbefore described with reference to and shown in the accompanying drawings.

Specifications, 12s. 6d. Drawings on application.

R. G. FERGUSON,
Registrar of Patents.

Renewal Fees paid on Patents registered from 8th November to 15th November, 1902.

Fees payable before the end of the seventh year in respect of the seven following years:—

No. 783.—Hall, J.

Fees payable before the end of the fourth year in respect of the three following years.

No. 2292.—Chambers, L. T., and Thompson, W. E.

No. 2311.—Hall, J.

Subsequent Proprietor of Patent Registered from 8th November to 15th November, 1902.

[NOTE.—The name in brackets is that of former proprietor.]

No. 3225.—Forwood, Down & Co., Limited (*Bradshaw, R. F., and Harding, W. E.*)



Government Gazette

PERTH, FRIDAY, 21 NOVEMBER 1902 No. 76a

© STATE OF WESTERN AUSTRALIA

CONTENTS

Applications for the Grant of Letters Patent