



Government Gazette

OF

WESTERN AUSTRALIA

(Published by Authority at 3.30 p.m.)

(REGISTERED AT THE GENERAL POST OFFICE, PERTH, FOR TRANSMISSION BY POST AS A NEWSPAPER)

No. 12]

PERTH: THURSDAY, 9th FEBRUARY

[1961

HEALTH ACT, 1911-1960.

Department of Public Health,
Perth, 18th January, 1961.

P.H.D. 706/57.

HIS Excellency the Governor in Executive Council, pursuant to the provisions of the Health Act, 1911-1960, has been pleased to make the regulations set out in the schedule hereunder.

W. S. DAVIDSON,
Acting Commissioner of Public Health.

Schedule.

Regulations.

Principal
regulations.

1. In these regulations the Bacteriolytic Treatment of Sewage Regulations, 1958, published in the *Government Gazette* on the 19th March, 1958, and amended by notice published in the *Government Gazette* on the 21st December, 1959, are referred to as the principal regulations.

Reg. 13B
substituted.

2. The principal regulations are amended by substituting for regulation 13B the following regulation:—

13B. A person shall not use in the construction of an apparatus a flushing cistern or closet pan having a capacity of less than eight pints, unless—

- (a) the flush pipe has an internal diameter of not less than one and one-half inches, expanded to one and three-quarter inches at the point of connection to the closet pan; and
- (b) the length of drain between the closet pan and the septic tank serving the closet pan, or between the closet pan and any junction with a drain leading from any other fixture in regular or daily use is—
 - (i) in the case of a flushing cistern designed to operate with a flush not exceeding two pints, not longer than eight feet; or
 - (ii) in the case of a flushing cistern designed to operate with a flush greater than two pints, not longer than ten feet.