



Western Australia

Agricultural Produce (Chemical Residues) Regulations 1985

Compare between:

[01 Jan 2005, 01-b0-03] and [11 Aug 2006, 01-c0-03]

Agricultural Produce (Chemical Residues) Regulations 1985

1. Citation

These regulations may be cited as the *Agricultural Produce (Chemical Residues) Regulations 1985*¹.

2. Commencement

These regulations shall come into operation on 1 September 1985.

2AA. Interpretation

(1) In these regulations unless the contrary intention appears —

“**animal feeding stuff**” means any substance, including any mixture or compound, and whether in package form or in bulk, used or intended for consumption by any animal or offered for sale for that purpose, and includes basic feed, processed food and manufactured stock foods;

“**basic feed**” means any grain, seeds, hay, meat or fish used as, or in the preparation of, an animal feeding stuff;

“**by-product**” means any substance produced from an animal or plant, in any process of treatment or manufacture, not being the primary object of such process;

“**Food Standards Code**” means [the code published under the name “Food Standards Code” in the Commonwealth *Food Standards Gazette* on 27 August 1987 together with any](#)

r. 2A

amendments to the standards in that Code up to and including “Amendment 84”;

“**manufactured stock food**” means any feed made up of one or more of the following —

- (a) basic feed;
- (b) processed food;
- (c) by-products,

and includes stock licks but does not include basic feed only;

“MRL Standard” means the “Maximum Residue Limit Standard”, listing maximum residue limits set by the Australian Pesticides and Veterinary Medicines Authority (APVMA) as published in the *Agricultural and Veterinary Chemical Gazette* of the Commonwealth, together with any amendments, as at February 2006;

“**processed food**” means a basic feed which has been changed in form by chemical, physical, or mechanical treatment and includes by-products.

- (2) In these regulations a reference to agricultural produce by a group name specified in Column 1 of Schedule 1 is a reference to the agricultural produce specified opposite that group name in Column 2 of that Schedule.

[Regulation 2AA inserted in Gazette 22 May 1987 p. 2202; amended in Gazette 11 Jun 1996 p. 2431-2; 11 Aug 2006 p. 2977-8.]

2A. Agricultural chemicals

~~The substances set forth~~ If a substance is —

- (a) defined as a “metal contaminant” in ~~Column~~ the Food Standards Code, Standard 1-4.1, clause 2; or
- (b) defined as a “chemical” in the Food Standards Code, Standard 1.4.2, clause 1(6) and listed in bold type in one

of the shaded boxed in Schedule 2 ~~are~~ 1 of that Standard; or

(c) listed as a “compound” in the MRL Standard Table 4; or

(d) listed as in Schedule 3 to these regulations.

that substance is prescribed to be an “agricultural
~~chemicals~~chemical” for the purposes of the Act.

*[Regulation- 2A inserted in Gazette ~~18-Oct-1985~~ 11 Aug 2006
p. ~~4083~~; amended in Gazette 11 Jun 1996 p. ~~2432~~.] 2978.]*

3. Maximum residue limits

(1) Subject to ~~subregulations (2) and (3)~~, this regulation, the maximum residue limits ~~specified in Column 3 of Schedule 2~~ are prescribed in respect of the ~~for~~ agricultural chemicals specified in Column 1 ~~agricultural produce~~ are those set out in —

(a) the Table to clause 2 of ~~that~~ the Food Standards Code, Standard 1.4.1; or

(b) Schedule 1 of the Food Standards Code, Standard 1.4.2;
or

(c) Table 4 to the MRL Standard.

(2) Where there is no maximum residue limit prescribed for an agricultural chemical in agricultural produce under subregulation (1), the maximum residual limit is zero.

(3) Where mixed agricultural produce listed in a Schedule or Table referred to in subregulation (1) contains more than one kind of agricultural produce listed under or against an agricultural chemical, then the following formulae are to be used to calculate a maximum residue limit (MRL) for the agricultural chemical in relation to ~~the~~ that mixed agricultural produce ~~specified in Column 2 of that Schedule.~~ —

~~(For a mixture of 2):~~

r. 3

$$MRL C = \frac{Weight A}{Total Weight} \times MRL A + \frac{Weight B}{Total Weight} \times MRL B$$

Where ~~any~~ —

MRL C = the MRL that applies to the agricultural chemical in the mixed agricultural produce ~~consists of or contains one or more~~;

MRL A = the MRL for the agricultural chemical which applies to agricultural produce A;

MRL B = the MRL for the agricultural chemical which applies to agricultural produce B;

Total Weight = the total weight of the ~~kinds~~ mixed agricultural produce;

Weight A = the total weight of agricultural produce referred to in Column A;

Weight B = the total weight of agricultural produce B.

For a mixture of more than 2 of Schedule 2 the maximum residue limit is the proportionate quantities of the respective maximum residue limits of the constituents;

$$(3) MRL C = \sum_{i=1}^n \frac{Weight i}{Total Weight} \times MRL i$$

- (4) Where residues of 2 or more of the agricultural chemicals listed in any one group of those specified in Schedule 3 are present in any agricultural produce, ~~the maximum residue limit is unity when determined by calculating the sum of the fractions obtained by dividing the proportion of each agricultural chemical present by the maximum residue limit of that agricultural chemical in that agricultural produce if it alone were present~~ then when the following formula is applied, the MRL levels are exceeded if the result (Z) is greater than 1.

Where 2 residues are present:

$$\frac{\text{Concentration of chemical A present}}{\text{MRL for chemical A}} + \frac{\text{Concentration of chemical B present}}{\text{MRL for chemical B}} = Z$$

Where more than 2 residues are present:

$$\sum_{i=1}^n \frac{[i]}{\text{MRL } i} = Z$$

*[Regulation-3 ~~amended~~ inserted in Gazette
11 Jun 1996 Aug 2006 p. 2432.] 2978-9.]*

4. Method of determination

For the purpose of determining the agricultural chemicals present in agricultural produce, the agricultural produce examined shall consist of the whole agricultural produce and the results of the analysis shall be expressed in milligrams of the residue per kilogram (mg/kg) of the whole agricultural produce except in the case of the following agricultural produce, which shall be examined subject to the modifications specified below —

- (a) bananas — crown tissue and stalk shall be removed and discarded;
- (b) tree nuts — shells shall be removed and discarded;
- (c) strawberries — caps (hulls) shall be removed and discarded;
- (d) melons — stems shall be removed and discarded;
- (e) corn (*Zea mays*) — stems and outer sheaths (husks) shall be removed from the ears and discarded (only the corn kernels shall be examined);
- (f) pineapples — the crowns (leaves at the top of the fruit) shall be removed and discarded;
- (g) passionfruit — skin shall be removed and discarded;

r. 4

- (h) eggs — shells shall be removed and discarded;
- (i) stone fruits — stones shall be removed and discarded;
- (j) root vegetables — where a maximum residue limit is specified in relation to a root vegetable including tops or with tops and the tops and the root are marketed together, they shall be analysed separately and neither the residue on the roots nor the residue on the tops shall exceed the maximum residue limit.

[Regulation 4 amended in Gazette 11 Jun 1996 p. 2432.]

[5. *Repealed in Gazette 30 Dec 2004 p. 6894.]*

Schedule 1

[Regulation 2AA]

| Column 1 Group name | Column 2 Agricultural produce |
|--------------------------------------|---|
| Alliums | Chives, Garlic, Leeks, Onions, Shallots |
| Berry fruits | Blackberries, Boysenberries, Currants, Elderberries, Gooseberries, Loganberries, Mulberries, Raspberries, Rosehips, Strawberries, Vaccinium berries |
| Berry vegetables | Cape gooseberry, Capsicums, Eggplant, Okra, Tomatoes |
| Cereal grains | Barley, Maize, Millet, Oats, Rice, Rye, Sorghum, Triticale, Wheat |
| Citrus fruits | Citrons, Cumquats, Grapefruits, Lemons, Limes, Mandarins, Oranges, Pomeloes, Tangeloes, Tangors |
| Cucurbits | Chokos, Cucumbers, Marrows, Melons, Pumpkins, Squash |
| Fish | Crustaceans, Freshwater fish, Sea-fish, Shellfish |
| Fruit | Avocados, Bananas, Berry fruits, Citrus fruits, Custard apples, Figs, Grapes, Guavas, Mangoes, Monstera, Passionfruit, Pawpaws, Persimmons, Pineapples, Pome fruits, Stone fruits |
| Leafy vegetables | Chinese cabbage, Cole crops (Broccoli, Brussel sprouts, Cabbages, Cauliflowers, Kale, Kohlrabi), Cress, Endive, Lettuce, Spinach, Swiss chard, Turnip tops |
| Meat | Buffaloes, Cattle, Goats, Pigs, Sheep |
| Oil seeds | Cottonseed, Linseed, Rapeseed, Safflower seed, Sunflower seed |
| Pome fruits | Apples, Crabapples, Loquats, Medlars, Pears, Pomegranates, Quinces |
| Poultry | Domestic fowls, Ducks, Geese, Guinea fowls, Pheasants, Pigeons, Quail, Turkeys |

Agricultural Produce (Chemical Residues) Regulations 1985
Schedule 1

| | |
|-------------------------|---|
| Root vegetables | Artichokes, Beetroot, Carrots, Celeriac, Chicory root, Horseradish, Parsnips, Potatoes, Radishes, Salsify, Scorzonera, Swede turnips, Sweet potatoes, Turnips |
| Seed and pod vegetables | Broad beans, Dried bean seeds, Dried pea seeds, Garden peas, Green beans, Lentils, Mung beans, Soya beans, Sugar peas |
| Stalk vegetables | Asparagus, Bamboo shoots, Celery, Fennel, Rhubarb |
| Stone fruits | Apricots, Cherries, Nectarines, Peaches, Plums |
| Tree nuts | Almond, Brazil, Cashew, Chestnuts, Hazel, Litchi, Macadamia, Pecan, Pistachio, Walnuts |
| Vegetables | Alliums, Berry vegetables, Cucurbits, Leafy vegetables, Root vegetables, Seed and pod vegetables, Stalk vegetables |

[Schedule 1 inserted in Gazette 11 Jun 1996 p. 2432-4.]

[Schedule 2

[Regulations 2A and 3]

| Column 1 | Column 2 | Column 3 |
|--|--|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| Aateck | | |
| <i>see</i> | | |
| 1,2-Bis(dimethyl-thiocarbamoyldithio (thiocarbonyl)-amino)-ethylene | | |
| Abamectin | Apple..... | 0.01 |
| | Cotton seed..... | 0.01 |
| | Edible offal of cattle..... | 0.1 |
| | Fat of cattle..... | 0.1 |
| | Meat of cattle..... | 0.005 |
| | Milk of cattle..... | 0.005 |
| | Pear..... | 0.01 |
| | Tomato..... | 0.01 |
| | Strawberry..... | 0.02 |
| Acephate | Brassica (cole or cabbage) vegetables..... | 5 |
| | Citrus fruits..... | 5 |
| | Cotton seed..... | 2 |
| | Edible offal (mammalian)..... | 0.2 |
| | Eggs..... | 0.2 |
| | Fat (mammalian) (except milk fat and sheep fat)..... | 0.2 |
| | Fat of sheep..... | 0.01 |
| | Lettuce, head and leaf..... | 10 |
| | Macadamia nuts..... | 0.1 |
| | Meat (mammalian)..... | 0.2 |
| | Peppers, sweet [capsicum]..... | 5 |
| | Potato..... | 0.5 |
| | Soya bean (dry)..... | 1 |
| | Sugar beet..... | 0.1 |
| | Tomato..... | 5 |
| | Tree tomato..... | 0.5 |
| | Water..... | 0.02 |
| Acifluorfen | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Eggs..... | 0.01 |
| | Meat (mammalian)..... | 0.01 |
| | Meat of poultry..... | 0.01 |
| | Milk..... | 0.01 |
| | Peanut..... | 0.05 |
| | Pod vegetables..... | 0.1 |
| | Seed vegetables..... | 0.1 |
| Acintrazone | Edible offal of pig and poultry..... | 0.1 |
| | Meat of pig and poultry..... | 0.1 |
| Aklomide | Edible offal of poultry..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| Albendazole | Edible offal of cattle and goat..... | 0.1 |
| | Edible offal of sheep..... | 3 |
| | Meat of cattle and goat..... | 0.1 |
| | Meat of sheep..... | 0.2 |
| Albendazole sulphoxide <i>see Albendazole</i> | | |
| Aldicarb | Cereal grains..... | 0.02 |
| | Citrus fruits..... | 0.05 |
| | Cotton seed..... | 0.05 |
| | Grapes..... | 0.05 |
| | Potato..... | 0.2 |
| | Strawberry..... | 0.2 |
| | Sugar cane..... | 0.02 |
| Aldoxyarb | Edible offal of cattle and poultry..... | 0.2 |
| | Eggs..... | 0.1 |
| | Meat of cattle and poultry..... | 0.02 |
| | Milk..... | 0.02 |
| | Wheat..... | 0.02 |
| Aldrin and Dieldrin | Animal feeding stuff..... | 0.1 |
| | Asparagus..... | 0.1 |
| | Banana..... | 0.05 |
| | Brassica (cole or cabbage) vegetables..... | 0.01 |
| | Carrot..... | 0.1 |
| | Cereal grains..... | 0.02 |
| | Citrus fruits..... | 0.05 |
| | Cucumber..... | 0.1 |
| | Edible offal (mammalian)..... | 0.2 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|--|--|---|
| | Edible offal of poultry..... | 0.2 |
| | Egg plant [aubergine]..... | 0.1 |
| | Eggs..... | 0.1 |
| | Fish..... | 0.1 |
| | Fruits..... | 0.05 |
| | Horseradish..... | 0.1 |
| | Lettuce..... | 0.1 |
| | Meat (mammalian) (in the fat)..... | 0.2 |
| | Meat of poultry (in the fat)..... | 0.2 |
| | Milk and milk products..... | 0.15 |
| | Onion, Bulb..... | 0.1 |
| | Parsnip..... | 0.1 |
| | Peanut..... | 0.05 |
| | Peppers, sweet [capsicums]..... | 0.1 |
| | Pimento fruit..... | 0.1 |
| | Potato..... | 0.1 |
| | Radish leaves (including radish tops)..... | 0.1 |
| | Sugar cane..... | 0.01 |
| | Water..... | 0.001 |
| Aliphatic alcohol ethoxylates | Edible offal of cattle..... | 0.1 |
| | Meat of cattle..... | 0.1 |
| | Milk of cattle..... | 1 |
| Alloxydim | Animal feeding stuff..... | 0.2 |
| | Beetroot..... | 0.1 |
| | Bulb vegetables [alliums]..... | 0.1 |
| | Carrot..... | 0.2 |
| | Fruiting vegetables, Cucurbits..... | 0.1 |
| | Poppy seed..... | 0.3 |
| | Potato..... | 0.1 |
| | Strawberry..... | 0.1 |
| | Tomato..... | 0.2 |
| Alloxydim-sodium <i>see Alloxydim</i> | | |
| Altrenogest | Edible offal of pig..... | 0.005 |
| | Meat of pig..... | 0.005 |
| Aluminium phosphide <i>see Phosphine</i> | | |
| Ametryn | Cotton seed..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Edible offal (mammalian)..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Pineapple..... | 0.05 |
| | Pome fruits..... | 0.1 |
| | Sugar cane..... | 0.05 |
| Aminocarb | Apple..... | 4 |
| | Cotton seed..... | 1 |
| | Fruit (except apple, pear)..... | 1 |
| | Pear..... | 4 |
| | Vegetables..... | 1 |
| Amiton | All agricultural produce..... | 0.002 |
| Amitraz | Apple..... | 0.5 |
| | Cotton seed..... | 0.1 |
| | Cotton seed oil, crude..... | 1 |
| | Edible offal of cattle, pig and sheep..... | 0.5 |
| | Meat of cattle, pig and sheep..... | 0.1 |
| | Milk and milk products..... | 0.1 |
| | Stone fruits (except cherries)..... | 0.5 |
| Amitrole | Avocado..... | 0.01 |
| | Banana..... | 0.01 |
| | Cereal grains..... | 0.01 |
| | Citrus fruits..... | 0.01 |
| | Edible offal (mammalian)..... | 0.01 |
| | Grapes..... | 0.01 |
| | Meat (mammalian)..... | 0.01 |
| | Milk and milk products..... | 0.01 |
| | Papaya [pawpaw]..... | 0.01 |
| | Passion fruit..... | 0.01 |
| | Pecan..... | 0.01 |
| | Pineapple..... | 0.01 |
| | Pome fruits..... | 0.01 |
| | Potato..... | 0.05 |
| | Stone fruits..... | 0.02 |
| | Sugar cane..... | 0.01 |
| | Water..... | 0.001 |
| Amoxycillin | Edible offal (mammalian)..... | 0.01 |
| | Edible offal of poultry..... | 0.01 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|---|---|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| | Meat (mammalian)..... | 0.01 |
| | Meat of poultry..... | 0.01 |
| | Milk of cattle and sheep..... | 0.01 |
| Ampicillin | Edible offal of horse..... | 0.01 |
| | Meat of horse..... | 0.01 |
| Amprolium | Edible offal of poultry..... | 1 |
| | Eggs whole..... | 4 |
| | Egg yolk..... | 8 |
| | Meat of poultry..... | 0.5 |
| Antimony | All agricultural produce..... | 1.5 |
| Apramycin | Edible offal of poultry..... | 1 |
| | Kidney (mammalian)..... | 2 |
| | Liver (mammalian)..... | 0.5 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| Aramite <i>see 2-Chloroethyl</i> 1-isopropyl-2-(4-tert-butylphenoxy) sulphite | | |
| Arsenic | Agricultural produce not otherwise specified..... | 1 |
| | Chicken livers..... | 2 |
| | Fish (inorganic arsenic only)..... | 1 |
| | Water..... | 0.05 |
| Asulam | Apple..... | 0.1 |
| | Edible offal (mammalian)..... | 0.1 |
| | Hops, dry..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Milk and milk products..... | 0.1 |
| | Poppy seed..... | 0.1 |
| | Potato..... | 0.4 |
| | Sugar cane..... | 0.1 |
| | Water..... | 0.1 |
| Atrazine | Citrus fruits..... | 0.1 |
| | Edible offal (mammalian)..... | 0.1 |
| | Grapes..... | 0.1 |
| | Lupin (dry)..... | 0.02 |
| | Maize..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Meat (mammalian)..... | 0.01 |
| | Milk and milk products..... | 0.01 |
| | Pineapple..... | 0.1 |
| | Potato..... | 0.01 |
| | Rape seed..... | 0.01 |
| | Sorghum..... | 0.1 |
| | Sugar cane..... | 0.1 |
| | Sweet corn (corn on the cob)..... | 0.1 |
| Avermectin B₁ see | | |
| Abamectin | | |
| Avoparcin | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milks..... | 0.01 |
| Azaconazole | Mushrooms..... | 0.1 |
| Azamethiphos | Cereal grains..... | 0.1 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Wheat bran, unprocessed..... | 0.5 |
| | Wheat pollard..... | 0.2 |
| Azaperone | Edible offal of pig..... | 0.2 |
| | Meat of pig..... | 0.2 |
| Azinphos-ethyl | Cereal grains..... | 0.2 |
| | Citrus fruits..... | 2 |
| | Edible offal (mammalian)..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Oilseed..... | 0.05 |
| | Pome fruits..... | 2 |
| | Vegetables..... | 1 |
| Azinphos-methyl | Blueberries..... | 1 |
| | Citrus fruits..... | 2 |
| | Edible offal (mammalian)..... | 0.05 |
| | Grapes..... | 2 |
| | Kiwifruit (edible portion)..... | 0.05 |
| | Kiwifruit (whole)..... | 2 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Litchi..... | 2 |
| | Macadamia nut..... | 0.01 |
| | Meat (mammalian)..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Oilseed..... | 0.05 |
| | Pome fruits..... | 2 |
| | Raspberries, Black, Red..... | 1 |
| | Stone fruits..... | 2 |
| | Water..... | 0.01 |
| Aziprotryne | Vegetables..... | 0.5 |
| Bacitraicin | Edible offal of chicken..... | 0.5 |
| | Fat of chicken..... | 0.5 |
| | Meat of chicken..... | 0.5 |
| | Eggs..... | 0.5 |
| | Milks..... | 0.5 |
| Benalaxyl | Fruiting vegetables, Cucurbits..... | 0.2 |
| | Garlic..... | 0.1 |
| | Grapes..... | 0.5 |
| | Lettuce, Head..... | 0.01 |
| | Lettuce, Leaf..... | 0.01 |
| | Onion, Bulb..... | 0.1 |
| Bendiocarb | Banana..... | 0.02 |
| | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.1 |
| Benfluralin | Animal feeding stuff..... | 0.02 |
| | Edible offal (mammalian)..... | 0.01 |
| | Lettuce, Head..... | 0.05 |
| | Lettuce, Leaf..... | 0.05 |
| | Meat (mammalian)..... | 0.01 |
| | Milks..... | 0.01 |
| Benfuresate | Cotton seed..... | 0.1 |
| Benomyl see Carbendazim | | |
| Bensulfuron-methyl | Rice..... | 0.02 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Rice bran, processed..... | 0.05 |
| | Rice straw and fodder, dry..... | 0.05 |
| Bensulide | Fruiting vegetables, Cucurbits..... | 0.1 |
| Bentazone | Beans..... | 0.1 |
| | Peanut..... | 0.1 |
| | Pulses..... | 0.01 |
| | Sweet corn (corn on the cob)..... | 0.1 |
| | Water..... | 0.4 |
| Benzyldenine | Apple..... | 0.2 |
| Benzyl G penicillin | Edible offal (mammalian)..... | 0.06 |
| | Eggs..... | 0.018 |
| | Meat (mammalian)..... | 0.06 |
| | Milks..... | 0.0015 |
| Betaacyfluthrin see Cyfluthrin | | |
| BHC (other than the γ isomer, Lindane) | Animal feeding stuff..... | 0.02 |
| | Cereal grains..... | 0.1 |
| | Eggs..... | 0.1 |
| | Edible offal (mammalian)..... | 0.3 |
| | Edible offal of poultry..... | 0.3 |
| | Fish..... | 0.01 |
| | Meat (mammalian) (in the fat)..... | 0.3 |
| | Meat of poultry (in the fat)..... | 0.3 |
| | Milk and milk products (in the fat)..... | 0.1 |
| | Peanut..... | 0.1 |
| | Sugar cane..... | 0.005 |
| Bifenthrin | Apple..... | 0.05 |
| | Banana..... | 0.1 |
| | Cotton seed..... | 0.05 |
| | Edible offal of cattle, sheep and goat..... | 0.5 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat of cattle, sheep and goat (in the fat).... | 2 |
| | Meat of poultry (in the fat)..... | 0.05 |
| | Milks..... | 0.5 |
| | Pear..... | 0.5 |
| | Pear pomace, dry..... | 50 |
| Bioresmethrin | Cereal grains..... | 5 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Water..... | 0.06 |
| | Wheat bran, unprocessed..... | 10 |
| | Wheat germ..... | 10 |
| 1,2-Bis(dimethylthio-carbamoyldithio-(thiocarbonyl) amino) ethylene (Aateck) | cereal grains..... | 7 |
| | fruits..... | 7 |
| | vegetables..... | 7 |
| Bitertanol | Apple..... | 1 |
| | Beans, except broad bean and soya bean..... | 0.3 |
| | Broad bean (green pods and immature seeds) [faba bean]..... | 0.3 |
| | Cereal grains..... | 0.05 |
| | Edible offal (mammalian)..... | 1 |
| | Edible offal of poultry..... | 1 |
| | Eggs..... | 0.01 |
| | Forage of cereal grains..... | 0.1 |
| | Meat (mammalian)..... | 0.2 |
| | Meat (mammalian) (in the fat)..... | 1 |
| | Meat of poultry..... | 0.2 |
| | Milks (in the fat)..... | 2 |
| | Peanut..... | 0.2 |
| | Peanut fodder..... | 100 |
| | Peanut forage (green)..... | 100 |
| | Pulses..... | 0.3 |
| Brodifacoum | Sugar cane..... | 0.0005 |
| Bromacil | Asparagus..... | 0.04 |
| | Citrus fruits..... | 0.04 |
| | Edible offal (mammalian)..... | 0.04 |
| | Meat (mammalian)..... | 0.04 |
| | Milk and milk products..... | 0.04 |
| | Pineapple..... | 0.04 |
| | Water..... | 0.6 |
| Bromochloromethane | Edible offal of cattle..... | 0.02 |
| | Meat of cattle (in the fat)..... | 0.02 |
| Bromophos-ethyl | Edible offal of cattle, sheep and goat..... | 3 |
| | Meat of cattle, sheep and goat (in the fat).... | 3 |
| | Milk and milk products (in the fat)..... | 1 |
| | Water..... | 0.02 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Bromopropylate | Pome fruits..... | 5 |
| | Stone fruits..... | 5 |
| Bromoxynil | Cereal grains..... | 0.2 |
| | Edible offal (mammalian)..... | 0.02 |
| | Edible offal of poultry..... | 0.02 |
| | Eggs..... | 0.02 |
| | Linseed..... | 0.02 |
| | Meat (mammalian)..... | 0.02 |
| | Meat of poultry..... | 0.02 |
| | Milk and milk products..... | 0.02 |
| | Sugar cane..... | 0.02 |
| | Sugar cane molasses..... | 0.02 |
| Water..... | 0.03 | |
| Bromsalans | Edible offal of cattle and sheep..... | 0.2 |
| | Meat of cattle and sheep..... | 0.1 |
| | Milks..... | 0.05 |
| Brotianide | Edible offal of sheep and goat..... | 1 |
| | Meat of sheep and goat..... | 0.1 |
| Bupirimate | Apple..... | 1 |
| | Melons, except Watermelon..... | 1 |
| Buquinolate | Eggs..... | 0.1 |
| | Edible offal of poultry..... | 0.4 |
| | Meat of poultry..... | 0.1 |
| | Poultry skin with fat..... | 0.4 |
| Butacarb | Edible offal of sheep and goat..... | 1 |
| | Meat of sheep and goat..... | 1 |
| Butylamine | Citrus fruits..... | 30 |
| Cadmium | Agricultural produce not otherwise specified..... | 0.05 |
| | Bran..... | 0.2 |
| | Crustaceans..... | 0.2 |
| | Edible offal other than liver..... | 2.5 |
| | Fish not otherwise specified..... | 0.2 |
| | Liver..... | 1.25 |
| | Meat..... | 0.2 |
| | Molluscs..... | 2 |
| | Water..... | 0.005 |
| | Wheat germ..... | 0.2 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|--|--|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| Cadusafos | Banana..... | 0.01 |
| | Ginger, root..... | 0.1 |
| | Sugar cane..... | 0.01 |
| | Tomato..... | 0.01 |
| Cambendazole | Edible offal of cattle, sheep and goat..... | 2 |
| | Meat of cattle, sheep and goat..... | 0.1 |
| Camphochlor see Chlorinated terpene isomers | | |
| Carbaryl | Apricot..... | 10 |
| | Asparagus..... | 10 |
| | Avocado..... | 10 |
| | Bananas (in the pulp)..... | 5 |
| | Blackberries..... | 10 |
| | Blueberries..... | 7 |
| | Carambola..... | 5 |
| | Cereal grains..... | 5 |
| | Cherries..... | 5 |
| | Citrus fruits..... | 7 |
| | Cotton seed..... | 1 |
| | Custard apple..... | 5 |
| | Dewberries (including Boysenberry and Loganberry)..... | 10 |
| | Edible offal (mammalian)..... | 0.2 |
| | Edible offal of poultry..... | 5 |
| | Eggs..... | 0.2 |
| | Elephant apple..... | 5 |
| | Feijoa..... | 5 |
| | Forage of cereal grains..... | 100 |
| | Fruiting vegetables, Cucurbits..... | 3 |
| | Granadilla..... | 5 |
| | Grapes..... | 5 |
| | Grumichama [Brazilian cherry]..... | 5 |
| | Guava..... | 5 |
| | Jaboticaba..... | 5 |
| | Jackfruit..... | 5 |
| | Jambu..... | 5 |
| | Kiwifruit (edible portion)..... | 1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Kiwifruit (whole)..... | 10 |
| | Leafy vegetables..... | 10 |
| | Litchi..... | 5 |
| | Longan..... | 5 |
| | Mango..... | 5 |
| | Meat (mammalian)..... | 0.2 |
| | Meat of poultry..... | 0.5 |
| | Milk and milk products..... | 0.05 |
| | Nectarine..... | 10 |
| | Nuts..... | 1 |
| | Nuts (whole in shell)..... | 10 |
| | Okra..... | 10 |
| | Olives raw..... | 10 |
| | Olives, processed..... | 1 |
| | Papaya [pawpaw]..... | 5 |
| | Passion fruit..... | 5 |
| | Peach..... | 10 |
| | Plums (including Prunes)..... | 5 |
| | Pome fruits..... | 5 |
| | Potato..... | 0.2 |
| | Rambutan..... | 5 |
| | Raspberries..... | 10 |
| | Sapodilla..... | 5 |
| | Sapote, Black..... | 5 |
| | Sapote, Green..... | 5 |
| | Sapote, Mammey..... | 5 |
| | Sapote, White [casimiroa]..... | 5 |
| | Straw and fodder (dry) of cereal grains..... | 100 |
| | Strawberry..... | 7 |
| | Sunflower seed..... | 1 |
| | Sweet corn (corn on the cob)..... | 1 |
| | Vegetables (except asparagus, fruiting vegetables, cucurbits, leafy vegetables, okra, potato, sweet corn (corn on the cob))..... | 5 |
| | Water..... | 0.06 |
| | Wheat bran, unprocessed..... | 20 |
| Carbendazim | Avocado..... | 3 |
| | Banana..... | 1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Berries and other small fruits (except grapes)..... | 5 |
| | Cereal grains..... | 0.05 |
| | Citrus fruits..... | 10 |
| | Edible offal (mammalian)..... | 0.2 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.1 |
| | Fruiting vegetables, Cucurbits..... | 0.05 |
| | Fruiting vegetables, other than Cucurbits (except mushrooms)..... | 2 |
| | Ginger, root..... | 0.1 |
| | Grapes..... | 3 |
| | Litchi..... | 10 |
| | Mango..... | 5 |
| | Mango pulp..... | 2 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milk and milk products..... | 0.1 |
| | Mushrooms..... | 10 |
| | Papaya..... | 20 |
| | Peanut..... | 0.2 |
| | Pome fruits..... | 5 |
| | Rockmelons..... | 2 |
| | Stone fruits..... | 5 |
| | Sugar cane..... | 0.1 |
| | Vegetables (except fruiting vegetables, cucurbits, fruiting vegetables, other than cucurbits, mushrooms)..... | 3 |
| | Water..... | 0.2 |
| Carbetamide | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milk and milk products..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Carbofuran | Animal feeding stuff..... | 2 |
| | Banana..... | 0.1 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milks..... | 0.05 |
| | Rice..... | 0.2 |
| | Sugar cane..... | 0.1 |
| | Water..... | 0.03 |
| | Wheat..... | 0.2 |
| | Carbon disulfide | Cereal grains..... |
| Carbophenothion | Banana..... | 1 |
| | Citrus fruits..... | 1 |
| | Edible offal of cattle, sheep and goat..... | 1 |
| | Grapes..... | 1 |
| | Meat of cattle, sheep and goat (in the fat).... | 1 |
| | Milk and milk products (in the fat)..... | 0.1 |
| | Pome fruits..... | 1 |
| | Stone fruits..... | 1 |
| | Vegetables..... | 1 |
| | Water..... | 0.001 |
| Carboxin | Cereal grains..... | 0.1 |
| Ceftiofur sodium | Edible offal of cattle and pig..... | 0.1 |
| | Fat of cattle and pig..... | 0.1 |
| | Meat of cattle and pig..... | 0.1 |
| | Milk of cattle..... | 0.1 |
| Chinomethionat see | | |
| Oxythioquinox | | |
| Chlordane | Animal feeding stuff..... | 0.01 |
| | Cereal grains..... | 0.02 |
| | Citrus fruits..... | 0.02 |
| | Cotton seed oil, crude..... | 0.05 |
| | Cotton seed oil, edible..... | 0.02 |
| | Edible offal (mammalian)..... | 0.02 |
| | Eggs..... | 0.02 |
| | Fish..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Fruiting vegetables, Cucurbits..... | 0.05 |
| | Linseed oil, crude..... | 0.05 |
| | Meat (mammalian) (in the fat)..... | 0.2 |
| | Milk and milk products (in the fat)..... | 0.05 |
| | Pineapple..... | 0.02 |
| | Pome fruits..... | 0.02 |
| | Soya bean oil, crude..... | 0.05 |
| | Soya bean oil, refined..... | 0.02 |
| | Stone fruits..... | 0.02 |
| | Sugar beet..... | 0.1 |
| | Vegetables (except fruiting vegetables, cucurbits, sugar beet)..... | 0.02 |
| | Water..... | 0.006 |
| Chlordimeform | Water..... | 0.02 |
| Chlorfenae | Edible offal (mammalian)..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Sugar cane..... | 0.02 |
| Chlorfenvinphos | Broccoli..... | 0.05 |
| | Brussel sprouts..... | 0.05 |
| | Cabbages, Head..... | 0.05 |
| | Carrot..... | 0.4 |
| | Cauliflower..... | 0.1 |
| | Celery..... | 0.4 |
| | Cotton seed..... | 0.05 |
| | Edible offal (mammalian)..... | 0.2 |
| | Egg plant [aubergine]..... | 0.05 |
| | Horseradish..... | 0.1 |
| | Leek..... | 0.05 |
| | Maize..... | 0.05 |
| | Meat of cattle, sheep and goat (in the fat)... | 0.2 |
| | Milk and milk products (in the fat)..... | 0.2 |
| | Mushrooms..... | 0.05 |
| | Onion, Bulb..... | 0.05 |
| | Peanut..... | 0.05 |
| | Potato..... | 0.05 |
| | Radish..... | 0.1 |
| | Rice..... | 0.05 |
| | Swede..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Sweet potato..... | 0.05 |
| | Tomato..... | 0.1 |
| | Turnip, garden..... | 0.05 |
| | Water..... | 0.01 |
| | Wheat..... | 0.05 |
| Chlorfluazuron | Cotton seed..... | 0.1 |
| | Cotton seed oil, crude..... | 0.1 |
| | Cotton seed oil, edible..... | 0.05 |
| | Edible offal of cattle..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.2 |
| | Meat of cattle (in the fat) | 1 |
| | Meat of poultry (in the fat) | 1 |
| | Milk of cattle..... | 0.1 |
| Chlorhexidine | Milks..... | 0.05 |
| Chloridazon | Beetroot..... | 0.05 |
| Chlorinated terpene isomers (including Strobane and Camphechlor) | Cereal grains..... | 3 |
| | Fruit..... | 3 |
| | Vegetables..... | 3 |
| Chlormequat | Cotton seed..... | 3 |
| | Dried grapes..... | 0.75 |
| | Grapes..... | 0.75 |
| | Milk and milk products..... | 0.1 |
| | Wheat..... | 5 |
| Chlornidine | Cotton seed..... | 0.05 |
| | Common bean (pods and/or immature seeds) [navy bean] | 0.05 |
| | Peanut..... | 0.05 |
| | Soya bean (dry) | 0.05 |
| 2-Chloroethyl 1-isopropyl-2-(4-tert-butylphenoxy) sulphite (Aramite) | All agricultural produce..... | 0.01 |
| Chloropierin | Cereal grains..... | 0.1 |
| Chlorothalonil | Almonds..... | 0.1 |
| | Apricot..... | 7 |
| | Banana..... | 3 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Brussel sprouts..... | 7 |
| | Carrot..... | 7 |
| | Celery..... | 10 |
| | Cherries..... | 10 |
| | Fruiting vegetables, Cucurbits..... | 5 |
| | Grapes..... | 10 |
| | Nectarine..... | 7 |
| | Onion, Bulb..... | 10 |
| | Peach..... | 30 |
| | Peanut..... | 0.2 |
| | Plums (including Prunes) | 10 |
| | Potato..... | 0.1 |
| | Tomato..... | 10 |
| | Vegetables (except celery, fruiting vegetables, cucurbits, onion, bulb, potato, tomato) | 7 |
| Chloroxuron | Strawberry..... | 0.5 |
| | Water..... | 0.03 |
| Chlorpropham | Eggs..... | 0.05 |
| | Fruits..... | 0.05 |
| | Meat..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Potato..... | 50 |
| | Vegetables (except potatoes) | 0.05 |
| Chlorpyrifos | Asparagus..... | 0.5 |
| | Avocado..... | 0.5 |
| | Banana..... | 0.1 |
| | Brassica (cole or cabbage) vegetables..... | 0.5 |
| | Cassava..... | 0.02 |
| | Cereal grains (except sorghum)..... | 0.1 |
| | Citrus fruits..... | 0.5 |
| | Cotton seed oil, crude..... | 0.05 |
| | Dried fruits..... | 2 |
| | Edible offal of cattle..... | 2 |
| | Edible offal of poultry..... | 0.1 |
| | Edible offal of sheep and pig..... | 0.1 |
| | Eggs..... | 0.01 |
| | Ginger, root..... | 0.01 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Chlorpyrifos-methyl | Grapes..... | 0.01 |
| | Kiwifruit..... | 2 |
| | Mango..... | 0.05 |
| | Meat of cattle (in the fat)..... | 2 |
| | Meat of poultry (in the fat)..... | 0.1 |
| | Meat of sheep and pig (in the fat)..... | 0.1 |
| | Milks and milk products (in the fat)..... | 0.2 |
| | Oilseed..... | 0.01 |
| | Passion fruit..... | 0.05 |
| | Pineapple..... | 0.5 |
| | Pome fruits..... | 0.2 |
| | Potato..... | 0.05 |
| | Sorghum..... | 3 |
| | Stone fruits..... | 1 |
| | Strawberry..... | 0.05 |
| | Sugar cane..... | 0.1 |
| | Tomato..... | 0.5 |
| | Tree nuts..... | 0.02 |
| | Vegetables (except asparagus, brassica vegetables, cassava, potato, tomato)..... | 0.01 |
| | Water..... | 0.002 |
| | Cereal grains (except rice)..... | 10 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Lupin (dry)..... | 10 |
| | Meat (mammalian) (in the fat)..... | 0.05 |
| Meat of poultry (in the fat)..... | 0.05 | |
| Milks (in the fat)..... | 0.05 | |
| Rice..... | 0.1 | |
| Wheat bran, unprocessed..... | 20 | |
| Wheat germ..... | 30 | |
| Chlorsulfuron | Animal feeding stuff..... | 10 |
| | Cereal grains..... | 0.05 |
| | Edible offal (mammalian)..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Milks..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|--|--|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| Chlortetracycline | Edible offal (mammalian)..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Milks..... | 0.02 |
| Chlorthal-dimethyl | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milks..... | 0.05 |
| | Vegetables..... | 5 |
| Chlorthiophos | Pome fruits..... | 0.7 |
| Clavulanic acid | Edible offal of cattle..... | 0.01 |
| | Meat of cattle..... | 0.01 |
| Clenpyrin | Edible offal of cattle..... | 2 |
| | Meat of cattle (in the fat)..... | 2 |
| Clethodim | | |
| <i>see Sethoxydim</i> | | |
| Clodinafop acid | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milks..... | 0.1 |
| | Wheat..... | 0.1 |
| | Wheat straw and fodder (fresh weight)..... | 0.1 |
| | Clodinafop-propargyl | Edible offal (mammalian)..... |
| Edible offal of poultry..... | | 0.05 |
| Eggs..... | | 0.05 |
| Meat (mammalian)..... | | 0.05 |
| Meat of poultry..... | | 0.05 |
| Milks..... | | 0.05 |
| Wheat..... | | 0.05 |
| Wheat straw and fodder (fresh weight)..... | | 0.1 |
| Clofentezine | Banana..... | 0.01 |
| | Hops, dry..... | 0.2 |
| | Pome fruits..... | 0.1 |
| | Stone fruits..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Clopyralid | Cereal grains..... | 2 |
| | Edible offal (mammalian) (except kidney).. | 0.5 |
| | Kidney of cattle, goat, pig and sheep..... | 5 |
| | Meat (mammalian)..... | 0.1 |
| | Milks..... | 0.05 |
| | Pasture..... | 100 |
| | Rape seed..... | 0.5 |
| | Water..... | 1 |
| Cloquintocet acid | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milks..... | 0.1 |
| | Wheat..... | 0.1 |
| | Wheat straw and fodder (fresh weight)..... | 0.1 |
| Cloquintocet-mexyl | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milks..... | 0.05 |
| | Wheat..... | 0.05 |
| | Wheat straw and fodder (fresh weight)..... | 0.1 |
| Clorsulon | Edible offal of cattle..... | 0.1 |
| | Meat of cattle..... | 0.1 |
| Closantel | Edible offal of sheep..... | 5 |
| | Meat of sheep..... | 2 |
| Cloxacillin | Milk of cattle..... | 0.01 |
| Copper | Agricultural produce not otherwise specified..... | 10 |
| | Edible offal other than ovine liver..... | 100 |
| | Molluscs..... | 70 |
| | Nuts..... | 50 |
| | Ovine livers..... | 200 |
| | Water..... | 1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|------------------------------|---|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| Coumaphos | Edible offal of cattle..... | 1 |
| | Edible offal of poultry..... | 1 |
| | Edible offal of sheep, goat and pig..... | 0.5 |
| | Eggs..... | 0.05 |
| | Meat of cattle (in the fat)..... | 1 |
| | Meat of poultry (in the fat)..... | 1 |
| | Meat of sheep, goat and pig (in the fat)..... | 0.5 |
| | Milk and milk products (in the fat)..... | 0.1 |
| 4-CPA | Stone fruits..... | 0.02 |
| Crotoxyphos | Edible offal (mammalian)..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Milks..... | 0.01 |
| Crufomate | Edible offal (mammalian)..... | 1 |
| | Meat (mammalian)..... | 1 |
| | Milks..... | 0.05 |
| Cyanamide | Grapes..... | 0.05 |
| | Kiwifruit..... | 0.1 |
| | Pear, oriental [nashi]..... | 0.1 |
| | Pistachio nut..... | 0.05 |
| Cyanazine | Bulb vegetables [alliums]..... | 0.02 |
| | Cereal grains..... | 0.01 |
| | Peas..... | 0.02 |
| | Potato..... | 0.02 |
| | Pulses..... | 0.01 |
| | Sweet corn (corn on the cob)..... | 0.02 |
| | Wheat straw and fodder, dry..... | 0.01 |
| Cyclanilide | Cotton seed..... | 0.5 |
| Cyloprothrin | Edible offal of sheep..... | 2 |
| | Meat of sheep..... | 0.5 |
| Cyloxydim | Apple..... | 0.1 |
| | Avocado..... | 0.1 |
| | Papaya [pawpaw]..... | 0.1 |
| | Pear..... | 0.1 |
| | Pineapple..... | 0.1 |
| | Squash, summer..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Cyfluthrin | Beans, except broad bean and soya bean..... | 0.5 |
| | Broad bean (green pods and immature seeds) [faba bean]..... | 0.5 |
| | Brassica (cole or cabbage) vegetables..... | 0.5 |
| | Cereal grains..... | 2 |
| | Chick pea forage (green)..... | 1 |
| | Cotton seed..... | 0.01 |
| | Edible offal (mammalian)..... | 0.01 |
| | Edible offal of poultry..... | 0.01 |
| | Eggs..... | 0.01 |
| | Fat of cattle..... | 0.2 |
| | Fat of pig..... | 0.01 |
| | Fat of sheep..... | 0.05 |
| | Legume vegetables..... | 0.5 |
| | Lupin forage (green)..... | 0.5 |
| | Macadamia nuts..... | 0.05 |
| | Meat of cattle, pig and sheep (in the fat)..... | 0.01 |
| | Meat of poultry (in the fat)..... | 0.01 |
| | Milks..... | 0.01 |
| | Onion, Bulb..... | 0.02 |
| | Pulses..... | 0.5 |
| | Sorghum forage (green)..... | 0.5 |
| | Straw and fodder (dry) of cereal grains..... | 5 |
| | Tomato..... | 0.2 |
| | Wheat bran, unprocessed..... | 5 |
| Cyhalothrin | All other agricultural produce..... | 0.01 |
| | Animal feeding stuff..... | 0.2 |
| | Barley..... | 0.2 |
| | Brassica (cole or cabbage) vegetables..... | 0.1 |
| | Citrus fruit..... | 0.01 |
| | Cotton seed..... | 0.02 |
| | Edible offal (mammalian)..... | 0.02 |
| | Edible offal of poultry..... | 0.02 |
| | Eggs..... | 0.02 |
| | Fat of cattle..... | 0.5 |
| | Fat of goat and sheep..... | 0.1 |
| | Legume vegetables..... | 0.1 |
| | Maize..... | 0.01 |
| | Meat of cattle, goat, pig and sheep..... | 0.02 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|------------------------------|---|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| | Meat of poultry..... | 0.02 |
| | Milks (in the fat)..... | 0.5 |
| | Potato..... | 0.01 |
| | Pulses (except soya bean (dry))..... | 0.2 |
| | Rape seed..... | 0.02 |
| | Sorghum..... | 0.2 |
| | Soya bean (dry)..... | 0.02 |
| | Sunflower seed..... | 0.01 |
| | Sweet corn (corn on the cob)..... | 0.01 |
| | Tomato..... | 0.02 |
| | Wheat..... | 0.05 |
| Cyhexatin | Hops, dry..... | 3 |
| | Water..... | 0.2 |
| Cymiazole | Edible offal of cattle..... | 0.5 |
| | Fat of cattle..... | 0.5 |
| | Meat of cattle..... | 0.1 |
| | Milk and milk products (in the fat)..... | 0.5 |
| Cypermethrin | All other agricultural produce..... | 0.01 |
| | Brassica (cole or cabbage) vegetables..... | 1 |
| | Cereal grains..... | 1 |
| | Cotton seed..... | 0.2 |
| | Cotton seed oil, crude..... | 0.02 |
| | Edible offal of cattle, sheep and goat..... | 0.5 |
| | Edible offal of pig and horse..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Field peas (dry)..... | 0.05 |
| | Lettuce, Head..... | 2 |
| | Lettuce, Leaf..... | 2 |
| | Linseed..... | 0.5 |
| | Lupin (dry)..... | 0.01 |
| | Meat of cattle, sheep and goat (in the fat).... | 0.5 |
| | Meat of pig and horse (in the fat)..... | 0.05 |
| | Meat of poultry (in the fat)..... | 0.05 |
| | Milk and milk products (in the fat)..... | 0.1 |
| | Mung bean (dry)..... | 0.05 |
| | Navy beans..... | 0.05 |
| | Peas..... | 1 |
| | Pea vines, green..... | 5 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) | |
|---|--|---|------|
| | Pome fruits..... | 1 | |
| | Potato..... | 0.01 | |
| | Soya bean (dry)..... | 0.05 | |
| | Soya bean oil, crude..... | 0.1 | |
| | Stone fruits (except cherries)..... | 1 | |
| | Sugar cane..... | 0.02 | |
| | Sunflower seed oil, crude..... | 0.1 | |
| | Sunflower seed..... | 0.1 | |
| | Sweet corn (corn on the cob)..... | 0.05 | |
| | Tomato..... | 0.5 | |
| | Cyproconazole | Banana..... | 0.5 |
| | | Cereal grains..... | 0.1 |
| | | Common bean (pods and/or immature seeds)..... | 0.05 |
| | | Edible offal (mammalian)..... | 1 |
| Grapes..... | | 0.5 | |
| Meat (mammalian)..... | | 2 | |
| Milks..... | | 0.01 | |
| Peanut..... | | 0.02 | |
| Peanut fodder..... | | 0.05 | |
| Potato..... | | 0.02 | |
| Straw and fodder (dry) of cereal grains..... | 2 | | |
| Cyprodinil | Pome fruit..... | 1.0 | |
| Cyromazine | Edible offal of goat and sheep..... | 0.2 | |
| | Meat of goat and sheep..... | 0.2 | |
| 2,4-D | Cereal grains..... | 0.2 | |
| | Citrus fruits..... | 5 | |
| | Edible offal (mammalian)..... | 2 | |
| | Edible offal of poultry..... | 0.05 | |
| | Eggs..... | 0.05 | |
| | Legume vegetables..... | 0.05 | |
| | Lupin (dry)..... | 0.05 | |
| | Meat (mammalian)..... | 0.2 | |
| | Meat of poultry..... | 0.05 | |
| | Milk and milk products..... | 0.05 | |
| | Oilseed..... | 0.05 | |
| | Potato..... | 0.1 | |
| | Pulses..... | 0.05 | |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|--|---|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| | Sugar cane..... | 5 |
| | Water..... | 0.1 |
| Daminozide | Edible offal (mammalian)..... | 0.2 |
| | Edible offal of poultry..... | 0.2 |
| | Eggs..... | 0.2 |
| | Meat (mammalian)..... | 0.2 |
| | Meat of poultry..... | 0.2 |
| | Milks..... | 0.05 |
| | Peach..... | 30 |
| | Peanut..... | 20 |
| | Pome fruits..... | 30 |
| 2,4-DB | Cereal grains..... | 0.02 |
| | Edible offal (mammalian)..... | 0.2 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.2 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| DDT | Animal feeding stuff..... | 0.05 |
| | Cereal grains..... | 0.1 |
| | Edible offal (mammalian)..... | 5 |
| | Edible offal of poultry..... | 5 |
| | Eggs..... | 0.5 |
| | Fish..... | 1 |
| | Fruits..... | 1 |
| | Lupins (seeds and other plant parts)..... | nil |
| | Meat (mammalian) (in the fat)..... | 5 |
| | Meat of poultry (in the fat)..... | 5 |
| | Milk and milk products (in the fat)..... | 1.25 |
| | Peanut..... | 0.02 |
| | Vegetable oils, edible..... | 1 |
| | Vegetables..... | 1 |
| | Water..... | 0.003 |
| Decoquinatate | Edible offal of poultry..... | 6 |
| | Meat of poultry..... | 6 |
| DEF <i>see S S S-Tributyl phosphorothioate</i> | | |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|--|--|---|
| Deltamethrin | Brassica (cole or cabbage) vegetables..... | 0.05 |
| | Cereal grains..... | 2 |
| | Edible offal of cattle, sheep and goat..... | 0.1 |
| | Fruiting vegetables, other than Cucurbits.... | 0.1 |
| | Legume vegetables..... | 0.1 |
| | Lupin (dry)..... | 0.1 |
| | Meat of cattle (in the fat)..... | 0.5 |
| | Meat of sheep and goat (in the fat)..... | 0.1 |
| | Milk of cattle (in the fat)..... | 0.5 |
| | Milk of sheep and goat (in the fat)..... | 0.2 |
| | Oilseed..... | 0.1 |
| | Pulses..... | 0.1 |
| | Sweet corn (kernels)..... | 0.1 |
| | Wheat bran, unprocessed..... | 5 |
| Demeton (including demeton-O, demeton-S, demeton-O-methyl, demeton-S-methyl, oxydemeton-S-methyl) | Cereal grains..... | 0.5 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Herbs..... | 0.5 |
| | Hops, dry..... | 0.5 |
| | Macadamia nuts..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Oilseed..... | 0.5 |
| | Pome fruits..... | 0.5 |
| | Stone fruits..... | 0.5 |
| | Strawberry..... | 0.5 |
| Vegetables..... | 0.5 | |
| Water..... | 0.03 | |
| Desmetryn | Brassica (cole or cabbage) vegetables..... | 0.05 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|---|--|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| Dexamethasone and Dexamethasone trimethylacetate | Edible offal of cattle, pig and horse..... | 0.1 |
| | Meat of cattle, pig and horse..... | 0.1 |
| | Milk of cattle..... | 0.05 |
| Diafenthuron | Brassica (cole or cabbage) vegetables..... | 0.2 |
| | Common bean (pods and/or immature seeds)..... | 0.1 |
| | Cotton seed..... | 0.2 |
| | Potato..... | 0.1 |
| | Tomato..... | 0.5 |
| 4,6-Diamino-2-cyclopropylamino-pyrimidine-5-carbonitrile | Edible offal of sheep..... | 0.5 |
| | Meat of sheep (in the fat)..... | 0.5 |
| Diazinon | Cereal grains..... | 0.1 |
| | Citrus fruits..... | 0.7 |
| | Edible offal (mammalian)..... | 0.7 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Fruits (except citrus fruits, olives, peach).... | 0.5 |
| | Kiwifruit..... | 0.5 |
| | Meat (mammalian) (in the fat)..... | 0.7 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products (in the fat)..... | 0.5 |
| | Olive oil, crude..... | 2 |
| | Olives (unprocessed)..... | 2 |
| | Peach..... | 0.7 |
| | Sugar cane..... | 0.5 |
| | Sweet corn (corn on the cob)..... | 0.7 |
| | Tree nuts..... | 0.1 |
| | Vegetable oils, crude (except olive oil, crude)..... | 0.1 |
| Vegetables..... | 0.7 | |
| Water..... | 0.01 | |
| Dicamba | Cereal grains..... | 0.05 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|--|---|---|
| Dichlobenil | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.1 |
| | Sugar cane..... | 0.1 |
| | Sugar cane molasses..... | 2 |
| | Water..... | 0.3 |
| | Citrus fruits..... | 0.1 |
| | Grapes..... | 0.1 |
| | Pome fruits..... | 0.1 |
| | Stone fruits..... | 0.1 |
| | Tomato..... | 0.1 |
| | Vine fruits..... | 0.1 |
| | Water..... | 0.02 |
| | Dichlofluanid | Grapes..... |
| Peanut..... | | 0.02 |
| Peanut fodder..... | | 0.1 |
| Strawberry..... | | 10 |
| Tomato..... | | 1 |
| Dichlone | Fruits (except strawberry)..... | 3 |
| | Strawberry..... | 15 |
| | Vegetables..... | 3 |
| 1,1-Dichloro-2,2-bis (4-ethylphenyl) ethane (Ethyl-DDD) | Cereal grains..... | 5 |
| | Fruits..... | 5 |
| | Vegetables..... | 5 |
| 3,6-Dichloropicolinic acid-see Clopyralid | | |
| Dichlorvos | All agricultural produce for which no other MRL is specified..... | 0.1 |
| | Cereal grains..... | 2 |
| | Cacao beans [cocoa beans]..... | 5 |
| | Coffee beans..... | 2 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Fruits..... | 0.1 |
| | Lentil (dry)..... | 2 |
| | Lettuce, Head..... | 1 |
| | Lettuce, Leaf..... | 1 |
| | Meat (mammalian)..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Meat of poultry..... | 0.05 |
| | Milks..... | 0.02 |
| | Mushrooms..... | 0.5 |
| | Peanut..... | 2 |
| | Soya bean (dry)..... | 2 |
| | Tomato..... | 0.5 |
| | Tree nuts..... | 2 |
| | Vegetables (except lentil (dry), lettuce head, lettuce leaf, soya bean (dry))..... | 0.5 |
| | Water..... | 0.02 |
| Diclazuril | Edible offal of chicken..... | 1 |
| | Meat of chicken..... | 0.2 |
| Diclobutrazol | Wheat..... | 0.05 |
| Diclofop-methyl | Cereal grains..... | 0.1 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Lupin (dry)..... | 0.1 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Oilseed..... | 0.1 |
| | Peas..... | 0.1 |
| | Poppy seed..... | 0.1 |
| | Water..... | 0.003 |
| Dicloran | Beans..... | 20 |
| | Berries and other small fruits (except grapes)..... | 20 |
| | Carrot..... | 15 |
| | Grapes..... | 10 |
| | Lettuce, Head..... | 20 |
| | Lettuce, Leaf..... | 20 |
| | Onion, Bulb..... | 20 |
| | Stone fruits..... | 15 |
| | Sweet potato..... | 20 |
| | Tomato..... | 20 |
| Dicofol | Almonds..... | 5 |
| | Cotton seed..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Cucumber..... | 2 |
| | Fruits (except strawberry)..... | 5 |
| | Gherkin..... | 2 |
| | Hops, dry..... | 5 |
| | Strawberry..... | 1 |
| | Tea (dry manufactured)..... | 5 |
| | Tomato..... | 1 |
| | Vegetables (except cucumber, gherkin, tomato)..... | 5 |
| | Water..... | 0.1 |
| Dieldrin see Aldrin and Dieldrin | | |
| Difenoconazole | Banana..... | 0.5 |
| | Carrot..... | 0.5 |
| | Peanut..... | 0.1 |
| | Pome fruits..... | 0.5 |
| | Potato..... | 0.02 |
| | Tomato..... | 0.5 |
| | Wheat..... | 0.02 |
| Difenzoquat | Barley..... | 0.05 |
| | Water..... | 0.2 |
| | Wheat..... | 0.1 |
| Diflubenzuron | Edible offal of sheep..... | 0.05 |
| | Meat of sheep..... | 0.05 |
| | Milk of sheep..... | 0.05 |
| | Mushrooms..... | 1 |
| | Wheat..... | 1 |
| | Wheat bran, unprocessed..... | 3 |
| Diflufenican | Barley..... | 0.05 |
| | Edible offal (mammalian)..... | 0.1 |
| | Legume animal feed..... | 0.2 |
| | Lupin..... | 0.05 |
| | Meat (mammalian)..... | 0.01 |
| | Milks..... | 0.01 |
| | Oats..... | 0.05 |
| | Peas..... | 0.05 |
| | Pulses..... | 0.05 |
| | Rye..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|--|--|---|
| | Straw and fodder (dry) of cereal grains..... | 0.2 |
| | Triticale..... | 0.05 |
| | Wheat..... | 0.02 |
| Dimethipin | Cotton seed..... | 0.5 |
| Dimethirimol | Fruiting vegetables, Cucurbits..... | 1 |
| Dimethoate | Cereal grains..... | 0.05 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Fruiting vegetables, Cucurbits..... | 2 |
| | Fruits (except strawberry)..... | 2 |
| | Lupin (dry)..... | 0.5 |
| | Lupin forage..... | 1 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Oilseed..... | 0.1 |
| | Peanut..... | 0.05 |
| | Peppers, sweet [capsicum]..... | 1 |
| | Strawberry..... | 5 |
| | Tomato..... | 1 |
| | Vegetables (except lupin (dry), peppers, sweet, tomato)..... | 2 |
| | Water..... | 0.1 |
| Dimetridazole | Edible offal of pig..... | 0.005 |
| | Edible offal of poultry..... | 0.005 |
| | Meat of pig..... | 0.005 |
| | Meat of poultry..... | 0.005 |
| Dinitolmide | Edible offal of poultry..... | 6 |
| | Fat of poultry..... | 2 |
| | Meat poultry..... | 3 |
| Dinitro o-toluamide <i>see Dinitolmide</i> | | |
| Dinocap | Fruiting vegetables, Cucurbits..... | 0.1 |
| | Grapes..... | 0.1 |
| | Pome fruits..... | 0.1 |
| | Stone fruits..... | 0.1 |
| | Strawberry..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Dinoseb | Peanuts..... | 0.06 |
| | Peas..... | 0.06 |
| Dioxathion | Apple..... | 5 |
| | Apricot..... | 0.1 |
| | Cherries..... | 0.1 |
| | Citrus fruits..... | 3 |
| | Edible offal (mammalian)..... | 1 |
| | Grapes..... | 2 |
| | Meat (mammalian) (in the fat)..... | 1 |
| | Milks..... | 0.008 |
| | Peach..... | 0.1 |
| | Pear..... | 5 |
| | Plums (including Prunes)..... | 0.1 |
| Quince..... | 5 | |
| Diphenamid | Tomato..... | 0.1 |
| Diphenyl | Citrus fruits..... | 110 |
| Diphenylamine | Apple..... | 5 |
| | Pear..... | 7 |
| Diquat | Barley..... | 5 |
| | Beans..... | 1 |
| | Cotton seed..... | 1 |
| | Cotton seed oil, crude..... | 0.1 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.01 |
| | Fruits..... | 0.05 |
| | Linseed..... | 0.01 |
| | Lupin (dry)..... | 0.5 |
| | Maize..... | 0.1 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.01 |
| | Oats..... | 5 |
| | Onion, Bulb..... | 0.1 |
| | Peas..... | 0.1 |
| | Poppy seed..... | 5 |
| | Potato..... | 0.2 |
| | Rape seed..... | 2 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Rape seed oil, crude..... | 0.1 |
| | Rice..... | 5 |
| | Rice, polished..... | 1 |
| | Rye..... | 2 |
| | Sesame seed oil, crude..... | 0.1 |
| | Sorghum..... | 2 |
| | Soya bean (dry)..... | 1 |
| | Sugar beet..... | 0.1 |
| | Sugar cane..... | 0.05 |
| | Sunflower seed..... | 1 |
| | Sunflower seed oil, crude..... | 1 |
| | Triticale..... | 2 |
| | Vegetables (except beans, lupin (dry), onion, bulb, peas, potato, soya bean (dry), sugar beet)..... | 0.05 |
| | Water..... | 0.01 |
| | Wheat..... | 2 |
| Disulfoton | Cotton seed..... | 0.5 |
| | Edible offal (mammalian)..... | 0.02 |
| | Edible offal of poultry..... | 0.02 |
| | Eggs..... | 0.02 |
| | Hops, dry..... | 0.5 |
| | Meat (mammalian)..... | 0.02 |
| | Meat of poultry..... | 0.02 |
| | Milk and milk products..... | 0.01 |
| | Potato..... | 0.5 |
| | Vegetables..... | 0.5 |
| | Water..... | 0.006 |
| Dithianon | Fruits..... | 2 |
| Dithiocarbamates (except propineb) | Animal feeding stuff..... | 30 |
| | Banana..... | 2 |
| | Banana (Dwarf)..... | 2 |
| | Beans..... | 2 |
| | Brassica (cole or cabbage) vegetables..... | 2 |
| | Carrot..... | 1 |
| | Celery..... | 5 |
| | Cereal grains..... | 0.5 |
| | Chard [silver beet]..... | 3 |
| | Edible offal (mammalian)..... | 0.5 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Eggs..... | 0.5 |
| | Fig..... | 3 |
| | Fruiting vegetables, Cucurbits..... | 1 |
| | Grapes..... | 5 |
| | Lettuce, Head..... | 3 |
| | Lettuce, Leaf..... | 3 |
| | Meat (mammalian)..... | 0.5 |
| | Milks..... | 0.2 |
| | Onion, Bulb..... | 0.2 |
| | Papaya..... | 30 |
| | Peanut..... | 0.2 |
| | Pome fruits..... | 3 |
| | Potato..... | 0.01 |
| | Stone fruits..... | 3 |
| | Tomato..... | 3 |
| Diuron | Animal feeding stuff..... | 50 |
| | Asparagus..... | 2 |
| | Cereal grains..... | 0.1 |
| | Cotton seed oil, crude..... | 0.5 |
| | Edible offal of cattle..... | 3 |
| | Field peas (dry)..... | 0.05 |
| | Fruits..... | 0.5 |
| | Meat of cattle..... | 0.1 |
| | Milk of cattle..... | 0.1 |
| | Oilseed..... | 0.5 |
| | Pineapple..... | 0.5 |
| | Sugar cane..... | 0.2 |
| | Water..... | 0.04 |
| Dodine | Pome fruits..... | 5 |
| | Stone fruits..... | 5 |
| Doramectin | Edible offal of cattle..... | 0.02 |
| | Fat of cattle..... | 0.02 |
| | Meat of cattle..... | 0.005 |
| 2,2-DPA | Avocado..... | 0.1 |
| | Banana..... | 0.1 |
| | Cereal grains..... | 0.1 |
| | Citrus fruits..... | 0.1 |
| | Cotton seed..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|------------------------------------|---|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| | Currants, Black, Red, White..... | 15 |
| | Edible offal (mammalian)..... | 0.2 |
| | Grapes..... | 3 |
| | Meat (mammalian)..... | 0.2 |
| | Milk and milk products..... | 0.1 |
| | Papaya [pawpaw]..... | 0.1 |
| | Pecan..... | 0.1 |
| | Pineapple..... | 0.1 |
| | Pome fruits..... | 0.1 |
| | Stone fruits..... | 1 |
| | Sugar cane..... | 0.1 |
| | Sunflower seed..... | 0.1 |
| | Vegetables..... | 0.1 |
| | Water..... | 0.5 |
| EDB | Fruits..... | 0.1 |
| | Vegetables..... | 0.1 |
| EDC see Ethylene dichloride | | |
| Endosulfan | Animal feeding stuff..... | 0.03 |
| | Carrot..... | 0.2 |
| | Cereal grains..... | 0.2 |
| | Common bean (dry) [navy bean]..... | 1 |
| | Cotton seed oil, crude..... | 0.5 |
| | Edible offal of cattle, sheep and goat..... | 0.2 |
| | Edible offal of poultry..... | 0.2 |
| | Eggs..... | 0.05 |
| | Fruits..... | 2 |
| | Fruiting vegetables, other than Cucurbits.... | 2 |
| | Lupin (dry)..... | 1 |
| | Meat of cattle, sheep and goat (in the fat).... | 0.2 |
| | Meat of poultry (in the fat)..... | 0.2 |
| | Milk and milk products (in the fat)..... | 0.5 |
| | Mung bean (dry)..... | 1 |
| | Oilseed..... | 1 |
| | Onion, Bulb..... | 0.2 |
| | Peanut..... | 1 |
| | Potato..... | 0.2 |
| | Rice..... | 0.1 |
| | Soya bean (dry)..... | 1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Sweet corn (corn on the cob)..... | 0.2 |
| | Sweet potato..... | 0.2 |
| | Tea (dry manufactured)..... | 30 |
| | Tree nuts..... | 0.2 |
| | Tomato..... | 2 |
| | Vegetables (except carrot, common bean, lupin (dry), mung bean (dry), onion, bulb, potato, soya bean (dry), sweet corn (corn on the cob), sweet potato)..... | 2 |
| | Water..... | 0.04 |
| Endothal | Cotton seed..... | 0.1 |
| | Potato..... | 0.1 |
| | Water..... | 0.6 |
| Endrin | Animal feeding stuff..... | 0.03 |
| | Water..... | 0.001 |
| | Enilconazole see Imazalil | |
| EPTC | Cereal grains..... | 0.04 |
| | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.01 |
| | Meat (mammalian)..... | 0.1 |
| | Meat (poultry)..... | 0.05 |
| | Milk and milk products..... | 0.1 |
| | Oilseed..... | 0.1 |
| | Vegetables..... | 0.04 |
| | Water..... | 0.06 |
| Erythromycin | Eggs..... | 0.3 |
| | Edible offal (mammalian)..... | 0.3 |
| | Meat (mammalian)..... | 0.3 |
| | Milk..... | 0.04 |
| | Esfenvalerate see Fenvalerate | |
| Ethephon | Animal feeding stuff..... | 10 |
| | Apple..... | 1 |
| | Barley..... | 1 |
| | Cherries..... | 15 |
| | Cotton seed..... | 3 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Cotton seed oil, crude..... | 0.1 |
| | Currant, Black..... | 1 |
| | Edible offal (mammalian)..... | 0.2 |
| | Grapes..... | 10 |
| | Kiwifruit..... | 0.1 |
| | Macadamia nuts..... | 0.1 |
| | Mandarins..... | 2 |
| | Meat (mammalian)..... | 0.1 |
| | Milks..... | 0.05 |
| | Oranges, sweet, sour..... | 2 |
| | Peach..... | 0.5 |
| | Pineapple..... | 2 |
| | Sugar cane..... | 0.5 |
| | Sugar cane molasses..... | 3 |
| | Tomato..... | 2 |
| | Triticale..... | 1 |
| | Wheat..... | 1 |
| Ethion | Edible offal of cattle..... | 2.5 |
| | Citrus fruits..... | 1 |
| | Grapes..... | 2 |
| | Meat of cattle (in the fat)..... | 2.5 |
| | Milk and milk products (in the fat)..... | 0.5 |
| | Pome fruits..... | 1 |
| | Stone fruits..... | 1 |
| | Tea (dry manufactured)..... | 5 |
| | Water..... | 0.006 |
| Ethofumesate | Beetroot..... | 0.1 |
| | Chard [silver beet]..... | 1 |
| | Edible offal (mammalian)..... | 0.5 |
| | Meat (mammalian) (in the fat)..... | 0.5 |
| | Milks (in the fat)..... | 0.2 |
| | Onion, Bulb..... | 0.1 |
| | Poppy seed..... | 0.02 |
| Ethopabate | Edible offal of poultry..... | 15 |
| | Meat of poultry..... | 5 |
| Ethoprophos | Banana..... | 0.05 |
| | Cereal grains..... | 0.005 |
| | Custard apple..... | 0.02 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Grapes..... | 0.01 |
| | Litchi..... | 0.02 |
| | Potato..... | 0.02 |
| | Sugar cane..... | 0.1 |
| | Sweet potato..... | 0.02 |
| | Tomato..... | 0.01 |
| | Water..... | 0.001 |
| Ethoxyquin | Apple..... | 3 |
| | Pear..... | 3 |
| 2-1-(ethoxyimino) propyl 3-hydroxy-5-(3-butyrylmesityl) cyclohex-2-enone | Edible offal (mammalian)..... | 0.01 |
| | Edible offal of poultry..... | 0.01 |
| | Eggs..... | 0.01 |
| | Legume animal feeds..... | 0.01 |
| | Legume vegetables..... | 0.01 |
| | Meat (mammalian)..... | 0.01 |
| | Meat of poultry..... | 0.01 |
| | Milks..... | 0.01 |
| | Oilseed..... | 0.01 |
| | Pulses..... | 0.01 |
| Ethyl 1-(2,4-dichlorophenyl)-5-trichloromethyl-(1H)-1,2,4-triazole-3-carboxylate (Hoe 70542) | Barley..... | 0.05 |
| | Friticale..... | 0.05 |
| | Wheat..... | 0.05 |
| Ethyl DDD see 1,1-Dichloro-2,2-bis(4-ethyl-phenyl) ethane | | |
| Ethyl formate | Dried fruits..... | 1 |
| Ethylene dichloride | Cereal grains..... | 50 |
| Etofenprox | Cotton seed..... | 0.05 |
| Etridiazole | Beetroot..... | 0.02 |
| | Cotton seed..... | 0.02 |
| | Peanut..... | 0.02 |
| | Vegetables (except beetroot)..... | 0.2 |
| Famphur | Edible offal of cattle..... | 0.05 |
| | Meat of cattle..... | 0.05 |
| Febantel | Edible offal of cattle, goat and sheep..... | 0.5 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Meat of cattle, goat and sheep..... | 0.1 |
| | Milk..... | 0.5 |
| | Milk fats..... | 4 |
| | Milk products..... | 4 |
| Fenamino-sulf | Citrus fruits..... | 0.05 |
| | Pome fruits..... | 0.05 |
| | Stone fruits..... | 0.05 |
| Fenamiphos | Aloe vera..... | 1 |
| | Animal feeding stuff..... | 1 |
| | Banana..... | 0.05 |
| | Brassica (cole or cabbage) vegetables..... | 0.05 |
| | Celery..... | 0.05 |
| | Citrus fruits..... | 0.05 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Fruiting vegetables, Cucurbits..... | 0.05 |
| | Ginger, root..... | 0.05 |
| | Grapes..... | 0.05 |
| | Leafy vegetables (except lettuce, head, lettuce, leaf)..... | 0.05 |
| | Lettuce, Head..... | 0.2 |
| | Lettuce, Leaf..... | 0.3 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milks..... | 0.005 |
| | Mushrooms..... | 0.1 |
| | Onion, Bulb..... | 0.05 |
| | Peanut..... | 0.05 |
| | Pineapple..... | 0.05 |
| | Root and tuber vegetables..... | 0.2 |
| | Strawberry..... | 0.2 |
| | Sugar cane..... | 0.05 |
| | Tomato..... | 0.5 |
| Fenarimol | Fruiting vegetables, Cucurbits..... | 0.2 |
| | Grapes..... | 0.1 |
| | Pome fruits..... | 0.2 |
| Fenazaflor | Apple..... | 2 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Pear..... | 2 |
| Fenbendazole | Edible offal of cattle..... | 0.1 |
| | Edible offal of goat and sheep..... | 0.5 |
| | Meat of cattle..... | 0.1 |
| | Meat of goat and sheep..... | 0.5 |
| | Milk including goat milk..... | 0.1 |
| Fenbutatin oxide | Berries and other small fruits..... | 1 |
| | Citrus fruits..... | 5 |
| | Citrus peel..... | 30 |
| | Hops, dry..... | 20 |
| | Peach..... | 3 |
| | Pome fruits..... | 3 |
| | Tropical and sub-tropical fruits — inedible peel..... | 5 |
| Fenchlorazole-ethyl | Barley..... | 0.05 |
| | Chick-pea (dry)..... | 0.05 |
| | Chick-pea fodder and chick-pea forage (green)..... | 0.1 |
| | Rye..... | 0.05 |
| | Straw and fodder (dry) of cereal grains..... | 0.1 |
| | Triticale..... | 0.05 |
| | Wheat..... | 0.05 |
| Fenchlorphos | Edible offal (mammalian)..... | 7 |
| | Edible offal of poultry..... | 7 |
| | Eggs..... | 0.05 |
| | Meat (mammalian) (in the fat)..... | 7 |
| | Meat of poultry (in the fat)..... | 7 |
| | Water..... | 0.06 |
| Fenfuram | Cereal grains..... | 0.05 |
| Fenitrothion | Apple..... | 0.5 |
| | Cabbages, Head..... | 0.5 |
| | Cereal grains..... | 10 |
| | Cherries..... | 0.5 |
| | Cacao beans [cocoa beans]..... | 0.1 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Fruits (except cherries and grapes)..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|------------------------------|--|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| | Grapes..... | 0.5 |
| | Lettuce, Head..... | 0.5 |
| | Lettuce, Leaf..... | 0.5 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products (in the fat)..... | 0.05 |
| | Rice, polished..... | 0.1 |
| | Soya bean (dry)..... | 0.3 |
| | Sugar cane..... | 0.02 |
| | Tea (dried manufactured)..... | 0.5 |
| | Tomato..... | 0.5 |
| | Tree nuts..... | 0.1 |
| | Vegetables (except cabbages, head, lettuce, head, lettuce, leaf, soya bean (dry), tomato)..... | 0.1 |
| | Water..... | 0.02 |
| | Wheat bran, unprocessed..... | 20 |
| | Wheat germ..... | 20 |
| Fenoprop | Apple..... | 0.02 |
| | Edible offal (mammalian)..... | 0.02 |
| | Edible offal of poultry..... | 0.02 |
| | Eggs..... | 0.02 |
| | Meat (mammalian)..... | 0.02 |
| | Meat of poultry..... | 0.02 |
| | Milk and milk products..... | 0.02 |
| | Sugar cane..... | 0.02 |
| | Water..... | 0.02 |
| Fenoxaprop-ethyl | Barley..... | 0.01 |
| | Chick pea (dry)..... | 0.01 |
| | Chick pea fodder..... | 0.5 |
| | Chick pea forage (green)..... | 0.5 |
| | Edible offal (mammalian)..... | 0.2 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.02 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.01 |
| | Milks..... | 0.02 |
| | Rye..... | 0.01 |
| | Straw and fodder (dry) of cereal grains..... | 0.5 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Triticale..... | 0.01 |
| | Wheat..... | 0.01 |
| Fenoxycarb | Currant, Black..... | 2 |
| | Grapes..... | 2 |
| | Pome fruits..... | 2 |
| | Stone fruits..... | 0.5 |
| Fenpiclonil | Cotton seed..... | 0.02 |
| Fenpyroximate | Apple..... | 0.2 |
| | Pear..... | 0.2 |
| Fenson | Cereal grains..... | 3 |
| | Fruits..... | 3 |
| | Vegetables..... | 3 |
| Fensulfothion | Banana..... | 0.02 |
| | Sugar cane..... | 0.01 |
| | Water..... | 0.02 |
| Fenthion | Citrus fruits..... | 2 |
| | Edible offal of cattle..... | 1 |
| | Edible offal of pig..... | 0.5 |
| | Edible offal of poultry..... | 0.05 |
| | Edible offal of sheep..... | 0.2 |
| | Eggs..... | 0.05 |
| | Fig..... | 2 |
| | Fruiting vegetables, Cucurbits..... | 2 |
| | Fruiting vegetables, other than Cucurbits.... | 2 |
| | Grapes..... | 2 |
| | Guava..... | 2 |
| | Meat of cattle..... | 1 |
| | Meat of pig..... | 0.5 |
| | Meat of poultry..... | 0.05 |
| | Meat of sheep..... | 0.2 |
| | Milk and milk products (fat basis)..... | 0.2 |
| | Persimmon, Japanese..... | 2 |
| | Pome fruits..... | 2 |
| | Stone fruits..... | 2 |
| | Tropical and sub-tropical fruits — inedible peel..... | 2 |
| Fentin | Carrot..... | 0.2 |
| | Celeriac..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|------------------------------|---|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| | Celery..... | 1 |
| | Cocoa beans..... | 0.1 |
| | Coffee beans..... | 0.1 |
| | Peanut..... | 0.05 |
| | Pecan..... | 0.05 |
| | Potato..... | 0.1 |
| | Rice..... | 0.1 |
| | Sugar beet..... | 0.2 |
| Fenvalerate | Animal feeding stuff (other than forage or straw of cereal grains)..... | 10 |
| | Brassica (cole or cabbage) vegetables..... | 1 |
| | Celery..... | 2 |
| | Cereal grains..... | 2 |
| | Edible offal of cattle, goat and sheep..... | 0.02 |
| | Grapes..... | 0.05 |
| | Forage of cereal grains..... | 20 |
| | Legume vegetables..... | 0.5 |
| | Meat of cattle (in the fat)..... | 0.2 |
| | Meat of goat and sheep (in the fat)..... | 0.5 |
| | Milk and milk products (in the fat)..... | 0.2 |
| | Oilseed..... | 0.5 |
| | Pome fruits..... | 1 |
| | Pulses..... | 0.5 |
| | Stone fruits..... | 1 |
| | Strawberry..... | 1 |
| | Straw and fodder (dry) of cereal grains..... | 20 |
| | Sweet corn (corn on the cob)..... | 0.05 |
| | Tomato..... | 0.2 |
| | Water..... | 0.04 |
| | Wheat bran, unprocessed..... | 5 |
| Ferbam | Cereal grains..... | 7 |
| | Fruits..... | 7 |
| | Vegetables..... | 7 |
| Flamprop-methyl | Edible offal (mammalian)..... | 0.01 |
| | Lupin (dry)..... | 0.05 |
| | Meat (mammalian)..... | 0.01 |
| | Milk and milk products..... | 0.01 |
| | Safflower seed..... | 0.05 |
| | Triticale..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|--|---|---|
| | Triticale straw and fodder, dry..... | 0.1 |
| | Water..... | 0.006 |
| | Wheat..... | 0.05 |
| | Wheat straw and fodder, dry..... | 0.1 |
| Flamprop-m-methyl <i>see Flamprop-methyl</i> | | |
| Flavophospholipol | Eggs..... | 0.02 |
| Fluazifop-butyl | Avocado..... | 0.02 |
| | Banana..... | 0.02 |
| | Berries and other small fruits..... | 0.2 |
| | Brassica (cole or cabbage) vegetables..... | 1 |
| | Carrot..... | 0.1 |
| | Celery..... | 0.02 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Endive..... | 0.05 |
| | Fruiting vegetables, Cucurbits..... | 0.1 |
| | Hops, dry..... | 0.05 |
| | Legume vegetables..... | 0.1 |
| | Lettuce, Head..... | 0.05 |
| | Lettuce, Leaf..... | 0.05 |
| | Lupin (dry)..... | 0.1 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milks..... | 0.1 |
| | Oilseed..... | 0.5 |
| | Onion, Bulb..... | 0.05 |
| | Peppers, sweet [capsicums]..... | 0.02 |
| | Pome fruits..... | 0.01 |
| | Potato..... | 0.05 |
| | Stone fruits..... | 0.05 |
| | Tomato..... | 0.1 |
| | Tropical and sub-tropical fruits — inedible peel (except avocado and banana)... | 0.05 |
| Fluazuron | Edible offal of cattle..... | 0.5 |
| | Meat of cattle (in the fat)..... | 7 |
| Fluchloralin | Cotton seed..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Fluecythrinate | Cotton seed..... | 0.1 |
| | Cotton seed oil, crude..... | 0.1 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milks..... | 0.05 |
| Flumethrin | Edible offal of cattle..... | 0.05 |
| | Edible offal of horse..... | 0.1 |
| | Meat of cattle..... | 0.05 |
| | Meat of horse..... | 0.1 |
| | Milks..... | 0.05 |
| Flumetsulam | Clover..... | 0.3 |
| | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.1 |
| | Field pea (dry)..... | 0.1 |
| | Garden pea..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Medics (except alfalfa)..... | 0.3 |
| | Milks..... | 0.1 |
| | Pea hay or pea fodder (dry)..... | 0.1 |
| | Pea vines (green)..... | 0.1 |
| | Wheat..... | 0.05 |
| | Wheat fodder (green)..... | 0.5 |
| Fluometuron | Cereal grains..... | 0.1 |
| | Citrus fruits..... | 0.5 |
| | Cotton seed..... | 0.1 |
| | Pineapple..... | 0.1 |
| | Water..... | 0.1 |
| | | |
| Fluorine (inorganic salts) | Cereal grains..... | 7 |
| | Fruits..... | 7 |
| | Vegetables..... | 7 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Fluquinconazole | Apple..... | 0.3 |
| | Pear..... | 0.3 |
| | Grapes..... | 0.5 |
| Fluroxypyr | Animal feeding stuff (other than those specified)..... | 25 |
| | Cereal grains..... | 0.2 |
| | Edible offal (mammalian)..... | 2 |
| | Forage of cereal grains and other grass like plants..... | 100 |
| | Meat (mammalian)..... | 0.1 |
| | Milks..... | 0.1 |
| | Straw and fodder (dry) and hay of cereal grains and other grass like plants..... | 100 |
| | Sugar cane (in the juice)..... | 0.2 |
| | Sugar cane fodder..... | 100 |
| | Sugar cane forage..... | 100 |
| | Sweet corn (corn on the cob)..... | 0.2 |
| Flusilazole | Banana..... | 0.2 |
| | Grapes..... | 0.5 |
| | Pome fruits..... | 0.2 |
| | Stone fruits..... | 0.05 |
| | Sugar cane..... | 0.02 |
| Flutriafol | Cereal grains..... | 0.2 |
| | Edible offal (mammalian)..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Milks..... | 0.05 |
| | Rape seed..... | 0.02 |
| Fluvalinate | Apple..... | 0.1 |
| | Brassica (cole or cabbage) vegetables..... | 0.5 |
| | Cotton seed..... | 0.1 |
| | Nectarine..... | 0.1 |
| | Tomato..... | 0.5 |
| Formothion | Cereal grains..... | 0.05 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Fruits..... | 2 |
| | Meat (mammalian)..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Oilseed..... | 0.1 |
| | Peanut..... | 0.05 |
| | Peppers, sweet [capsicums]..... | 1 |
| | Tomato..... | 1 |
| | Vegetables (except peppers, sweet, tomato)..... | 2 |
| | Water..... | 0.1 |
| Fosamine ammonium | Edible offal (mammalian)..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Milk and milk products..... | 0.1 |
| | Water..... | 3 |
| Fosetyl aluminium | Apple..... | 1 |
| | Avocado..... | 5 |
| | Peach..... | 1 |
| | Pineapple..... | 5 |
| Furathiocarb | Cotton seed..... | 0.05 |
| | Maize..... | 0.05 |
| | Sorghum..... | 0.05 |
| | Sunflower seed..... | 0.05 |
| Furazolidone | Edible offal (mammalian)..... | 0.01 |
| | Edible offal of poultry..... | 0.01 |
| | Meat (mammalian)..... | 0.01 |
| | Meat of poultry..... | 0.01 |
| Gentamicin | Edible offal of cattle and pig..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Meat of cattle and pig..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk..... | 0.01 |
| Gentian violet | Edible offal of poultry..... | 0.2 |
| | Eggs..... | 0.2 |
| | Meat of poultry..... | 0.2 |
| Gibberellic acid | Apple..... | 0.2 |
| | Grapes..... | 2 |
| | Grapes (Dried)..... | 2 |
| Glufosinate and Glufosinate ammonium | Apple..... | 0.2 |
| | Banana..... | 0.2 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Glyphosate | Grapes..... | 0.2 |
| | Pear..... | 0.2 |
| | Animal feeding stuff (other than cotton forage)..... | 1 |
| | Avocado..... | 0.05 |
| | Bulb vegetables [alliums]..... | 0.1 |
| | Babaco..... | 0.05 |
| | Banana..... | 0.2 |
| | Berries and other small fruits..... | 0.05 |
| | Cereal grains..... | 0.1 |
| | Citrus fruits..... | 0.5 |
| | Cotton forage..... | 100 |
| | Cotton seed..... | 1 |
| | Cotton seed oil, crude..... | 0.1 |
| | Custard apple..... | 0.05 |
| | Edible offal (mammalian)..... | 0.5 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.05 |
| | Fig..... | 0.05 |
| | Fruiting vegetables, Cucurbits..... | 0.1 |
| | Fruiting vegetables, other than Cucurbits.... | 0.1 |
| | Grapes..... | 0.05 |
| | Guava..... | 0.05 |
| | Kiwifruit..... | 0.05 |
| | Leafy vegetables..... | 0.1 |
| | Legume vegetables..... | 0.1 |
| | Litchi..... | 0.2 |
| | Mango..... | 0.05 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milks..... | 0.1 |
| | Monstero..... | 0.05 |
| | Oilseed (except cotton seed)..... | 0.1 |
| | Olives..... | 0.1 |
| Papaya [pawpaw]..... | 0.05 | |
| Peanut..... | 0.1 | |
| Persimmon, American..... | 0.05 | |
| Persimmon, Japanese..... | 0.05 | |
| Pome fruits..... | 0.05 | |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Pulses..... | 0.1 |
| | Rape forage (fresh weight)..... | 50.0 |
| | Rape seed..... | 5.0 |
| | Rape seed meal..... | 10.0 |
| | Rape seed oil, crude..... | 0.05 |
| | Rape seed oil, edible..... | 0.05 |
| | Rollinia..... | 0.05 |
| | Root and tuber vegetables..... | 0.1 |
| | Stalk and stem vegetables..... | 0.01 |
| | Stone fruits..... | 0.2 |
| | Sugar cane..... | 0.05 |
| | Tree nuts..... | 0.2 |
| | Water..... | 0.2 |
| Griseofulvin | Edible offal (mammalian)..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Milks..... | 0.1 |
| Guazatine | Citrus fruits..... | 5 |
| | Melons, except Watermelon..... | 5 |
| | Tomato..... | 5 |
| Halofuginone | Edible offal of poultry..... | 1 |
| | Meat poultry..... | 0.05 |
| Haloxypop | Animal feeding stuff (except vetch)..... | 3 |
| | Berries and other small fruits..... | 0.05 |
| | Chick peas..... | 0.03 |
| | Citrus fruits..... | 0.05 |
| | Cotton seed..... | 0.1 |
| | Edible offal of cattle..... | 0.5 |
| | Edible offal of poultry..... | 0.5 |
| | Eggs..... | 0.05 |
| | Faba beans..... | 0.05 |
| | Fat of cattle..... | 0.1 |
| | Fat of poultry..... | 0.5 |
| | Field peas..... | 0.05 |
| | Guava..... | 0.05 |
| | Lupins..... | 0.02 |
| | Meat of cattle..... | 0.02 |
| | Meat of poultry..... | 0.2 |
| | Milk of cattle..... | 0.02 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Navy beans..... | 0.05 |
| | Peanut..... | 0.05 |
| | Persimmon, Japanese..... | 0.05 |
| | Pome fruits..... | 0.05 |
| | Pulses..... | 0.05 |
| | Rape seed..... | 0.1 |
| | Soya bean..... | 0.05 |
| | Stone fruits..... | 0.05 |
| | Sunflower seed..... | 0.02 |
| | Tree nuts..... | 0.05 |
| | Tropical and sub-tropical fruits — inedible peel..... | 0.05 |
| | Vetch..... | 0.05 |
| Halquinol | Edible offal of pig..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.1 |
| | Meat of pig..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| HCB | Animal feeding stuff..... | 0.01 |
| | Cereal grains..... | 0.05 |
| | Edible offal (mammalian)..... | 1 |
| | Edible offal of poultry..... | 1 |
| | Eggs..... | 1 |
| | Fish..... | 0.1 |
| | Meat (mammalian) (in the fat)..... | 1 |
| | Meat of poultry (in the fat)..... | 1 |
| | Milk and milk products (in the fat)..... | 0.5 |
| | Peanut..... | 0.01 |
| Heptachlor (including its epoxide) | Animal feeding stuff..... | 0.02 |
| | Carrot..... | 0.2 |
| | Cereal grains..... | 0.02 |
| | Citrus fruits..... | 0.01 |
| | Cotton seed..... | 0.02 |
| | Edible offal (mammalian)..... | 0.2 |
| | Eggs..... | 0.05 |
| | Fish..... | 0.05 |
| | Meat (mammalian) (in the fat)..... | 0.2 |
| | Milk and milk products (in the fat)..... | 0.15 |
| | Peanut..... | 0.01 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Pineapple..... | 0.01 |
| | Soya bean (dry)..... | 0.02 |
| | Soya bean oil, crude..... | 0.5 |
| | Soya bean oil, refined..... | 0.02 |
| | Sugar cane..... | 0.02 |
| | Tomato..... | 0.02 |
| | Vegetables (except carrot, soya bean (dry), tomato)..... | 0.05 |
| | Water..... | 0.003 |
| Hexaconazole | Apple..... | 0.02 |
| | Pear..... | 0.1 |
| Hexaflurate | Edible offal (mammalian)..... | 1 |
| | Meat (mammalian)..... | 1 |
| | Milks..... | 0.2 |
| | Water..... | 0.06 |
| Hexazinone | Edible offal (mammalian)..... | 0.1 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.1 |
| | Milk and milk products..... | 0.05 |
| | Pineapple..... | 1 |
| | Sugar cane..... | 0.1 |
| | Water..... | 0.6 |
| Hexythiazox | Berries and other small fruits..... | 1 |
| | Pome fruits..... | 1 |
| | Stone fruits..... | 1 |
| Hydrocyanic acid (and its salts) | Cereal grains..... | 75 |
| | Fruits..... | 25 |
| | Vegetables..... | 25 |
| Hydroxyethylhydrazine | Pineapple..... | 0.04 |
| Imazalil | Citrus fruits..... | 5 |
| | Edible offal of chicken..... | 0.01 |
| | Meat of chicken..... | 0.01 |
| | Pome fruits..... | 5 |
| Imazaquin | Soya bean (dry)..... | 0.05 |
| | Soya bean fodder..... | 0.05 |
| | Soya bean forage (green)..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Imazethapyr | Alfalfa fodder, alfalfa forage, legume animal feeds and seradella (fresh)... | 3 |
| | Broad bean (dry) [faba bean]..... | 0.2 |
| | Chick pea (dry)..... | 0.2 |
| | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.1 |
| | Field pea (dry)..... | 0.2 |
| | Legume vegetables..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milks..... | 0.1 |
| | Peanut..... | 0.1 |
| | Pulses..... | 0.1 |
| | Imidacloprid | Cotton seed..... |
| Cotton seed oil, crude..... | | 0.05 |
| Fruiting vegetables, other than Cucurbits... | | 0.1 |
| Potato..... | | 0.01 |
| Stone fruits..... | | 0.2 |
| Imidocarb (dipropionate salt) | Edible offal of cattle..... | 5 |
| | Meat of cattle..... | 1 |
| | Milk of cattle..... | 0.2 |
| Inorganic bromide | Avocado..... | 75 |
| | Cereal grains..... | 50 |
| | Citrus fruits..... | 30 |
| | Dates, dried..... | 100 |
| | Dried fruits (except dried dates, figs, grapes, peach, prunes)..... | 30 |
| | Dried grapes..... | 100 |
| | Dried herbs..... | 400 |
| | Dried peach..... | 50 |
| | Figs, dried..... | 250 |
| | Fruits (except avocado, citrus fruits, dried fruits, strawberry)..... | 20 |
| | Peppers, sweet [capsicums]..... | 50 |
| | Prunes..... | 20 |
| | Spices..... | 400 |
| | Strawberry..... | 30 |
| | Vegetables (except peppers, sweet)..... | 20 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Ioxynil | Onion, Bulb..... | 0.02 |
| | Sugar cane..... | 0.02 |
| | Sugar cane molasses..... | 0.02 |
| Iprodione | Alfalfa forage (green)..... | 20 |
| | Beans, except broad bean and soya bean..... | 0.2 |
| | Broad bean (green pods and immature seeds) [faba bean]..... | 0.2 |
| | Berries and other small fruits (except grapes)..... | 12 |
| | Celery..... | 2 |
| | Edible offal (mammalian)..... | 0.1 |
| | Grapes..... | 20 |
| | Kiwifruit..... | 10 |
| | Lettuce, Head..... | 5 |
| | Lettuce, Leaf..... | 5 |
| | Lupin (dry)..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Milk and milk products..... | 0.1 |
| | Passion fruit..... | 10 |
| | Peanut..... | 0.05 |
| | Peanut forage (green)..... | 20 |
| | Peanut oil, crude..... | 0.05 |
| | Pome fruits..... | 3 |
| | Potato..... | 0.05 |
| | Rape seed..... | 1 |
| Soya bean (dry)..... | 0.05 | |
| Soya bean forage (green)..... | 5 | |
| Stone fruits..... | 10 | |
| Tomato..... | 2 | |
| Isocarbophos | Cotton seed..... | 0.05 |
| Isofenphos | Banana..... | 0.02 |
| | Sugar cane..... | 0.01 |
| Isoproturon | Barley..... | 0.05 |
| | Wheat..... | 0.05 |
| Ivermectin | Edible offal (mammalian)..... | 0.01 |
| | Fat of pig..... | 0.02 |
| | Fat of sheep..... | 0.05 |
| | Meat (mammalian)..... | 0.01 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Kitasamyacin | Edible offal of pig..... | 0.2 |
| | Edible offal of poultry..... | 0.2 |
| | Eggs..... | 0.2 |
| | Meat of pig..... | 0.2 |
| | Meat poultry..... | 0.2 |
| Lasalocid | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| Lead | Agricultural produce not otherwise specified..... | 1.5 |
| | Bran..... | 2.5 |
| | Molluscs..... | 2.5 |
| | Vegetables..... | 2 |
| | Water..... | 0.05 |
| | Wheat germ..... | 2.5 |
| | Strawberry..... | 0.04 |
| Levamisole | Edible offal (mammalian)..... | 1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 1 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milk and milk products (except milk of goat)..... | 0.3 |
| | Milk of goat..... | 0.1 |
| Lincomycin | Edible offal (mammalian) (except edible offal of sheep)..... | 0.1 |
| | Meat (mammalian) (except meat of sheep)..... | 0.1 |
| | Milk of goat..... | 0.1 |
| Lindane | Animal feeding stuff..... | 0.1 |
| | Apple..... | 2 |
| | Cereal grains..... | 0.5 |
| | Cherries..... | 0.5 |
| | Cranberry..... | 3 |
| | Fruits (except apple, cherries, cranberry, grapes, peach, plums, strawberry).... | 0.5 |
| | Edible offal (mammalian)..... | 2 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|--|---|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| | Edible offal of poultry..... | 0.7 |
| | Eggs..... | 0.1 |
| | Fish..... | 1 |
| | Grapes..... | 0.5 |
| | Meat (mammalian) (in the fat)..... | 2 |
| | Meat of poultry (in the fat)..... | 0.7 |
| | Milks and milk products (in the fat)..... | 0.2 |
| | Oilseed..... | 0.05 |
| | Peach..... | 2 |
| | Peanut..... | 0.05 |
| | Plums (including Prunes)..... | 0.5 |
| | Strawberry..... | 3 |
| | Sugar cane..... | 0.002 |
| | Vegetables..... | 2 |
| | Water..... | 0.01 |
| Linuron | Cereal grains..... | 0.05 |
| | Coriander, seed..... | 0.2 |
| | Edible offal (mammalian)..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Milks..... | 0.05 |
| | Vegetables..... | 0.05 |
| Lufenuron | Cotton seed..... | 0.02 |
| Lysoceollin sodium | Edible offal of cattle..... | 2 |
| | Fat of cattle..... | 0.01 |
| | Meat of cattle..... | 0.05 |
| Maduramicin | Edible offal of poultry..... | 1 |
| | Meat of poultry..... | 0.1 |
| Magnesium phosphide <i>see Phosphine</i> | | |
| Malathion <i>see Maldison</i> | | |
| Maldison | Beans (dry)..... | 8 |
| | Blueberries..... | 0.5 |
| | Cauliflower..... | 0.5 |
| | Cereal grains..... | 8 |
| | Chard [silver beet]..... | 0.5 |
| | Citrus fruits..... | 4 |
| | Dried fruits..... | 8 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Edible offal (mammalian)..... | 1 |
| | Edible offal of poultry..... | 1 |
| | Egg plant [aubergine]..... | 0.5 |
| | Eggs..... | 1 |
| | Fruits (except blueberries, citrus fruits, dried fruits, grapes, pear, strawberry)..... | 2 |
| | Garden pea..... | 0.5 |
| | Grapes..... | 8 |
| | Kale..... | 3 |
| | Kohlrabi..... | 0.5 |
| | Lentil (dry)..... | 8 |
| | Meat (mammalian) (in the fat)..... | 1 |
| | Meat of poultry (in the fat)..... | 1 |
| | Milks and milk products (in the fat)..... | 1 |
| | Peppers, sweet [capsicums]..... | 0.5 |
| | Peanut..... | 8 |
| | Pear..... | 0.5 |
| | Root and tuber vegetables..... | 0.5 |
| | Strawberry..... | 1 |
| | Tomato..... | 3 |
| | Tree nuts..... | 8 |
| | Turnip, garden..... | 0.5 |
| | Vegetables (except beans (dry), cauliflower, chard, egg plant, garden pea, kale, kohlrabi, lentil (dry), peppers, sweet, root and tuber vegetables, tomato, turnip, garden)..... | 2 |
| | Water..... | 0.1 |
| | Wheat bran (unprocessed)..... | 20 |
| Maleic hydrazide | Garlic..... | 15 |
| | Onion, Bulb..... | 15 |
| | Potato..... | 50 |
| Mancozeb see Dithiocarbamates | Cotton seed..... | 0.5 |
| | Potato..... | 0.01 |
| | Sunflower seed..... | 0.5 |
| MCPA | Cereal grains..... | 0.02 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| MCPB | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Cereal grains..... | 0.02 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Legume vegetables..... | 0.02 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| Mebendazole | Pulses..... | 0.02 |
| | Edible offal (mammalian)..... | 0.02 |
| | Meat (mammalian)..... | 0.02 |
| Mecoprop | Milk and milk products..... | 0.02 |
| | Cereal grains..... | 0.05 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| Mefluidide | Milk and milk products..... | 0.05 |
| | Edible offal (mammalian)..... | 0.005 |
| | Meat (mammalian)..... | 0.005 |
| | Milks..... | 0.001 |
| | Soya bean (dry)..... | 0.02 |
| Menazon | Soya bean fodder..... | 0.02 |
| | Citrus fruits..... | 1 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Pome fruits..... | 1 |
| | Stone fruits..... | 1 |
| Vegetables..... | 1 | |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Mepiquat | Cotton seed..... | 1 |
| | Cotton seed oil, crude..... | 0.2 |
| | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milks..... | 0.05 |
| Mercurey | Agricultural produce not otherwise specified..... | 0.03 |
| | Fish..... | 1 |
| | Water..... | 0.001 |
| Metalaxyl | Avocado..... | 0.5 |
| | Bulb vegetables [alliums]..... | 0.1 |
| | Fruiting vegetables, Cucurbits..... | 0.2 |
| | Grapes..... | 1 |
| | Leafy vegetables..... | 0.3 |
| | Macadamia nuts..... | 1 |
| | Pineapple..... | 0.1 |
| | Pome fruits..... | 0.2 |
| | Stone fruits..... | 0.2 |
| | Vegetables (except fruiting vegetables, cucurbits, leafy vegetables)..... | 0.1 |
| Metaldehyde | Fruits..... | 1 |
| | Vegetables..... | 1 |
| Methabenzthiazuron | Cereal grains..... | 0.05 |
| | Onion, Bulb..... | 0.05 |
| Methaerifos | Barley..... | 10 |
| | Pea (dry)..... | 5 |
| | Wheat..... | 10 |
| | Wheat bran, unprocessed..... | 20 |
| | Wheat germ..... | 30 |
| Metham | Berries and other small fruits..... | 0.1 |
| | Vegetables..... | 0.1 |
| Methamidophos | Brussel sprouts..... | 1 |
| | Cabbages, Head..... | 1 |
| | Cauliflower..... | 1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Celery..... | 2 |
| | Citrus fruits..... | 0.5 |
| | Cotton seed..... | 0.1 |
| | Cucumber..... | 0.5 |
| | Edible offal of cattle, sheep and goat..... | 0.01 |
| | Egg-plant [aubergine]..... | 1 |
| | Fat of cattle and goat..... | 0.01 |
| | Hops, dry..... | 5 |
| | Lettuce, Head..... | 1 |
| | Lettuce, Leaf..... | 1 |
| | Meat of cattle, sheep and goat..... | 0.01 |
| | Milks..... | 0.01 |
| | Peach..... | 1 |
| | Peanut..... | 0.02 |
| | Peanut fodder, peanut forage (green)..... | 10 |
| | Peppers, sweet [capsicums]..... | 2 |
| | Potato..... | 0.25 |
| | Rape seed..... | 0.1 |
| | Soya bean (dry)..... | 0.1 |
| | Sugar beet..... | 0.05 |
| | Tomato..... | 2 |
| | Tree tomato..... | 0.01 |
| Methan-sodium see Metham | | |
| Methazole | Onion, Bulb..... | 0.1 |
| Methidathion | Apple..... | 0.2 |
| | Avocado..... | 0.5 |
| | Brassica (cole or cabbage) vegetables..... | 0.1 |
| | Cereal grains..... | 0.01 |
| | Citrus fruits (except mandarins)..... | 2 |
| | Custard apple..... | 0.2 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Fruiting vegetables, other than Cucurbits.... | 0.1 |
| | Garlic..... | 0.01 |
| | Grapes..... | 0.5 |
| | Legume vegetables..... | 0.1 |
| | Lettuce, Head..... | 1 |
| | Lettuce, Leaf..... | 1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Macadamia nuts..... | 0.01 |
| | Mandarins..... | 5 |
| | Mango..... | 2 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of cattle (in the fat)..... | 0.5 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products (in the fat)..... | 0.5 |
| | Oilseed..... | 1 |
| | Onion, Bulb..... | 0.01 |
| | Passion fruit..... | 0.2 |
| | Pear..... | 0.2 |
| | Pulses..... | 0.1 |
| | Root and tuber vegetables..... | 0.01 |
| | Stone fruits..... | 0.01 |
| | Strawberry..... | 0.01 |
| | Tomato..... | 0.1 |
| | Vegetable oils, edible..... | 0.1 |
| | Vegetables (except garlic, lettuce, head, lettuce, leaf, onion, bulb, root and tuber vegetables)..... | 0.1 |
| | Water..... | 0.06 |
| Methiocarb | Citrus fruits..... | 0.1 |
| | Fruits (except citrus fruits, grapes)..... | 0.1 |
| | Grapes..... | 0.5 |
| | Vegetables..... | 0.1 |
| | Wine..... | 0.1 |
| Methomyl | Apple..... | 1 |
| | Fruiting vegetables, other than Cucurbits.... | 1 |
| | Blackberries..... | 2 |
| | Blueberries..... | 2 |
| | Cabbages, Head..... | 1 |
| | Cereal grains..... | 0.1 |
| | Cherries..... | 2 |
| | Citrus fruits..... | 1 |
| | Cotton seed..... | 0.1 |
| | Dried grapes..... | 0.05 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.02 |
| | Eggs..... | 0.02 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Ginger, root..... | 0.1 |
| | Grapes..... | 2 |
| | Hops..... | 0.5 |
| | Linseed..... | 0.1 |
| | Lupins..... | 1 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.02 |
| | Milk and milk products..... | 0.05 |
| | Mints..... | 0.5 |
| | Nectarine..... | 1 |
| | Peach..... | 1 |
| | Peanut..... | 0.05 |
| | Pear..... | 3 |
| | Plantago ovata seed..... | 0.05 |
| | Plantago ovata fodder and forage..... | 5 |
| | Poppy seed..... | 0.05 |
| | Potato..... | 1 |
| | Pulses..... | 1 |
| | Rape seed..... | 0.5 |
| | Sesame seed..... | 0.1 |
| | Strawberry..... | 0.5 |
| | Sunflower seed..... | 0.1 |
| | Sweet corn (corn on the cob)..... | 0.1 |
| | Water..... | 0.06 |
| Methoprene | Cereal grains..... | 2 |
| | Edible offal of cattle..... | 0.1 |
| | Meat of cattle (in the fat)..... | 0.3 |
| | Milk of cattle..... | 0.1 |
| | Wheat bran, unprocessed..... | 5 |
| | Wheat germ..... | 10 |
| Methoxychlor | Animal feeding stuff..... | 1 |
| | Edible offal of cattle..... | 3 |
| | Meat of cattle (in the fat)..... | 3 |
| Methylbenzoquate | Edible offal of poultry..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| Methyl bromide | Cereal grains..... | 50 |
| | Dried fruits..... | 0.5 |
| | Fruits..... | 0.5 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Herbs..... | 0.5 |
| | Spices..... | 0.5 |
| Metichlorpindol | Edible offal of poultry..... | 15 |
| | Meat of poultry..... | 5 |
| Metiram see Dithiocarbamates | Apple..... | 6 |
| | Celery..... | 6 |
| | Cucumber..... | 6 |
| | Grapes..... | 6 |
| | Pear..... | 6 |
| | Tomato..... | 6 |
| | Vegetables (except celery, cucumber, tomato)..... | 1 |
| Metolachlor | Animal feeding stuff..... | 5 |
| | Asparagus..... | 0.02 |
| | Beans, except broad bean and soya bean..... | 0.05 |
| | Broad bean (green pods and immature seeds) [faba bean]..... | 0.05 |
| | Brassica (cole or cabbage) vegetables..... | 0.02 |
| | Cereal grains..... | 0.01 |
| | Cotton seed..... | 0.05 |
| | Edible offal (mammalian)..... | 0.5 |
| | Fruiting vegetables, Cucurbits..... | 0.05 |
| | Maize..... | 0.1 |
| | Meat (mammalian)..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Peanut..... | 0.05 |
| | Rape seed..... | 0.05 |
| | Safflower seed..... | 0.05 |
| | Sorghum..... | 0.05 |
| | Soya bean (dry)..... | 0.05 |
| | Sugar cane..... | 0.05 |
| | Sunflower seed..... | 0.05 |
| | Sweet corn (kernels)..... | 0.1 |
| | Sweet potato..... | 0.2 |
| | Water..... | 0.8 |
| Metosulam | Cereal grains..... | 0.02 |
| | Edible offal (mammalian)..... | 0.01 |
| | Edible offal of poultry..... | 0.01 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|------------------------------|---|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| | Eggs..... | 0.01 |
| | Forage, straw, fodder (dry) and hay of cereal grains and other grass like plants..... | 0.1 |
| | Lupin (dry)..... | 0.02 |
| | Lupin forage..... | 0.1 |
| | Meat (mammalian)..... | 0.01 |
| | Meat of poultry..... | 0.01 |
| | Milks..... | 0.01 |
| Metoxuron | Carrot..... | 0.2 |
| | Wheat..... | 0.1 |
| Metribuzin | Animal feeding stuff..... | 0.2 |
| | Asparagus..... | 0.2 |
| | Cereal grains..... | 0.05 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milks..... | 0.05 |
| | Peas, shelled..... | 0.05 |
| | Potato..... | 0.05 |
| | Pulses (except soya bean (dry))..... | 0.01 |
| | Soya bean (dry)..... | 0.05 |
| | Tomato..... | 0.1 |
| | Water..... | 0.005 |
| Metsulfuron-methyl | Cereal grains..... | 0.02 |
| | Edible offal (mammalian)..... | 0.1 |
| | Forage, straw, fodder (dry) and hay of cereal grains and other grass like plants..... | 1 |
| | Meat (mammalian)..... | 0.1 |
| | Milks..... | 0.1 |
| | Safflower seed..... | 0.02 |
| Mevinphos | Cotton seed..... | 0.1 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Pome fruits..... | 0.25 |
| | Stone fruits..... | 0.25 |
| | Vegetables..... | 0.25 |
| | Water..... | 0.006 |
| Molinate | Rice..... | 0.05 |
| | Water..... | 0.001 |
| Monensin | Edible offal of cattle and goat..... | 0.05 |
| | Fat of poultry..... | 0.5 |
| | Meat of cattle and goat..... | 0.05 |
| | Milk of cattle..... | 0.01 |
| Monocrotophos | Apple..... | 0.5 |
| | Banana..... | 0.5 |
| | Beans, except broad bean and soya bean.... | 0.2 |
| | Broad bean (green pods and immature seeds) [faba bean]..... | 0.2 |
| | Cereal grains..... | 0.02 |
| | Cotton seed..... | 0.1 |
| | Edible offal (mammalian)..... | 0.02 |
| | Edible offal of poultry..... | 0.02 |
| | Eggs..... | 0.02 |
| | Meat (mammalian)..... | 0.02 |
| | Meat of poultry..... | 0.02 |
| | Milk..... | 0.002 |
| | Milk products..... | 0.02 |
| | Pear..... | 0.5 |
| | Potato..... | 0.1 |
| | Sweet corn (corn on the cob)..... | 0.01 |
| | Straw and fodder (dry) of cereal grains..... | 0.02 |
| | Tomato..... | 0.5 |
| | Vegetable oils, edible..... | 0.05 |
| | Water..... | 0.002 |
| Morantel | Edible offal of cattle, goat and sheep..... | 2 |
| | Edible offal of pig..... | 5 |
| | Meat (mammalian)..... | 0.3 |
| | Milk and milk products..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Moxidectin | Edible offal of cattle..... | 0.5 |
| | Edible offal of deer..... | 0.2 |
| | Edible offal of sheep..... | 0.05 |
| | Meat of cattle (in the fat)..... | 2 |
| | Meat of deer (in the fat)..... | 1 |
| | Meat of sheep (in the fat)..... | 0.2 |
| MSMA | Sugar cane..... | 0.3 |
| Myclobutanil | Grapes..... | 1 |
| | Pome fruits..... | 0.5 |
| Nabam | Water..... | 0.03 |
| Naled | Cereal grains..... | 0.01 |
| | Citrus fruits..... | 2 |
| | Cotton seed..... | 0.5 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Pome fruits..... | 2 |
| | Stone fruits..... | 2 |
| | Sugar cane..... | 0.01 |
| | Vegetables..... | 2 |
| Naphthalene acetic acid | Apple..... | 1 |
| | Pear..... | 1 |
| | Pineapple..... | 1 |
| Naphthalophos | Edible offal of goat..... | 0.1 |
| | Edible offal of sheep..... | 0.01 |
| | Meat of goat..... | 0.1 |
| | Meat of sheep..... | 0.01 |
| Naphthoxyacetic acid | Tomato..... | 1 |
| Napropamide | Almonds..... | 0.1 |
| | Berries and other small fruits..... | 0.1 |
| | Grapes..... | 0.1 |
| | Stone fruits..... | 0.1 |
| | Tomato..... | 0.1 |
| Naptalam | Fruiting vegetables, Cucurbits..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Narasin | Edible offal of cattle..... | 0.05 |
| | Edible offal of poultry..... | 0.1 |
| | Meat of cattle..... | 0.05 |
| | Meat of poultry..... | 0.1 |
| Neomycin | Edible offal (mammalian)..... | 0.5 |
| | Mammalian fats (except milk fats)..... | 0.02 |
| | Meat (mammalian)..... | 0.5 |
| | Milks (in the fat)..... | 0.02 |
| Netobimin <i>see</i> Albendazole | | |
| Nicarbazine | Edible offal of poultry..... | 20 |
| | Meat of poultry..... | 5 |
| Nifursol | Edible offal of poultry..... | 0.5 |
| | Meat of poultry..... | 0.1 |
| Nimidane | Edible offal of cattle..... | 1 |
| | Meat of cattle (in the fat)..... | 1 |
| | Milk and milk products (in the fat)..... | 1 |
| Nitralin | Cotton seed..... | 0.03 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Fruiting vegetables, Cucurbits..... | 0.03 |
| | Legume vegetables..... | 0.03 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Peanut..... | 0.03 |
| | Pulses..... | 0.03 |
| | Water..... | 1 |
| Nitrothal-isopropyl | Apple..... | 1 |
| Nitroxynil | Edible offal of cattle, sheep and goat..... | 1 |
| | Meat of cattle, sheep and goat..... | 1 |
| Norflurazon | Citrus fruits..... | 0.2 |
| | Cotton seed..... | 0.05 |
| | Grapes..... | 0.1 |
| | Pome fruits..... | 0.2 |
| | Stone fruits..... | 0.2 |
| | Tree nuts..... | 0.2 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Norgestomet | Edible offal (mammalian)..... | 0.0001 |
| | Meats (mammalian)..... | 0.0001 |
| Novobiocin | Edible offal of cattle..... | 0.1 |
| | Meat of cattle..... | 0.1 |
| | Milk of cattle..... | 0.1 |
| ODB | Edible offal of sheep..... | 0.01 |
| | Meat of sheep (in the fat)..... | 0.01 |
| Ofurace | Grapes..... | 3 |
| Olaquinox | Edible offal of pig..... | 0.3 |
| | Edible offal of poultry..... | 0.3 |
| | Meat of pig..... | 0.3 |
| | Meat of poultry..... | 0.3 |
| Oleandomycin | Edible offal (mammalian)..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| Omethoate | Cereal grains..... | 0.05 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Fruits..... | 2 |
| | Legume animal feeds (fresh weight)..... | 20 |
| | Lupin (dry)..... | 0.1 |
| | Lupin forage..... | 0.5 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Miscellaneous fodder and forage crops (fresh weight)..... | 20 |
| | Oilseed..... | 0.05 |
| | Peppers, sweet [capsicums]..... | 1 |
| | Straw, fodder (dry) and hay of cereal grains and other grass like plants (fresh weight)..... | 20 |
| | Tomato..... | 1 |
| | Vegetables (except lupin, peppers, sweet, tomato)..... | 2 |
| Water..... | 0.0004 | |
| OPP see 2-Phenylphenol | | |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Oryzalin | Cereal grains..... | 0.01 |
| | Fruits..... | 0.1 |
| | Tree nuts..... | 0.1 |
| | Water..... | 0.06 |
| Oxabetrinil | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milks..... | 0.05 |
| Oxadixyl | Fruiting vegetables, Cucurbits..... | 0.5 |
| | Grapes..... | 2 |
| | Lettuce, Head..... | 1 |
| | Lettuce, Leaf..... | 1 |
| | Onion, Bulb..... | 0.5 |
| Oxamyl | Banana..... | 0.2 |
| | Banana (Dwarf)..... | 0.2 |
| | Cereal grains..... | 0.02 |
| | Edible offal (mammalian)..... | 0.02 |
| | Edible offal of poultry..... | 0.02 |
| | Eggs..... | 0.02 |
| | Fat of poultry..... | 0.02 |
| | Meat (mammalian)..... | 0.02 |
| | Meat of poultry..... | 0.02 |
| | Milks..... | 0.02 |
| | Tomato..... | 0.05 |
| Oxfendazole | Edible offal (mammalian)..... | 3 |
| | Meat (mammalian)..... | 0.1 |
| | Milks..... | 0.1 |
| Oxolinic acid | Salmon, Pacific..... | 0.01 |
| Oxycarboxin | Beans, except broad bean and soya bean..... | 5 |
| | Broad bean (green pods and immature seeds) [faba bean]..... | 5 |
| Oxyclozanide | Edible offal of cattle, sheep and goat..... | 2 |
| | Meat of cattle, sheep and goat..... | 0.5 |
| | Milks..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Oxyfluorfen | Cereal grains..... | 0.05 |
| | Garlic..... | 0.05 |
| | Grapes..... | 0.05 |
| | Onion, Bulb..... | 0.05 |
| | Pome fruits..... | 0.05 |
| | Stone fruits..... | 0.05 |
| | Tree nuts..... | 0.05 |
| Oxytetra-cycline | Edible offal (mammalian)..... | 0.25 |
| | Edible offal of poultry..... | 0.25 |
| | Eggs..... | 0.3 |
| | Meat (mammalian)..... | 0.25 |
| | Meat of poultry..... | 0.25 |
| | Milks..... | 0.1 |
| | Salmon, Pacific..... | 0.2 |
| Oxythioquinox | Fruiting vegetables, Cucurbits..... | 0.5 |
| | Pome fruits..... | 0.5 |
| | Stone fruits..... | 0.5 |
| Paclobutrazol | Almonds..... | 0.05 |
| | Assorted tropical and sub-tropical fruits inedible peel..... | 0.01 |
| | Pecans..... | 0.005 |
| | Pome fruits..... | 1 |
| | Stone fruits..... | 0.01 |
| Paraquat | Animal feeding stuff..... | 500 |
| | Cereal grains (except maize, rice)..... | 0.05 |
| | Cotton seed..... | 0.2 |
| | Cotton seed oil, edible..... | 0.05 |
| | Edible offal (mammalian)..... | 0.5 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.01 |
| | Fruits (except olives)..... | 0.05 |
| | Hops, dry..... | 0.2 |
| | Maize..... | 0.1 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milks..... | 0.01 |
| | Olives..... | 1 |
| | Peanut..... | 0.01 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Peanut, whole..... | 0.01 |
| | Potato..... | 0.2 |
| | Pulses..... | 1.0 |
| | Rice..... | 10 |
| | Rice, polished..... | 0.5 |
| | Sugar cane..... | 0.05 |
| | Tree nuts..... | 0.05 |
| | Vegetables (except potato, pulses)..... | 0.05 |
| | Water..... | 0.04 |
| Parathion | Apricot..... | 1 |
| | Carrot..... | 0.5 |
| | Cereal grains..... | 0.5 |
| | Cotton seed..... | 1 |
| | Cotton seed oil, crude..... | 0.5 |
| | Edible offal (mammalian)..... | 0.05 |
| | Fruits (except apricot, peach)..... | 0.5 |
| | Meat (mammalian)..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Peach..... | 1 |
| | Vegetables (except carrot)..... | 0.7 |
| | Water..... | 0.03 |
| Parathion-methyl | Cotton seed..... | 1 |
| | Cotton seed oil, crude..... | 0.05 |
| | Edible offal (mammalian)..... | 0.05 |
| | Fruits..... | 1 |
| | Meat (mammalian)..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Vegetables..... | 1 |
| | Water..... | 0.006 |
| Parbendazole | Edible offal (mammalian)..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Milks..... | 0.1 |
| PCP (and its sodium salt) | Citrus fruits..... | 0.01 |
| | Grapes..... | 0.01 |
| | Mushrooms..... | 0.01 |
| | Pineapple..... | 0.01 |
| | Potato..... | 0.01 |
| Pebulate | Fruiting vegetables, other than Cucurbits.... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Penconazole | Grapes..... | 0.1 |
| | Pome fruits..... | 0.1 |
| Pendimethalin | Alfalfa fodder..... | 0.1 |
| | Barley..... | 0.05 |
| | Berries and other small fruits..... | 0.05 |
| | Brassica (cole or cabbage) vegetables..... | 0.05 |
| | Bulb vegetables [alliums]..... | 0.05 |
| | Citrus fruits..... | 0.05 |
| | Leafy vegetables..... | 0.05 |
| | Legume vegetables..... | 0.05 |
| | Maize..... | 0.05 |
| | Oilseed..... | 0.05 |
| | Peanut..... | 0.05 |
| | Pome fruits..... | 0.05 |
| | Pulses..... | 0.05 |
| | Root and tuber vegetables..... | 0.05 |
| | Rice..... | 0.05 |
| | Stone fruits..... | 0.05 |
| | Sugar cane..... | 0.05 |
| | Sweet corn (corn on the cob)..... | 0.05 |
| | Tree nuts..... | 0.05 |
| | Water..... | 0.6 |
| Wheat..... | 0.05 | |
| Perfluidone | Water..... | 0.02 |
| Permethrin | Brassica (cole or cabbage) vegetables (except brussel sprouts)..... | 1 |
| | Brussels sprouts..... | 2 |
| | Celery..... | 5 |
| | Cereal grains..... | 2 |
| | Common bean (dry) [navy bean]..... | 0.1 |
| | Common bean (pod and/or immature seeds) [navy bean]..... | 0.5 |
| | Cotton seed..... | 0.2 |
| | Edible offal of goat..... | 0.5 |
| | Eggs..... | 0.1 |
| | Kiwifruit..... | 2 |
| | Lettuce, Head..... | 5 |
| | Lettuce, Leaf..... | 5 |
| | Linseed..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Lupin (dry)..... | 0.1 |
| | Meat (mammalian) (in the fat)..... | 0.1 |
| | Meat of poultry (in the fat)..... | 0.1 |
| | Milk and milk products (in the fat)..... | 0.05 |
| | Mung bean (dry)..... | 0.1 |
| | Mushrooms..... | 2 |
| | Potato..... | 0.05 |
| | Rape seed..... | 0.2 |
| | Soya bean (dry)..... | 0.1 |
| | Sugar cane..... | 0.1 |
| | Sunflower seed..... | 0.2 |
| | Sweetcorn (corn on the cob)..... | 0.05 |
| | Tomato..... | 0.4 |
| | Water..... | 0.3 |
| | Wheat bran, unprocessed..... | 10 |
| | Wheat germ..... | 2 |
| Phenakapton | Fruits..... | 1 |
| | Vegetables..... | 1 |
| Phenmedipham | Beetroot..... | 0.1 |
| | Edible offal (mammalian)..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Milk and milk products..... | 0.1 |
| Phenothrin | Edible offal (mammalian)..... | 0.5 |
| | Eggs..... | 0.5 |
| | Meat (mammalian)..... | 0.5 |
| | Milks..... | 0.05 |
| | Wheat..... | 2 |
| | Wheat bran, unprocessed..... | 5 |
| | Wheat germ..... | 5 |
| Phenoxyethyl V penicillin | Edible offal (mammalian)..... | 0.06 |
| | Eggs..... | 0.018 |
| | Meat (mammalian)..... | 0.06 |
| | Milks..... | 0.0015 |
| 2-Phenylphenol | Melons, except Watermelon..... | 10 |
| | Carrot..... | 20 |
| | Cherries..... | 3 |
| | Citrus fruits..... | 10 |
| | Cucumber..... | 10 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Nectarine..... | 3 |
| | Peach..... | 20 |
| | Pear..... | 25 |
| | Peppers, sweet [capsicums]..... | 10 |
| | Pineapple..... | 10 |
| | Plums (including Prunes)..... | 15 |
| | Sweet potato..... | 15 |
| | Tomato..... | 10 |
| Phorate | Cotton seed..... | 0.5 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Sugar cane..... | 0.05 |
| | Sugar cane fodder..... | 0.05 |
| | Sugar cane forage..... | 0.05 |
| | Vegetables..... | 0.5 |
| Phosalone | Apple..... | 2.5 |
| | Edible offal of sheep and goat..... | 1 |
| | Meat of sheep and goat (in the fat)..... | 1 |
| | Peach..... | 3 |
| | Pear..... | 2.5 |
| Phosmet | Cereal grains..... | 0.05 |
| | Edible offal of cattle..... | 1 |
| | Edible offal of pig..... | 0.1 |
| | Edible offal of sheep and goat..... | 0.05 |
| | Kiwifruit (edible portion)..... | 1.5 |
| | Kiwifruit (whole)..... | 15 |
| | Meat of cattle (in the fat)..... | 1 |
| | Meat of pig (in the fat)..... | 0.1 |
| | Meat of sheep and goat..... | 0.05 |
| | Milk and milk products (in the fat)..... | 0.2 |
| | Pome fruits..... | 1 |
| | Stone fruits..... | 1 |
| Phosphine | Cereal grains..... | 0.1 |
| | Cacao beans [cocoa beans]..... | 0.01 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Dried foods (except dried fruits, dried vegetables)..... | 0.01 |
| | Dried fruits..... | 0.01 |
| | Dried vegetables..... | 0.01 |
| | Honey..... | 0.01 |
| | Oilseed..... | 0.01 |
| | Peanut..... | 0.01 |
| | Spices..... | 0.01 |
| | Tree nuts..... | 0.01 |
| Phosphorous acid | Apple..... | 50 |
| | Avocado..... | 100 |
| | Citrus fruits..... | 100 |
| | Clover..... | 5 |
| | Edible offal (mammalian)..... | 5 |
| | Grapes..... | 50 |
| | Grape leaves..... | 300 |
| | Meat (mammalian)..... | 1 |
| | Peach..... | 100 |
| | Pineapple..... | 50 |
| | Pineapple fodder..... | 100 |
| Phoxim | Edible offal of pig..... | 0.01 |
| | Fat of pig..... | 0.5 |
| | Meat of pig..... | 0.01 |
| | Potato..... | 0.05 |
| Picloram | Cereal grains..... | 0.2 |
| | Edible offal (mammalian)..... | 5 |
| | Meat (mammalian)..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Water..... | 0.03 |
| Piperonyl butoxide | Bran, unprocessed of cereal grains..... | 40 |
| | Cereal grains..... | 20 |
| | Dried fruits..... | 8 |
| | Dried vegetables..... | 8 |
| | Edible offal (mammalian)..... | 0.1 |
| | Fruits..... | 8 |
| | Meat (mammalian)..... | 0.1 |
| | Oilseed..... | 8 |
| | Tree nuts..... | 8 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|--------------------------------------|--|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| Pirimicarb | Vegetables..... | 8 |
| | Water..... | 0.2 |
| | Wheatgerm..... | 50 |
| | Cereal grains..... | 0.02 |
| | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.1 |
| | Fruits..... | 0.5 |
| | Hops, dry..... | 0.5 |
| | Lupin (dry)..... | 0.02 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milk and milk products..... | 0.1 |
| | Rape seed..... | 0.2 |
| Vegetables (except lupin (dry))..... | 1 | |
| Water..... | 0.1 | |
| Pirimiphos-ethyl | Banana..... | 0.02 |
| | Mushrooms..... | 0.1 |
| | Water..... | 0.001 |
| Pirimiphos-methyl | Barley..... | 7 |
| | Bran, unprocessed of cereal grain..... | 20 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Kiwifruit..... | 2 |
| | Maize..... | 7 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milks..... | 0.05 |
| | Millet..... | 10 |
| | Oats..... | 7 |
| | Rice (in husk)..... | 10 |
| | Rice, husked..... | 2 |
| | Rice, polished..... | 1 |
| | Rye..... | 10 |
| | Sorghum..... | 10 |
| | Water..... | 0.06 |
| | Wheat..... | 10 |
| | Wheat germ..... | 30 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Piroxofop | Wheat..... | Nil |
| | Wheat straw and fodder, dry..... | Nil |
| Poloxalene | Edible offal (mammalian)..... | 2 |
| | Meat (mammalian)..... | 2 |
| | Milks..... | 0.5 |
| Procaine penicillin | Edible offal (mammalian)..... | 0.1 |
| | Eggs..... | 0.03 |
| | Meat (mammalian)..... | 0.1 |
| | Milks..... | 0.0025 |
| Prochloraz | Avocado..... | 5 |
| | Banana..... | 5 |
| | Mango..... | 5 |
| | Mushrooms..... | 3 |
| | Papaya [pawpaw]..... | 5 |
| | Pineapple..... | 2 |
| | Sugar cane..... | 0.05 |
| Procyimidone | Beans, except broad bean and soya bean..... | 10 |
| | Broad bean (green pods and immature seeds) [faba bean]..... | 10 |
| | Edible offal (mammalian)..... | 0.01 |
| | Edible offal of poultry..... | 0.2 |
| | Eggs..... | 0.2 |
| | Garlic..... | 5 |
| | Grapes..... | 2 |
| | Lettuce, Head..... | 2 |
| | Lettuce, Leaf..... | 2 |
| | Lupin (dry)..... | 0.01 |
| | Lupin forage..... | 0.1 |
| | Meat of cattle, pig and sheep..... | 0.01 |
| | Meat of poultry (in the fat)..... | 5 |
| | Milks..... | 0.01 |
| | Onion, Bulb..... | 0.2 |
| | Peanut..... | 0.1 |
| | Pome fruits..... | 1 |
| | Potato..... | 0.1 |
| | Stone fruits..... | 10 |
| | Tomato..... | 2 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|------------------------------|---|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| Profenofos | Cotton seed..... | 1 |
| | Cotton seed oil, edible..... | 0.3 |
| | Sweet corn (kernels)..... | 0.02 |
| | Water..... | 0.0006 |
| Promacyl | Edible offal of cattle, sheep and goat..... | 0.5 |
| | Fat of cattle, sheep and goat..... | 2 |
| | Meat of cattle, sheep and goat..... | 0.5 |
| | Milks and milk products (in the fat)..... | 4 |
| Promecarb | Beans, except broad bean and soya bean..... | 0.5 |
| | Broad bean (green pods and immature seeds) [faba bean]..... | 0.5 |
| | Citrus fruits..... | 1 |
| | Fruiting vegetables, Cucurbits..... | 0.5 |
| | Grapes..... | 0.2 |
| | Onion, Bulb..... | 0.5 |
| | Stone fruits..... | 0.5 |
| | Water..... | 0.06 |
| Prometryn | Cereal grains..... | 0.1 |
| | Chick pea fodder and forage (green)..... | 0.5 |
| | Cotton seed..... | 0.1 |
| | Edible offal (mammalian)..... | 0.05 |
| | Hay or fodder (dry) of grasses..... | 50 |
| | Meat (mammalian)..... | 0.05 |
| | Milk of cattle..... | 0.05 |
| | Peanut..... | 0.1 |
| | Sunflower seed..... | 0.1 |
| | Vegetables..... | 0.1 |
| Propachlor | Beetroot..... | 0.05 |
| | Brassica (cole or cabbage) vegetables..... | 0.6 |
| | Cereal grains..... | 0.05 |
| | Onion, Bulb..... | 2.5 |
| Propamocarb | Rice..... | 0.1 |
| Propanil | Edible offal of cattle and sheep..... | 0.1 |
| | Edible offal of poultry..... | 3 |
| | Eggs..... | 0.1 |
| | Meat of cattle and sheep..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milks..... | 0.01 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Propaquizafop | Rice..... | 2 |
| | Water..... | 1 |
| | Legume animal feeds..... | 0.1 |
| | Oilseed..... | 0.05 |
| | Onion, Bulb..... | 0.05 |
| | Peas..... | 0.05 |
| | Pulses..... | 0.05 |
| Propargite | Apple..... | 3 |
| | Banana..... | 3 |
| | Cotton seed..... | 3 |
| | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.1 |
| | Hops, dry..... | 3 |
| | Meat (mammalian) (in the fat)..... | 0.1 |
| | Meat of poultry (in the fat)..... | 0.1 |
| | Milks..... | 0.1 |
| | Passion fruit..... | 3 |
| | Pear..... | 3 |
| | Stone fruits..... | 3 |
| | Strawberry..... | 7 |
| | Vegetables..... | 3 |
| | Water..... | 1 |
| Propazine | Lupin..... | 0.1 |
| | Vegetables..... | 0.1 |
| Propetamphos | Edible offal of sheep..... | 0.01 |
| | Meat of sheep (in the fat)..... | 0.01 |
| Propham | Edible offal (mammalian)..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Potato..... | 50 |
| Propiconazole | Banana..... | 0.2 |
| | Cereal grains..... | 0.05 |
| | Edible offal (mammalian)..... | 1 |
| | Edible offal of poultry..... | 0.1 |
| | Grapes..... | 1 |
| | Meat (mammalian)..... | 0.1 |
| Meat of poultry..... | 0.1 | |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Propineb | Milks..... | 0.01 |
| | Peanut..... | 0.05 |
| | Pineapple..... | 0.05 |
| | Poppy seed..... | 0.01 |
| | Stone fruits..... | 2 |
| | Sugar cane..... | 0.02 |
| | Celery..... | 2 |
| | Citrus fruits..... | 0.2 |
| | Fruiting vegetables, Cucurbits..... | 2 |
| | Grapes..... | 5 |
| | Lettuce, Head..... | 4 |
| | Lettuce, Leaf..... | 4 |
| | Onion, Bulb..... | 4 |
| Potato..... | 0.02 | |
| Tomato..... | 3 | |
| Propoxur | Potato..... | 10 |
| | Water..... | 1 |
| Propyzamide | Edible offal of cattle..... | 0.2 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Lettuce, Head..... | 1 |
| | Lettuce, Leaf..... | 1 |
| | Meat of cattle..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milks..... | 0.01 |
| Prothiofos | Banana..... | 0.01 |
| | Brassica (cole or cabbage) vegetables..... | 0.2 |
| | Grapes..... | 2 |
| | Pome fruits..... | 0.05 |
| Pyraclofos | Edible offal of sheep..... | 5 |
| | Meat of sheep..... | 0.5 |
| | Meat of sheep (in the fat)..... | 2 |
| Pyrazophos | Fruiting vegetables, Cucurbits..... | 0.2 |
| | Water..... | 0.006 |
| Pyrethrins | Cereal grains..... | 3 |
| | Dried fruits..... | 1 |
| | Dried vegetables..... | 1 |
| | Fruits..... | 1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Oilseed..... | 1 |
| | Tree nuts..... | 1 |
| | Vegetables..... | 1 |
| Pyridaben | Banana..... | 0.5 |
| | Banana (Dwarf)..... | 0.5 |
| | Grapes..... | 5 |
| | Pome fruits..... | 0.5 |
| | Stone fruits..... | 0.5 |
| | Strawberry..... | 1 |
| Pyridate | Chick-pea (dry)..... | 0.1 |
| | Chick-pea forage (green)..... | 0.2 |
| | Edible offal (mammalian)..... | 0.2 |
| | Edible offal of poultry..... | 0.2 |
| | Eggs..... | 0.2 |
| | Meat (mammalian)..... | 0.2 |
| | Meat of poultry..... | 0.2 |
| | Milks..... | 0.2 |
| | Peanut..... | 0.1 |
| | Peanut forage (green)..... | 0.2 |
| Pyrifenoxy | Apple..... | 0.1 |
| | Chick-pea (dry)..... | 0.1 |
| | Grapes..... | 0.2 |
| Pyrimethanil | Apple..... | 1.0 |
| | Pear..... | 1.0 |
| | Grapes..... | 5.0 |
| | Strawberry..... | 5.0 |
| | Tomato..... | 2.0 |
| Pyriproxyfen sodium | Cotton seed..... | 0.01 |
| Quintozene | Banana (edible portion)..... | 0.01 |
| | Banana (whole)..... | 1 |
| | Beans, except broad bean and soya bean..... | 0.01 |
| | Broad bean (green pods and immature seeds) [faba bean]..... | 0.01 |
| | Brassica (cole or cabbage) vegetables..... | 0.02 |
| | Celery..... | 0.3 |
| | Common bean (dry) [navy bean]..... | 0.2 |
| | Cotton seed..... | 0.03 |
| | Lettuce, Head..... | 0.3 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Quizalofop-ethyl | Lettuce, Leaf..... | 0.3 |
| | Mushrooms..... | 10 |
| | Onion, Bulb..... | 0.2 |
| | Peanut..... | 0.3 |
| | Peppers, sweet [capsicums]..... | 0.01 |
| | Potato..... | 0.2 |
| | Tomato..... | 0.1 |
| | Water..... | 0.04 |
| | Beetroot..... | 0.02 |
| | Cabbages, Head..... | 0.01 |
| | Carrot..... | 0.02 |
| | Cauliflower..... | 0.05 |
| | Clover..... | 1 |
| | Common bean (pods and/or immature seeds) [navy bean]..... | 0.02 |
| | Cucumber..... | 0.02 |
| | Edible offal of cattle, sheep and goat..... | 0.2 |
| | Edible offal of chicken..... | 0.05 |
| | Eggs of chicken..... | 0.05 |
| | Grapes..... | 0.02 |
| | Meat of cattle, sheep and goat..... | 0.2 |
| | Meat of chicken..... | 0.05 |
| | Medic pastures..... | 1 |
| | Melons, except Watermelons..... | 0.02 |
| | Milks..... | 0.2 |
| | Onion, Bulb..... | 0.02 |
| | Peanut..... | 0.02 |
| | Peanut forage (green)..... | 0.05 |
| | Pea vines (green)..... | 0.02 |
| | Pineapple..... | 0.05 |
| | Potato..... | 0.01 |
| | Pulses..... | 0.1 |
| | Pumpkins..... | 0.02 |
| Radish..... | 0.02 | |
| Rape seed..... | 0.02 | |
| Safflower seed..... | 0.01 | |
| Sunflower seed..... | 0.05 | |
| Tomato..... | 0.02 | |
| Rafoxanide | Edible offal of cattle, sheep and goat..... | 0.2 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Salinomycin | Fat of cattle, sheep and goat..... | 0.2 |
| | Meat of cattle, sheep and goat..... | 0.1 |
| | Edible offal of cattle..... | 0.5 |
| | Edible offal of pig..... | 0.1 |
| | Edible offal of poultry..... | 0.5 |
| | Eggs..... | 0.02 |
| | Meat of cattle..... | 0.05 |
| | Meat of pig..... | 0.1 |
| Schradan | Meat of poultry..... | 0.1 |
| | Cereal grains..... | 0.1 |
| | Fruits..... | 0.1 |
| see-Butylamine see Butylamine | Vegetables..... | 0.1 |
| | | |
| Selenium | Agricultural produce not otherwise specified..... | 1 |
| | Brazil nuts..... | 10 |
| | Edible offal..... | 2 |
| | Water..... | 0.01 |
| Sethoxydim | Alfalfa forage (green)..... | 2 |
| | Asparagus..... | 1 |
| | Beans, except broad bean and soya bean.... | 0.1 |
| | Broad bean (green pods and immature seeds) [faba bean]..... | 0.1 |
| | Brassica (cole or cabbage) vegetables..... | 0.1 |
| | Celery..... | 0.05 |
| | Cotton seed..... | 0.2 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Endive..... | 0.05 |
| | Fennel, Bulb..... | 0.01 |
| | Fruiting vegetables, Cucurbits..... | 0.1 |
| | Leek..... | 0.01 |
| | Legume animal feeds (except alfalfa forage)..... | 0.1 |
| | Lettuce, Head..... | 0.05 |
| | Lettuce, Leaf..... | 0.05 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Lupin (dry)..... | 0.2 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milks..... | 0.05 |
| | Onion, Bulb..... | 0.3 |
| | Peanut..... | 2 |
| | Peanut oil, crude..... | 2 |
| | Peas..... | 0.1 |
| | Poppy seed..... | 0.2 |
| | Pulses (except lupin (dry))..... | 0.1 |
| | Rape seed..... | 0.1 |
| | Root and tuber vegetables..... | 1 |
| | Spinach..... | 0.1 |
| | Strawberry..... | 0.1 |
| | Sunflower seed..... | 0.1 |
| | Tomato..... | 0.1 |
| S-Hydroprene | Meat of sheep..... | 0.03 |
| | Edible offal of sheep..... | 0.2 |
| Simazine | Asparagus..... | 0.1 |
| | Broad bean (dry)..... | 0.01 |
| | Broad bean (green pods and immature seeds)..... | 0.01 |
| | Chick pea (dry)..... | 0.05 |
| | Chick pea fodder and forage (green)..... | 0.5 |
| | Chick pea (green pods)..... | 0.05 |
| | Edible offal (mammalian)..... | 0.01 |
| | Edible offal of poultry..... | 0.01 |
| | Eggs..... | 0.01 |
| | Faba bean fodder..... | 0.1 |
| | Faba bean forage (green)..... | 3 |
| | Fruits..... | 0.1 |
| | Lupin (dry)..... | 0.05 |
| | Meat (mammalian)..... | 0.01 |
| | Meat of poultry..... | 0.01 |
| | Milk and milk products..... | 0.01 |
| | Rape seed..... | 0.01 |
| | Tree nuts..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Spectinomycin | Edible offal (mammalian) (except edible offal of sheep)..... | 1 |
| | Edible offal of poultry..... | 0.7 |
| | Meat (mammalian) (except meat of sheep)..... | 1 |
| | Meat of poultry..... | 0.7 |
| | Milk of goat..... | 2 |
| Spiramycin | Edible offal of pig..... | 1 |
| | Edible offal of poultry..... | 1 |
| | Meat of pig..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| Streptomycin and Dihydrostreptomycin | Edible offal (mammalian)..... | 0.3 |
| | Eggs..... | 0.2 |
| | Meat (mammalian)..... | 0.3 |
| | Milks..... | 0.2 |
| Strobane see Chlorinated terpene isomers | | |
| Sulphadiazine | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| Sulphadimidine | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry (except turkey)..... | 0.1 |
| | Edible offal of turkey..... | 0.2 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Skin of turkey..... | 0.2 |
| Sulphanitran | Edible offal of poultry..... | 0.1 |
| | Eggs..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| Sulphaquinoxaline | Edible offal of poultry..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| Sulphatroxazole | Edible offal (mammalian)..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| Sulprofos | Cotton seed..... | 0.2 |
| | Peppers, sweet [capsicums]..... | 0.2 |
| | Tomato..... | 1 |
| | Water..... | 0.02 |
| 2,4,5-T | Apricot..... | 0.002 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Sugar cane..... | 0.002 |
| | Water..... | 0.002 |
| Tartar emetic | Fruits..... | 1.5 |
| | Tomato..... | 1.5 |
| Tebuconazole | Animal feeding stuff..... | 50 |
| | Avocado..... | 0.2 |
| | Banana..... | 0.2 |
| | Banana, Dwarf..... | 0.2 |
| | Cereal grains..... | 0.2 |
| | Edible offal (mammalian)..... | 0.5 |
| | Edible offal of poultry..... | 0.5 |
| | Eggs..... | 0.1 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milks..... | 0.05 |
| | Peanut..... | 0.1 |
| Tebufenpyrad | Apple..... | 0.5 |
| | Citrus fruits..... | 0.1 |
| | Peach..... | 0.5 |
| | Pear..... | 0.5 |
| | Pome fruits (except apple, pear)..... | 0.1 |
| Tebuthiuron | Edible offal (mammalian)..... | 2 |
| | Meat (mammalian)..... | 0.5 |
| | Milks..... | 0.2 |
| Temephos | Edible offal of cattle..... | 2 |
| | Edible offal of sheep..... | 3 |
| | Meat of cattle (in the fat)..... | 2 |
| | Meat of sheep (in the fat)..... | 3 |
| | Water..... | 0.3 |
| TEPP | All agricultural produce..... | 0.002 |
| Terbacil | Almonds..... | 0.5 |
| | Pome fruits..... | 0.04 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Stone fruits..... | 0.04 |
| Terbufos | Banana..... | 0.05 |
| | Banana, Dwarf..... | 0.05 |
| | Cereal grains..... | 0.005 |
| | Peanut..... | 0.05 |
| | Sunflower seed..... | 0.05 |
| Terbutryn | Beans, except broad bean and soya bean..... | 0.1 |
| | Broad bean (green pods and immature seeds) [faba bean]..... | 0.1 |
| | Cereal grains..... | 0.1 |
| | Edible offal (mammalian)..... | 0.1 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.1 |
| | Fodder and forage..... | 100 |
| | Meat (mammalian) (in the fat)..... | 0.1 |
| | Meat of poultry (in the fat)..... | 0.1 |
| | Milks (in the fat)..... | 0.1 |
| | Peas..... | 0.1 |
| | Potato..... | 0.1 |
| | Sugar cane..... | 0.05 |
| Tetrachlorvinphos | Edible offal (mammalian)..... | 0.05 |
| | Leafy vegetables..... | 2 |
| | Meat (mammalian)..... | 0.05 |
| | Milks (in the fat)..... | 0.05 |
| Tetraacycline | Milks..... | 0.1 |
| Tetradifon | Cotton seed..... | 5 |
| | Fruits..... | 5 |
| | Hops, dry..... | 5 |
| | Vegetables..... | 5 |
| Tetrapion | Edible offal (mammalian)..... | 0.1 |
| | Meat (mammalian) (in the fat)..... | 0.1 |
| Tetrathiocarbonate ion | Banana..... | 0.1 |
| | Citrus fruits..... | 0.1 |
| | Fruiting vegetables, Cucurbits..... | 0.1 |
| | Grapes..... | 0.1 |
| | Potato..... | 0.1 |
| | Stone fruits..... | 0.1 |
| | Tomato..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Tetronasin | Edible offal of cattle..... | 2 |
| | Fat of cattle..... | 0.01 |
| | Meat of cattle..... | 0.05 |
| Thiabendazole | Apple..... | 10 |
| | Banana (pulp)..... | 0.4 |
| | Banana (whole)..... | 3 |
| | Citrus fruits..... | 10 |
| | Edible offal (mammalian)..... | 0.2 |
| | Meat (mammalian)..... | 0.2 |
| | Milks..... | 0.05 |
| | Mushrooms..... | 0.5 |
| | Pear..... | 10 |
| | Potato..... | 5 |
| Thidiazuron | Cotton seed..... | 0.5 |
| | Edible offal (mammalian)..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Milks..... | 0.01 |
| Thifensulfuron | Cabbages, Head..... | 0.2 |
| | Cereal grains (except maize, rice)..... | 0.02 |
| | Edible offal (mammalian)..... | 0.01 |
| | Edible offal of poultry..... | 0.01 |
| | Eggs..... | 0.01 |
| | Fruiting vegetables, Cucurbits..... | 0.5 |
| | Meat (mammalian)..... | 0.01 |
| | Meat of poultry..... | 0.01 |
| | Milks..... | 0.01 |
| | Straw and fodder (dry) of cereal grains..... | 5 |
| Thiobencarb | Rice..... | 0.05 |
| | Water..... | 0.04 |
| Thiodicarb | Animal feeding stuff (except those specified)..... | 30 |
| | Brassica leafy vegetables..... | 1 |
| | Cotton seed..... | 0.1 |
| | Cotton seed oil, crude..... | 0.1 |
| | Edible offal (mammalian)..... | 0.05 |
| | Eggs..... | 0.02 |
| | Maize..... | 0.1 |
| | Maize fodder..... | 50 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| | Maize forage..... | 20 |
| | Meat (mammalian)..... | 0.05 |
| | Milks..... | 0.05 |
| | Pulses..... | 0.1 |
| | Sorghum..... | 0.1 |
| | Sorghum forage..... | 50 |
| | Sorghum straw and fodder (dry)..... | 5 |
| | Sunflower forage..... | 5 |
| | Sunflower seed..... | 1 |
| | Sweet corn (corn on the cob)..... | 0.1 |
| | Tomato..... | 2 |
| Thiometon | Cereal grains..... | 1 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Fruits..... | 1 |
| | Lupin (dry)..... | 0.5 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Oilseed..... | 0.05 |
| | Vegetables..... | 1 |
| | Water..... | 0.02 |
| Thiophanate see Carbendazim | | |
| Thiophanate-methyl see Carbendazim | | |
| Thiram see | Fruit..... | 7 |
| Dithiocarbamates | Vegetables..... | 7 |
| | Water..... | 0.03 |
| Tiamulin | Edible offal of pig..... | 0.1 |
| | Edible offal of poultry..... | 0.1 |
| | Meat of pig..... | 0.1 |
| | Meat of poultry..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Tilmicosin | Edible offal of cattle and pig..... | 1 |
| | Meat of cattle and pig..... | 0.05 |
| Tolelofos-methyl | Cotton seed..... | 0.01 |
| | Potato..... | 0.1 |
| Toltrazuril | Edible offal of chicken..... | 5 |
| | Meat of chicken..... | 2 |
| Tralkoxydim | Animal feeding stuff..... | 0.02 |
| | Cereal grains..... | 0.02 |
| Trenbolone acetate | Edible offal of cattle..... | 0.005 |
| | Meat of cattle..... | 0.001 |
| Triadimefon | Animal feeding stuff..... | 10 |
| | Apple..... | 1 |
| | Cereal grains..... | 0.5 |
| | Edible offal (mammalian)..... | 0.05 |
| | Eggs..... | 0.1 |
| | Field pea (dry)..... | 0.1 |
| | Fruiting vegetables, Cucurbits..... | 0.2 |
| | Fruiting vegetables, other than Cucurbits.... | 0.2 |
| | Garden pea (shelled succulent seeds)..... | 0.1 |
| | Garden pea (young pods succulent seeds)... | 0.1 |
| | Grapes..... | 1 |
| | Mammalian fats..... | 0.25 |
| | Meat (mammalian)..... | 0.05 |
| | Milks..... | 0.1 |
| | Sugar cane..... | 0.05 |
| | Triadimenol | Broccoli..... |
| Cabbages, Head..... | | 0.5 |
| Cauliflower..... | | 0.2 |
| Cereal grains..... | | 0.01 |
| Cotton seed..... | | 0.01 |
| Cotton seed oil, crude..... | | 0.05 |
| Edible offal (mammalian)..... | | 0.01 |
| Edible offal of poultry..... | | 0.01 |
| Eggs..... | | 0.01 |
| Forage of cereal grains..... | | 0.5 |
| Fruiting vegetables, Cucurbits..... | | 0.5 |
| Grapes..... | | 0.5 |
| Meat (mammalian)..... | | 0.01 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Triallate | Meat of poultry..... | 0.01 |
| | Milks..... | 0.01 |
| | Papaya [pawpaw]..... | 0.2 |
| | Sugar cane..... | 0.05 |
| | Cereal grains..... | 0.05 |
| | Edible offal (mammalian) (except kidney).. | 0.1 |
| | Edible offal of poultry..... | 0.2 |
| | Fat of poultry..... | 0.2 |
| | Kidney of cattle, goat, pig and sheep..... | 0.2 |
| | Mammalian fats..... | 0.2 |
| | Meat (mammalian)..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milks..... | 0.1 |
| | Oilseed..... | 0.05 |
| Pulses..... | 0.05 | |
| Seed vegetables..... | 0.05 | |
| Triasulfuron | Animal feeding stuff..... | 5 |
| | Cereal grains..... | 0.02 |
| | Edible offal (mammalian)..... | 0.05 |
| | Eggs..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Milks..... | 0.01 |
| S S S-Tributyl phosphorothioate | Cotton seed..... | 0.1 |
| Trichlorfon | Banana..... | 0.2 |
| | Beetroot..... | 0.2 |
| | Brussels sprouts..... | 0.2 |
| | Cauliflower..... | 0.2 |
| | Celery..... | 0.2 |
| | Cereal grains..... | 0.1 |
| | Dried fruits..... | 2 |
| | Edible offal of cattle and pig..... | 0.1 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Fat of cattle and pig..... | 0.1 |
| | Fruits (except banana, dried fruits, peach)... | 0.1 |
| | Kale..... | 0.2 |
| | Meat of cattle and pig..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Oilseed..... | 0.1 |
| | Peach..... | 0.2 |
| | Peanut..... | 0.1 |
| | Pulses (except soya bean (dry))..... | 0.2 |
| | Soya bean (dry)..... | 0.1 |
| | Sugar beet..... | 0.05 |
| | Sugar cane..... | 0.05 |
| | Sweet corn (corn on the cob)..... | 0.2 |
| | Tree nuts..... | 0.1 |
| | Vegetables (except beetroot, brussel sprouts, cauliflower, celery, kale, pulses (dry), sugar beet, sweet corn (corn on the cob))..... | 0.1 |
| | Water..... | 0.01 |
| Trichloroethylene | Cereal grains..... | 0.1 |
| Trielabendazole | Edible offal of cattle, sheep, goat, deer and horse..... | 0.5 |
| | Meat of cattle, sheep, goat, deer and horse... | 0.2 |
| Triclopyr | Edible offal of cattle, goat and sheep..... | 5 |
| | Meat of cattle, goat and sheep (in the fat).... | 0.2 |
| | Milks (in the fat)..... | 0.1 |
| | Water..... | 0.02 |
| Tridemorph | Barley..... | 0.1 |
| | Fruiting vegetables, Cucurbits..... | 0.1 |
| Triflumizole | Grapes..... | 0.5 |
| | Pome fruits..... | 0.5 |
| Triflumuron | Cereal grains..... | 0.05 |
| | Edible offal (mammalian) (except edible offal of sheep)..... | 0.05 |
| | Edible offal of poultry..... | 0.01 |
| | Edible offal of sheep..... | 0.1 |
| | Eggs..... | 0.01 |
| | Forage of cereal grains..... | 0.2 |
| | Meat (mammalian) (in the fat) (except meat of sheep)..... | 0.05 |
| | Meat of poultry (in the fat)..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|--|---|
| Trifluralin | Meat of sheep (in the fat)..... | 2 |
| | Milks..... | 0.05 |
| | Mushrooms..... | 0.1 |
| | Straw and fodder (dry) of cereal grains..... | 0.05 |
| | Adzuki bean (dry)..... | 0.05 |
| | Broad bean (dry) [faba bean]..... | 0.05 |
| | Carrot..... | 0.5 |
| | Cereal grains..... | 0.05 |
| | Chick pea (dry)..... | 0.05 |
| | Cowpea (dry)..... | 0.05 |
| | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Eggs..... | 0.05 |
| | Fruits..... | 0.05 |
| | Hyacinth bean (dry)..... | 0.05 |
| | Lablab..... | 0.05 |
| | Lupin (dry)..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| | Milk and milk products..... | 0.05 |
| | Mung bean (dry)..... | 0.05 |
| | Oilseed..... | 0.05 |
| | Peanut..... | 0.05 |
| Sugar cane..... | 0.05 | |
| Vegetables (except carrot)..... | 0.05 | |
| Water..... | 0.5 | |
| Triforine | Pome fruits..... | 1 |
| | Stone fruits..... | 10 |
| Trimethoprim | Edible offal (mammalian)..... | 0.05 |
| | Edible offal of poultry..... | 0.05 |
| | Meat (mammalian)..... | 0.05 |
| | Meat of poultry..... | 0.05 |
| Tylosin | Edible offal of cattle..... | 0.1 |
| | Edible offal of pig..... | 0.2 |
| | Edible offal of poultry..... | 0.2 |
| | Eggs..... | 0.2 |
| | Fat of pig..... | 0.1 |
| | Fat of poultry..... | 0.1 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 | Column 2 | Column 3 |
|------------------------------|---|--------------------------------------|
| Agricultural Chemical | Agricultural Produce | Maximum Residue Limit (mg/kg) |
| | Meat of cattle..... | 0.1 |
| | Meat of pig..... | 0.2 |
| | Meat of poultry..... | 0.2 |
| | Milks..... | 0.05 |
| Vamidothion | Apple..... | 1 |
| | Brassica (cole or cabbage) vegetables..... | 0.5 |
| | Peach..... | 1 |
| | Pear..... | 1 |
| | Potato..... | 0.5 |
| Vernolate | Peanut..... | 0.1 |
| | Soya bean (dry)..... | 0.1 |
| Vinclozolin | Beans, except broad bean and soya bean..... | 20 |
| | Broad bean (green pods and immature seeds) [faba bean]..... | 20 |
| | Cabbages, Head..... | 5 |
| | Carrot..... | 5 |
| | Cauliflower..... | 2 |
| | Grapes..... | 5 |
| | Kiwifruit..... | 10 |
| | Lettuce, Head..... | 2 |
| | Lettuce, Leaf..... | 2 |
| | Peach..... | 20 |
| | Pome fruits..... | 2 |
| | Potato..... | 0.1 |
| | Stone fruits (except peach)..... | 10 |
| | Strawberry..... | 5 |
| | Tomato..... | 1 |
| Virginiamycin | Edible offal of cattle and pig..... | 0.2 |
| | Edible offal of poultry..... | 0.2 |
| | Eggs..... | 0.1 |
| | Fat of cattle and pig..... | 0.2 |
| | Fat of poultry..... | 0.2 |
| | Meat of cattle and pig..... | 0.1 |
| | Meat of poultry..... | 0.1 |
| | Milk of cattle..... | 0.1 |
| Zeranol | Edible offal of cattle..... | 0.02 |
| | Meat of cattle..... | 0.02 |

Agricultural Produce (Chemical Residues) Regulations 1985

| Column 1 Agricultural Chemical | Column 2 Agricultural Produce | Column 3 Maximum Residue Limit (mg/kg) |
|---|---|---|
| Zinc | Agricultural produce not otherwise specified..... | —150 |
| | Oysters..... | —1000 |
| | Water..... | —5 |
| Zinc see Dithiocarbamates | | |
| Ziram | Fruits..... | —7 |
| | Vegetables..... | —7 |

— [Schedule 2 inserted repealed in Gazette 11 Jun 1996 Aug 2006 p. 2434 89.] 2979.]

Schedule 3

[Regulation 3]

Group A

| | |
|-------------|------------|
| Aldrin | Endosulfan |
| Chlordane | Endrin |
| Chlordecone | Heptachlor |
| Dieldrin | Isobenzan |

Group B

| | |
|---|--------------|
| BHC and its isomers | Dicofol |
| DDT (including DDD and DDE) | Fenarimol |
| 1,1-Dichloro-2,2-bis-(4-ethylphenyl) | Lindane |
| ethane | Methoxychlor |
| | Quintozene |

Group C

Camphechlor
Chlorinated terpene isomers

Group D

| | |
|----------------------|------------------------|
| Azamethiphos | Ethion |
| Azinphos-ethyl | Ethoprophos |
| Azinphos-methyl | Famphur |
| Bromophos-ethyl | Fenamiphos |
| Carbophenothion | Fenchlorphos |
| Chlorfenvinphos | Fenitrothion |
| Chlorpyriphos | Fensulfothion |
| Chlorpyriphos-methyl | Fenthion |
| Chlorthiophos | Formetanate |
| Coumaphos | Formothion |
| Crotoxyphos | Isocarbophos |
| Demeton | Leptophos |
| Diazinon | Maldison |
| Dichlorvos | Menazon |
| Dimethoate | Methamidophos |
| Dioxathion | Methidathion |
| Disulfoton | Mevinphos |
| Dithianon | Monocrotophos |

Agricultural Produce (Chemical Residues) Regulations 1985
Schedule 3

Naled
Naphthalophos
Omethoate
Parathion
Parathion-methyl
Phenkapton
Phorate
Phosalone
Phosmet
Phosphamidon
Pirimiphos-ethyl

Pirimiphos-methyl
Prothiophos
Pyrazophos
Schradan
Sulprofos
Temephos
Tetrachlorvinphos
Thiometon
Tributylphosphorotrithioate
Trichlorfon
Vamidothion

Group E

~~bis (Dimethyldithio-~~
~~— carbamoyl dithio~~
~~— (thiocarbonyl) amino)—ethylene~~
~~tham~~
~~Mancozeb~~
Dithiocarbamates
(including —
ferbam
mancozeb
maneb

~~Maneb~~
~~Metiram~~
~~Propineb~~
~~Thiram~~
~~Zineb~~
Ziram
propineb
thiram
zineb
ziram
Formetanate

Group F

4-CPA
2,4-D
Diclofop-methyl
MCPA

MCPB
Picloram
2,4,5-T

Group G

Aldicarb
Aminocarb
Bendiocarb
Butacarb
Carbaryl
Iprodione
Methomyl
Oxamyl

Phenisopham
Promacyl
Promecarb
Propham
Propoxur
Thiobencarb
Thiobucarb

Group H

| | |
|--------------------|--------------|
| Chloroxuron | Metobromuron |
| Diuron | Metoxuron |
| Fluometuron | Monuron |
| Linuron | Noruron |
| Methabenzthiazuron | Thidiazuron |

Group I

Cambendazole
Parbendazole
Thiabendazole

Group J

~~Benomyl~~
~~Carbendazim~~
~~Thiophanate~~
~~Thiophanate-methyl~~
[Carbendazim \(including —
benomyl
thiophanate
thiophanate-methyl\)](#)

Group K

Dinoseb
DNOC

Group L

| | |
|---------------|----------------|
| Ametryn | Metribuzin |
| Atrazine | Prometryn |
| Aziprotryne | Propazine |
| Cyanazine | Simazine |
| Cycloparafate | Terbuthylazine |
| Desmetryn | Terbutryn |

Group M

| | |
|--------------|-------------|
| Alachlor | Metolachlor |
| Butachlor | Propachlor |
| Fluchloralin | Prynachlor |

Group N

Chlormequat
Diquat
Paraquat

Group O

Captafol
Captan

Group P

Carbon tetrachloride
Ethylene dibromide (EDB)
Ethylene dichloride
Methyl bromide
Trichloroethylene

Group Q

Azocyclotin
Cyhexatin
Fenbutatin-oxide

Group R

Fenfuram
Methfuroxam

Group S

| | |
|---------------|-------------|
| Bioresmethrin | Fenvalerate |
| Cypermethrin | Permethrin |
| Deltamethrin | Pyrethrins |

Group T

Etridiazole
Triadimefon
Triazbutil

[Schedule 3 inserted in Gazette 11 Jun 1996 p. 2489-91; [amended in Gazette 11 Aug 2006 p. 2979-80.](#)]

Notes

- ¹ This is a compilation of the ~~Agriculture~~[Agricultural Produce \(Chemical Residues\) Regulations 1985](#) and includes the amendments made by the other written laws referred to in the following table. The table also contains information about any reprint.

Compilation table

| Citation | Gazettal | Commencement |
|---|---|--|
| <i>Agricultural Produce (Chemical Residues) Regulations 1985</i> | 30 Aug 1985 p. 3127-45 | 1 Sep 1985 (see r. 2) |
| <i>Agricultural Produce (Chemical Residues) Amendment Regulations 1985</i> | 18 Oct 1985 p. 4083 | 18 Oct 1985 |
| <i>Agricultural Produce (Chemical Residues) Amendment Regulations 1986</i> | 7 Nov 1986 p. 4173 | 7 Nov 1986 |
| <i>Agricultural Produce (Chemical Residues) Amendment Regulations 1987</i> | 22 May 1987 p. 2202-3 | 22 May 1987 |
| <i>Agricultural Produce (Chemical Residues) Amendment Regulations 1996</i> | 11 Jun 1996 p. 2431-91 | 11 Jun 1996 |
| Reprint of the Agricultural Produce (Chemical Residues) Regulations 1985 as at 9 Nov 2001 (includes amendments listed above) | | |
| <i>Agricultural Produce (Chemical Residues) Amendment Regulations 2004</i> | 30 Dec 2004 p. 6894 | 1 Jan 2005 (see r. 2 and <i>Gazette</i> 31 Dec 2004 p. 7130) |
| Agricultural Produce (Chemical Residues) Amendment Regulations 2006 | 11 Aug 2006 p. 2977-80 | 11 Aug 2006 |