

Health (Notifications by Midwives) Regulations 1994

Compare between:

[03 May 2016, 01-g0-01] and [01 Jul 2016, 01-h0-00]

Western Australia

Health Act 1911

Health (Notifications by Midwives) Regulations 1994

1. Citation

These regulations may be cited as the *Health* (*Notifications by Midwives*) *Regulations 1994* ¹.

[2. Omitted under the Reprints Act 1984 s. 7(4)(f).]

3. Notification of private practice as midwife

A midwife is not to enter into private practice as a midwife unless he or she has notified the Executive Director, Public Health of his or her intention to do so in the form of Form 1 in the Schedule.

4. Notification of case or delivery attended

For the purposes of —

- (a) section 335(1) of the Act, the report required to be furnished of a case attended by a midwife, whether of living, premature or full term birth, or stillbirth, or abortion; and
- (b) section 335(5)(b) of the Act, the notice required to be furnished of a delivery attended by a midwife,

is to be in the form of Form 2 in the Schedule.

[Regulation 4 amended in Gazette 14 Dec 2012 p. 6200.]

Schedule

FORM 1

[r. 3]

HEALTH ACT 1911

HEALTH (NOTIFICATIONS BY MIDWIVES) REGULATIONS 1994

NOTIFICATION OF INTENTION TO ENTER INTO PRIVATE PRACTICE AS A MIDWIFE

EXECUTIVE DIRECTOR PUBLIC HEALTH

TOBERCHERIETH	
I intend to enter into private practice as a mi	dwife on/
PERSONAL PART	ΓICULARS
Full Name:	
Date of Birth:/	
Telephone Numbers (*Business or *Private)	:
(Tel) (Mob)	
Address (*Business or *Private):	
Suburb:	Postcode:
Australian Health Practitioner Regulation A Number: NMW	
Professional Indemnity Insurance Provider:	
	Signature:
	Date:/
* Delete if not ap	pplicable
[Form 1 inserted in Gazette 14 De	ec 2012 p. 6200.]

FORM 2

[r. 4]

Address of usual residence Number and street State Post code Post code State Post code State State Post code State State State State Post code State Stat	Last name	Unit Record No	Estab
Address of usual residence Number and street State Post code Number and street Post code Number and street Post code Post code Number and street Post code Number and street Post code Post code Number of tobacco digarettes usually smoked each day during first 20 weeks of pregnancy I measure 20 weeks of pregnancy I mone suburbour for bacco cigarettes usually smoked each day during first 20 weeks of pregnancy I threatened aborton (<20 wks) Threatened aborton (<20 wks) Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy I threatened aborton (<20 wks) I threatened aborton (<20 wks			Ward
Number and street Town or suburb (whole cm) Telephone PREGNANCY DETAILS Procedures/treatments: (Include drugs) 1		Birth date (Mother)	Marital status
Maiden name Telephone Weight We		State	4-separated 3-married (mci. Deracto)
PREGNANCY DETAILS Procedures/treatments: 1 First not Aboriginal 122-Aboriginal and Other	Town or suburb		Weight Ethnic status of mother
PREVIOUS PREGNANCIES: Total number (excluding this pregnancy): Previous pregnancy outcomes: - liveborn, now living - liveborn, now dead - stillborn - Number of previous caesareans Caesarean last delivery 1 = yes 2 = no Previous multiple births 1 = yes 2 = no Previous multiple pirths 2 = yes 2 = no Previous multiple pirths 2 = yes 2 = no Previous multiple pirths 2 = yes 2 = no Previous multiple pirths 2	Maiden name		11=TSI not Aboriginal 12=Aboriginal and TS
Total number (excluding this pregnancy): Parity (excluding this pregnancy): Parevious pregnancy outcomes: - liveborn, now living - liveborn, now living - liveborn, now dead - liveborn, liveborn, liveborn - liveborn, liveborn, liveborn, now dead - liveborn, li		<u>s</u>	
Partiy (excluding this pregnancy): Previous pregnancy outcomes: Inkeborn, now dead Inkeborn, now dead Inkeborn allow death do hospital abour Inkeborn def bour. Inkeborn def bour. Inkeborn def bour. Inkeborn def bour. Inkebor def bour has begun. Inkeborn def bour. Inkebor def bour has begun. Inkeborn def bour. Inkebor def bour has begun. Inkebor def bour. Inkebor def b			
A amnicentesis A annicentesis A amnicentesis A amnicentesis A amnicentesis A amnicentesis A annice Annice Annice Annicentesis A amnice Annice Annic			
Trevborn, now dead			
- liveborn, now dead - stillborn			
-stillbom Number of previous caesareans Caesarean last delivery 1=yes 2=no Previous multiple births 1=yes 2=no THIS PREGNANCY: Total number of antenatal care visits Date of LMP: This date certain 1=yes 2=no Expected due date: Based on 1=clinical signs/dates 2=ultrasound <20 wks 3=ultrasound <20 wks 3=ultrasound <20 wks 3=ultrasound <20 wks 4uring first 20 weeks of pregnancy (If none use '000'; occasional or smoked <1 use '998'; undetermined use '999') Complications of pregnancy: 1			6 CTG antepartum
Number of previous caesareans Caesarean last delivery 1 yes 2 =no THIS PREGNANCY: Estimated gest wk at 1 st antenatal visit Total number of antenatal care visits Date of LMP: This date certain 1 =yes 2 =no Expected due date: 2 0 1	•		,
Sabirth centre free standing 4=home 8=other			Intended place of birth at onset of labour:
THIS PRECNANCY: Total number of antenatal care visits Date of LMP: This date certain 1=yes 2=no Expected due date: Based on 1=clinical signs/dates 2=ultrasound <20 wks 3=ultrasound >20 wks Smoking: Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy: I threatened abortion (<20 wks) Total number of tobacco cigarettes usually smoked each day darfer 20 weeks of pregnancy: I threatened abortion (<20 wks) I threatened abortion (<20 wks) I threatened abortion (<20 wks) I threatened preterm labour (<37 wks) I pre-elabour rupture of membranes I pre-labour rupture of membranes I gestational diabetes I gestational diabetes I gestational hypertension I gestational diabetes I gestational hypertension I g			·
THIS PREGNANCY: Estimated gest wk at 1 st antenatal visit Total number of antenatal care visits Date of LMP: This date certain 1 = yes 2 = no Expected due date: Based on 1 = clinical signs/dates 2 = ultrasound < 20 wks 3 = ultrasound > 20 wks Smoking: Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy (If none use '000'; occasional or smoked < 1 use '998', undetermined use '999') Complications of pregnancy: 1 threatened abortion (<20 wks) 1 threatened preterm labour (<37 wks) 3 urinary tract infection 4 pre-clampsia 5 antepartum haemorrhage (APH) - placenta praevia 6 APH - placental abruption 7 APH - other 8 pre-labour rupture of membranes 99 other (specify) 10 pre-eclampsia superimposed on essential hypertension other (specify) Medical conditions: Medical conditions: Medical conditions: Stage (hour & min): 1 osa septial hypertension 3 asthma 4 agenital herpes 4 pel diabetes 6 type 2 diabetes	, ,		3=birth centre free standing 4=home 8=other
This PREGNANCY: Total number of antenatal care visits Date of LMP: This date certain 1=yes 2=no Expected due date: Based on 1=clinical signs/dates 2=ultrasound <20 wks 3=ultrasound >=20 wks Smoking: Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy (If none use '000'; occasional or smoked <1 use '998'; undetermined use '999') Complications of pregnancy (If none use '000'; occasional or smoked <1 use '998', undetermined use '999') Complications of pregnancy (If none use '000'; occasional or smoked <1 use '998', undetermined use '999') The reatened perterm labour (<37wks) urinary tract infection APH - placental abruption APH - placental			LABOUR DETAILS
Estimated gest wk at 1" antenatal visit Total number of antenatal care visits Date of LMP: This date certain 1 = yes 2 = no Expected due date: Based on 1 = clinical signs/dates 2 = ultrasound < 20 wks 3 = ultrasound > 20 wks Smoking: Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy (If none use '000'; occasional or smoked < 1 use '998', undetermined use '999') Complications of pregnancy (If none use '000'; occasional or smoked < 1 use '998', undetermined use '999') Complications of pregnancy 1	THIS PREGNANCY:		
Total number of antenatal care visits Date of LMP: This date certain 1=yes 2=no Expected due date: Based on 1=clinical signs/dates 2=ultrasound <20 wks 3=ultrasound >=20 wks Smoking: Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy Number of tobacco cigarettes usually smoked each day dafter 20 weeks of pregnancy: Number of tobacco cigarettes usually smoked each day dafter 20 weeks of pregnancy: I threatened abortion (<20 wks) This date certain 1=yes 2=no 2 oxytocin 3 prostaglandins 4 artificial rupture of membranes 5 dilatation (before labour begun) 1 none 2 oxytocin 3 prostaglandins 4 artificial rupture of membranes 5 dilatation device i.e. Foley Catheter 6 other Analgesia (during labour) Analgesia (during labour) Analgesia (during labour) Analgesia (during labour) 1 none 2 nitrous oxide 4 epidural/caudal 5 spinal 6 systemic opioids 7 combined spinal/epidural 8 other Duration of labour hr r Duration of labour hr r Pouration of labour hr r I stage (hour & min): 2 oxytocin 3 prostaglandins 4 artificial rupture of membranes 5 dilatation device i.e. Foley Catheter 6 other 8 other Nanalgesia (during labour) Analgesia (during labour)	Estimated gest wk at 1 st antenatal visit		L
Date of LMP: This date certain 1=yes 2=no	Total number of antenatal care visits		
This date certain 1=yes 2=no Expected due date: Based on 1=clinical signs/dates 2=ultrasound <20 wks 3=ultrasound >=20 wks Smoking: Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy (If none use '000'; occasional or smoked < 1 use '998', undetermined use '999') Complications of pregnancy: 1	Date of LMP:	2 0	, , ,
Expected due date: Based on 1=clinical signs/dates 2=ultrasound <20 wks 3=ultrasound >20 wks Smoking: Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy Number of tobacco cigarettes usually smoked each day after 20 weeks of pregnancy (If none use '000'; occasional or smoked <1 use '998', undetermined use '999') Complications of pregnancy: 1 threatened abortion (<20wks) 2 threatened abortion (<20wks) 3 urinary tract infection 5 antepartum haemorrhage (APH) - placenta praevia 5 antepartum haemorrhage (APH) - placenta praevia 6 APH - placental abruption 7 APH - other 8 pre-elampsia 9 gestational diabetes 11 gestational diabetes 12 pre-eclampsia superimposed on essential hypertension 99 other (specify) Medical conditions: 1 essential hypertension 3 asthma 4 genital herpes 5 type 1 diabetes 6 type 2 diabetes 6 type 2 diabetes 6 type 2 diabetes 1 type 2 diabetes 6 type 2 diabetes 6 type 2 diabetes 1 2 0 type 3 diabetes 1 type 2 diabetes 1 2 0 type 3 diabetes 1 type 3 diabetes 1 type 2 diabetes 1 type 2 diabetes 1 type 3 diabetes 1 type 3 diabetes 1 type 3 diabetes 1 type 4 diabetes 1 type 3 diabetes 1 type 4 diabetes 1 type 5 diabetes 1 type 2 diabetes 1 type 2 diabetes 1 type 2 diabetes	This date certain 1=yes 2=no		
Based on 1=clinical signs/dates 2=ultrasound <20 wks 3=ultrasound >20 wks Smoking: Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy Number of tobacco cigarettes usually smoked each day after 20 weeks of pregnancy (If none use '000'; occasional or smoked < 1 use '998', undetermined use '999') Complications of pregnancy: 1 threatened abortion (<20wks)	Expected due date:	2 0	
2=ultrasound <20 wks 3=ultrasound >=20 wks Smoking: Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy Number of tobacco cigarettes usually smoked each day after 20 weeks of pregnancy Number of tobacco cigarettes usually smoked each day after 20 weeks of pregnancy I will threatened abortion (<20 wks) I threatened abortion (<20 wks) I threatened abortion (<20 wks) I threatened preterm labour (<37 wks) I pre-eclampsia APH - placental abruption APH - other gestational diabetes pre-labour rupture of membranes gestational diabetes pre-eclampsia superimposed on essential hypertension pre-eclampsia superimposed on essential hypertension other (specify) Medical conditions: Medical conditions: Medical conditions: Medical conditions: T essential hypertension a sthma genital herpes type 1 diabetes type 2 diabetes	Based on 1=clinical signs/dates		
Smoking: Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy Number of tobacco cigarettes usually smoked each day after 20 weeks of pregnancy (If none use '000'; occasional or smoked < 1 use '998', undetermined use '999') Complications of pregnancy: 1	2=ultrasound <20 wks		
Number of tobacco cigarettes usually smoked each day during first 20 weeks of pregnancy Number of tobacco cigarettes usually smoked each day after 20 weeks of pregnancy If none use '000'; occasional or smoked < 1 use '998', undetermined use '999') Complications of pregnancy: 1	3=ultrasound >=20 wks		Induction (before labour begun)
during first 20 weeks of pregnancy 3 prostaglandins Number of tobacco cigarettes usually smoked each day after 20 weeks of pregnancy 4 artificial rupture of membranes dillatation device i.e. Foley Catheter other other other Complications of pregnancy: 1 threatened abortion (<20wks)	Smoking:		1 none
Number of tobacco cigarettes usually smoked each day after 20 weeks of pregnancy (if none use '000'; occasional or smoked < 1 use '998', undetermined use '999') Complications of pregnancy: 1 threatened abortion (<20wks) 2 threatened abortion (<37wks) 3 urinary tract infection 4 pre-eclampsia 5 antepartum haemorrhage (APH) - placenta praevia 6 APH - placental abruption 7 APH - other 8 pre-labour rupture of membranes 9 gestational diabetes 11 gestational hypertension 99 other (specify) Medical conditions: 1 essential hypertension 3 a sathma 4 genital herpes 5 dilatation device i.e. Foley Catheter other 999') 1 none 2 nitrous oxide 4 epidural/caudal 5 spinal 6 systemic opioids 7 combined spinal/epidural other Duration of labour 1 stage (hour & min): 2 red stage (hour & min): 2 red stage (hour & min): Number of babies born (admin purposes only): MIDWIFE Name Signature Date Reg. No.	Number of tobacco cigarettes usually smoked	d each day	
Number of tobacco cigarettes usually smoked each day after 20 weeks of pregnancy (If none use '000f', occasional or smoked < 1 use '998', undetermined use '999') Complications of pregnancy: 1	during first 20 weeks of pregnancy		,
### Analgesia (during labour) Complications of pregnancy:	Number of tobacco cigarettes usually smoked	d each day	and the second s
(If none use '000'; occasional or smoked < 1 use '998', undetermined use '999') Complications of pregnancy: 1		· 🖂	
Complications of pregnancy: 1	(If none use '000'; occasional or smoked < 1 use '99	8', undetermined use '999')	
threatened abortion (<20wks) threatened preterm labour (<37wks) threatened preductions throatened preductions threatened preductions threaten	Complications of pregnancy:		
threatened preterm labour (<37wks) urinary tract infection pre-eclampsia APH - placental abruption APH - other pre-labour rupture of membranes gestational diabetes pre-eclampsia superimposed on essential hypertension other (specify) Medical conditions: 1	1 threatened abortion (<20wks)		110110
3 urinary tract infection 4 pre-eclampsia 5 antepartum haemorrhage (APH) - placenta praevia 6 APH - placental abruption 7 APH - other 8 pre-labour rupture of membranes 9 gestational diabetes 11 per-eclampsia superimposed on essential hypertension 99 other (specify) Medical conditions: 1 essential hypertension 3 asthma 4 genital herpes 5 type 1 diabetes 6 type 2 diabetes 1 spinal 6 systemic opioids 7 combined spinal/epidural 6 systemic opioids 7 combined spinal/epidural 7 combined spinal/epidural 7 combined spinal/epidural 8 systemic opioids 9 combined spinal/epidural 9 systemic opioids 9 combined spinal/epidural 9 cother 9 Duration of labour 1 stage (hour & min): 2 rd stage (hour & min): Postnatal blood loss in mLs: Number of babies born (admin purposes only): MIDWIFE Name Signature Date Reg. No.	2 threatened preterm labour (<37wks	;)	
4 pre-eclampsia antepartum haemorrhage (APH) - placenta praevia 5 APH - placental abruption 7 APH - other pre-labour rupture of membranes 9 gestational diabetes 11 gestational hypertension 12 pre-eclampsia superimposed on essential hypertension other (specify) Medical conditions: 1 essential hypertension 3 asthma santma 4 genital herpes 5 type 1 diabetes 6 type 2 diabetes 6 type 2 diabetes 1 respectively MiDWIFE Name Signature Date Reg. No.			
APH – placental abruption APH – other pre-labour rupture of membranes gestational diabetes gestational hypertension pre-eclampsia superimposed on essential hypertension other (specify) Medical conditions: Medical conditions: Sesential hypertension asthma sthma sthma spiral herpes type 1 diabetes type 2 diabetes type 2 diabetes type 2 diabetes APH – placental abruption 8 other Duration of labour hr r stage (hour & min): Postnatal blood loss in mLs: Number of babies born (admin purposes only): MIDWIFE Name Signature Date Reg. No.	. — P. c. commission		
APH - other pre-labour rupture of membranes gestational diabetes pre-eclampsia superimposed on essential hypertension other (specify) Medical conditions: 1		lacenta praevia	7 combined spinal/epidural
8 pre-labour rupture of membranes 9 gestational diabetes 11 gestational hypertension 12 pre-eclampsia superimposed on essential hypertension 99 other (specify) Medical conditions: 1 essential hypertension 3 asthma superimposed on essential hypertension 4 genital herpes 5 type 1 diabetes 6 type 2 diabetes 6 type 2 diabetes 1 Puration of labour 97 nr 12 stage (hour & min): 98 postnatal blood loss in mLs: Number of babies born (admin purposes only): MIDWIFE Name Signature Date Date Quartical of labour 98 stage (hour & min): 99 postnatal blood loss in mLs: Number of babies born (admin purposes only): MIDWIFE Name Signature Date Quartical of labour 99 stage (hour & min): 90 postnatal blood loss in mLs: Number of babies born (admin purposes only): MIDWIFE Name Signature Date Quartical of labour 90 postnatal blood loss in mLs: Number of babies born (admin purposes only):			
9 gestational diabetes 11 gestational hypertension 12 pre-eclampsia superimposed on essential hypertension other (specify) Medical conditions: 1 essential hypertension 3 asthma 4 genital herpes 5 type 1 diabetes type 2 diabetes type 2 diabetes type 2 diabetes 1 sestational hypertension 2 min): Postnatal blood loss in mLs: Number of babies born (admin purposes only): MIDWIFE Name Signature Date Queen Q	—		
11 gestational hypertension 12 pre-eclampsia superimposed on essential hypertension other (specify) Medical conditions: 1 essential hypertension 3 asthma Signature 4 genital herpes 5 type 1 diabetes type 2 diabetes type 2 diabetes type 2 diabetes	H .		
pre-eclampsia superimposed on essential hypertension other (specify) Medical conditions: 1			
Medical conditions: 1	12 pre-eclampsia superimposed on ess	ential hypertension	Postnatal blood loss in mLs:
Name Signature Date 2 0	99 other (specify)		Number of babies born (admin purposes only):
Signature	Medical conditions:		
3 asthma Signature 4 genital herpes Date 2 0 5 type 1 diabetes Reg. No. Image: No. 6 type 2 diabetes Image: No. Image: No.	1 essential hypertension		
4 genital herpes Date 2 0 type 1 diabetes type 2 diabetes type 2 diabetes			Signature
type 2 diabetes	4 genital herpes		Date 2 0
a the femolity			Reg. No.
8 other (specify) Complete this Pregnancy form once for each woman giving birth, and			
	8 other (specify)		Complete this Pregnancy form once for each woman giving birth, and

FORM 2

	last name First name	Unit Rec No Estab
	BIRTH DETAILS	BABY DETAILS (continued)
Anae	sthesia (during delivery):	Born before arrival: 1=yes 2=no
1	none	Birth date:
2	local anaesthesia to perineum	
3	pudendal	Birth time: (24hr clock)
4	epidural/caudal	Plurality: (number of babies this birth)
5	spinal	Birth order:
6	general	(specify this baby, eg, 1=1 st baby born, 2=2 nd baby born, etc)
7	combined spinal/epidural	Presentation:
8	other (specify)	1=vertex 2=breech 3=face 4=brow 8=other
		Method of birth:
	olications of labour and birth	1 spontaneous
_	de the reason for instrument delivery):	2 vacuum successful
1	precipitate delivery	3 vacuum unsuccessful
2	fetal distress	I →
3	prolapsed cord	io respondential
4	cord tight around neck	5 forceps unsuccessful
5	cephalopelvic disproportion	6 breech (vaginal)
7	retained placenta – manual removal	7 elective caesarean
8	persistant occipito posterior	8 emergency caesarean
9	shoulder dystocia	Accoucheur(s):
.0	failure to progress <= 3cm	1 obstetrician
1	failure to progress > 3cm	2 other medical officer
2	previous caesarean section	3 midwife
.3	other (specify)	4 student
		5 self/no attendant
rinci	ipal reason for Caesarean Section (Tick one box only)	8 other
1	fetal compromise	Gender: 1=male 2=female 3=indeterminate
-	⊣ '	Status of baby at birth: 1=liveborn 2=stillborn (unspecified)
2 _	suspected fetal macrosomia	1
	malpresentation	3=antepartum stillborn 4=intrapartum stillborn
4	lack of progress <= 3cm	Infant weight: (whole gram):
5	lack of progress in the 1st stage, 4cm to < 10cm	Length: (whole cm):
6	lack of progress in the 2nd stage	Head circumference: (whole cm):
7	placenta praevia	
8	placental abruption	Time to establish unassisted regular breathing: (whole min)
9	vasa praevia	Resuscitation: (Record one only – the most intensive or highest number)
.0 _	antepartum/intrapartum haemorrhage	1 none
.1	multiple pregnancy	2 suction only
.2	unsuccessful attempt at assisted delivery	3 oxygen therapy only
.3	unsuccessful induction	
.4	cord prolapse	The second positive arms, present (erring)
.5	previous caesarean section	5 bag and mask (IPPV)
.6	previous shoulder dystocia	6 endotrachaeal intubation
.7	previous perineal trauma/4 th degree tear	7 ext. cardiac massage and ventilation
.8	previous adverse fetal/neonatal outcome	8 other
9	other obstetric, medical, surgical, psychological indications	[- L
0	maternal choice in the absence of any obstetric, medical,	Apgar score: 1 minute
	surgical, psychological indications	5 minutes
erin	eal status	Estimated gestation: (whole weeks):
1	intact	Birth defects: (specify):
2 -	1 st degree tear/vaginal tear	Birth trauma: (specify):
3 -	1 degree tear/vaginal tear	
4	2 nd degree tear	BABY SEPARATION DETAILS
~ L	3 rd degree tear	Separation date: 2 0
5	episiotomy	Mode of separation:
7	4 th degree tear	1=transferred 8=died 9=discharged home
8	other	
	BABY DETAILS	Transferred to: (specify establishment code) Special care number of days:
BOF	RIGINAL STATUS OF BABY (Tick one box only)	(excludes Level 1; whole days only)
ABOF	RIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander	
1	Aboriginal but not Torres Strait Islander	MIDWIFE Name
_		

Last name	Unit Record No	
First name	Birth date (Mother)	Ward
Address of usual residence	birtii date (Mother)	Marital status
Number and street	State	Post code 1=never married 2=widowed 3=divorced
tuniber and street	State	4=separated 5=married (incl. de facto)
Town or suburb	Height	6=unknown Weight Ethnic status of mother
Maiden name		Ethnic status of mother
	(whole cm)	(whole kilogram) 1=Caucasian 10=Aboriginal not Torres Stra Islander (TSI) 11=TSI not Aboriginal
Interpreter service required (1=yes 2=no)	Telephone	12=Aboriginal and TSI
Mother's language requiring interpreter		or other
PREGNANCY DETAILS PREVIOUS PREGNANCIES:		Procedures/treatments:
Total number (excluding this pregnancy):		
Parity (excluding this pregnancy):	2	
Previous pregnancy outcomes:	3	
- liveborn, now living	T 4	
- liveborn, now dead	5	
- stillborn	6	
Number of previous caesareans	7	CTG intrapartum
Caesarean last delivery 1 =yes 2=no		ntended place of birth at onset of labour:
Previous multiple births 1 =yes 2=no		e-hospital 2=birth centre attached to hospital 3=birth
	c	entre free standing 4=home 8=other LABOUR DETAILS
THIS PREGNANCY: Estimated gest wk at 1 st antenatal visit		Onset of labour:
Total number of antenatal care visits		=spontaneous 2=induced 3=no labour
	20	
Date of LMP:		Principal reason for induction of labour (if induced):
This date certain 1 =yes 2=no		,
Expected due date:	2 0	
Based on 1 = clinical signs/dates		Augmentation (labour has begun):
2 = ultrasound <20 wks	1	none
3 = ultrasound >=20 wks	2	oxytocin
Smoking: Number of tobacco cigarettes usually smoke		prostaglandins
each day during first 20 weeks of pregnancy		artificial rupture of membranes
	0	
Number of tobacco cigarettes usually smoke each day after 20 weeks of pregnancy	a	
(If none use '000'; occasional or smoked < 1 use '9.	98'. II	nduction (before labour begun):
undetermined use '999')	1	none
Complications of pregnancy:	2	oxytocin
1 threatened abortion (<20wks)	3	prostaglandins
2 threatened preterm labour (<37wks)	4	artificial rupture of membranes
3 urinary tract infection	5	dilatation device i.e. Foley Catheter
4 pre-eclampsia	8	other
5 antepartum haemorrhage (APH) place	nta praevia	
6 APH – placental abruption	A	Analgesia (during labour):
7 APH – other	1	none
8 pre-labour rupture of membranes	2	
9 gestational diabetes	4	epidural/caudal
11 gestational hypertension	5	spinal
12 pre-eclampsia superimposed on essen	itial hypertension 6	systemic opioids
99 other (specify)	7	combined spinal/epidural
James (Special)	8	other
Medical Conditions:		
1 essential hypertension	D	Ouration of labour hr min
3 asthma	1	st stage (hour & min):
4 genital herpes	2	end stage (hour & min):
5 type 1 diabetes	1	
6 type 2 diabetes	D	Postnatal blood loss in mLs:
8 other (specify)		
o louis (specify)		Number of babies born (admin purposes only):
	-	MIDWIFE
Massinstians during assessment	l N	lame
	Don't seek	AND CONTRACTOR OF THE CONTRACT
01=Vaccinated during 1 st trimester Infl	uenza Pertussis S	ignature
02=Vaccinated during 2 nd trimester	uenza Pertussis S	Date 2 0
01=Vaccinated during 1st trimester Infl	uenza Pertussis S	

FORM 2

Mother	r's last name Mother's first name	Unit Rec No Estab
	BIRTH DETAILS	Born before arrival: 1=ves 2=no
Anae	sthesia (during delivery):	Birth date:
L	none	
	local anaesthesia to perineum	Birth time: (24hr clock)
3	pudendal	Plurality: (number of babies this birth)
	epidural/caudal	Birth order: (specify this baby e.g. 1=1 st baby born, 2=2 nd)
5	spinal	Presentation:
5	general	1=vertex 2=breech 3=face 4=brow 8=other
	combined spinal/epidural	Water birth: 1=yes 2=no
3	other	Method of birth:
omp	olications of labour and birth	1 spontaneous
	de the reason for instrument delivery):	2 vacuum successful
	precipitate delivery	3 vacuum unsuccessful
	fetal distress	4 forceps successful
_	prolapsed cord	5 forceps unsuccessful
L	cord tight around neck	6 breech (vaginal)
_	cephalopelvic disproportion	7 elective caesarean
	retained placenta – manual removal	8 emergency caesarean
	persistent occipito posterior	
	shoulder dystocia	Accoucheur(s):
.0	failure to progress <= 3cm	1 obstetrician
.1	failure to progress > 3cm	2 other medical officer
.2	previous caesarean section	3 midwife
.3	other (specify)	4 student
		5 self/no attendant
-	ipal reason for caesarean section (Tick one box only):	8other
	fetal compromise	Gender: 1=male 2= female 3=indeterminate
<u> </u>	suspected fetal macrosomia	Status of baby at birth: 1=liveborn 2=stillborn (unspecified)
	malpresentation	3=antepartum stillborn 4=intrapartum stillborn
k	lack of progress <= 3cm	Infant weight: (whole gram)
5	lack of progress in the 1st stage, 4cm to < 10cm	Length: (whole cm)
5	lack of progress in the 2nd stage	L. 7 7 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
_	placenta praevia	Head circumference: (whole cm)
3	placental abruption	Time to establish unassisted regular breathing: (whole min)
)	vasa praevia	Resuscitation: (Record one only - the most intensive or highest number
10	antepartum/intrapartum haemorrhage	1 none
12	multiple pregnancy	2 suction only
-	unsuccessful attempt at assisted delivery	3 oxygen therapy only
.4	unsuccessful induction	4 continuous positive airway pressure (CPAP)
	cord prolapse	5 bag and mask (IPPV)
.5	previous caesarean section	6 endotracheal intubation
-	previous shoulder dystocia previous perineal trauma/4 th degree tear	7 ext. cardiac massage and ventilation
.7		8 other
.8	previous adverse fetal/neonatal outcome	Apgar score: 1 minute
.9	other obstetric, medical, surgical, psychological indications	5 minutes
0	maternal choice in the absence of any obstetric,	Estimated gestation: (whole weeks)
.0	medical, surgical, psychological indications	Birth defects: (specify)
erin	eal status:	5-11-0-0-0-11-11-0-0-0-0-0-0-0-0-0-0-0-0
eiiii	intact	Birth trauma: (specify)
	1 st degree tear/vaginal tear	BABY SEPARATION DETAILS
-	2 nd degree tear	Separation date: 2 0
	3 rd degree tear	Mode of separation:
-		1=transferred 8=died 9=discharged home
la 🗌	enisiotomy	
	episiotomy 4 th degree tear	
	4 th degree tear	Transferred to: (specify establishment code)
5 -		Transferred to: (specify establishment code) Special care number of days:
5 -	4 th degree tear other	Transferred to: (specify establishment code) Special care number of days: (Excludes Level 1; whole days only)
7 3	4 th degree tear other BABY DETAILS	Transferred to: (specify establishment code) Special care number of days:
ABOR	4 th degree tear other BABY DETAILS RIGINAL STATUS OF BABY (Tick one box only)	Transferred to: (specify establishment code) Special care number of days: (Excludes Level 1; whole days only)
ABOR	4th degree tear other BABY DETAILS RIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander	Transferred to: (specify establishment code) Special care number of days: (Excludes Level 1; whole days only) MIDWIFE Name
4 5 7 8	4 th degree tear other BABY DETAILS RIGINAL STATUS OF BABY (<i>Tick one box only</i>)	Transferred to: (specify establishment code) Special care number of days: (Excludes Level 1; whole days only) MIDWIFE

[Form 2 inserted in Gazette 24 Apr 20143 May 2016] p. 1144-51357-8.]

Notes

This is a compilation of the *Health (Notifications by Midwives) Regulations 1994* and includes the amendments made by the other written laws referred to in the following table-^{‡a}. The table also contains information about any reprint.

Compilation table

Citation	Gazettal	Commencement
Health (Notifications by Midwives) Regulations 1994	28 Jan 1994 p. 283-5	28 Jan 1994
Reprint 1: The Health (Notifications	by Midwives) Reş	gulations 1994 as at 11 Jun 2004
Health (Notifications by Midwives) Amendment Regulations 2011	1 Apr 2011 p. 1178	r. 1 and 2: 1 Apr 2011 (see r. 2(a)); Regulations other than r. 1 and 2: 2 Apr 2011 (see r. 2(b))
Health (Notification by Midwives) Amendment Regulations (No. 2) 2011	30 Dec 2011 p. 5577-8	r. 1 and 2: 30 Dec 2011 (see r. 2(a)); Regulations other than r. 1 and 2: 31 Dec 2011 (see r. 2(b))
Health (Notifications by Midwives) Amendment Regulations 2012	14 Dec 2012 p. 6199-201	r. 1 and 2: 14 Dec 2012 (see r. 2(a)); Regulations other than r. 1 and 2: 1 Jan 2013 (see r. 2(b))
Health (Notifications by Midwives) Amendment Regulations 2014	24 Apr 2014 p. 1143-5	r. 1 and 2: 24 Apr 2014 (see r. 2(a)); Regulations other than r. 1 and 2: 1 Jul 2014 (see r. 2(b))

On the date as at which this compilation was prepared, provisions referred to in the following table had not come into operation and were therefore not included in this compilation. For the text of the provisions see the endnotes referred to in the table.

Provisions that have not come into operation

Citation	Gazettal	Commencement
Health (Notifications by Midwives)	3 May 2016	<u>r. 1 and 2: 3 May 2016</u>
Amendment Regulations 2016 1.3	p. 1356-8	(see r. 2(a));

Citation	Gazettal	Commencement
and 4 ²		Regulations other than r. 1 and 2:
		1 Jul 2016 (see r. 2(b))

On the date as at which this compilation was prepared, the *Health (Notifications by Midwives) Amendment Regulations 2016* r. 3 and 4 had not come into operation. They read as follows:

3. Regulations amended

These regulations amend the *Health (Notifications by Midwives) Regulations 1994.*

4. Schedule amended

In the Schedule delete Form 2 and insert:

FORM 2

[r. 4]

Last name	Unit Record No Estab
First name	Birth date (Mother) Ward
Address of usual residence	Marital status
Number and street	State Post code 1=never married 2=widowed 3=divorced
	4=separated 5=married (incl. de facto)
Town or suburb	Height Weight Ethnic status of mother
Maiden name	(whole cm) (whole kilogram) 1=Caucasian 10=Aboriginal not Torres Str
Interpreter service required (1=yes 2=no)	Telephone Islander (TSI) 11=TSI not Aboriginal
Mother's language requiring interpreter	12=Aboriginal and TSI or other
PREGNANCY DETAILS	Procedures/treatments:
PREVIOUS PREGNANCIES:	1 fertility treatments (include drugs)
Total number (excluding this pregnancy):	2 cervical suture
Parity (excluding this pregnancy):	3 CVS/placental biopsy
Previous pregnancy outcomes:	4 amniocentesis
 liveborn, now living 	5 ultrasound
 liveborn, now dead 	6 CTG antepartum
- stillborn	7 CTG intrapartum
Number of previous caesareans	Intended place of birth at onset of labour:
Caesarean last delivery 1 =yes 2=no	1=hospital 2=birth centre attached to hospital 3=birth
Previous multiple births 1 =yes 2=no	centre free standing 4=home 8=other
THIS PREGNANCY:	LABOUR DETAILS
Estimated gest wk at 1 st antenatal visit	Onset of labour:
Total number of antenatal care visits	1=spontaneous 2=induced 3=no labour
Date of LMP:	2 0
This date certain 1 =yes 2=no	Principal reason for induction of labour (if induced):
Expected due date:	2 0
Based on 1 = clinical signs/dates 2 = ultrasound <20 wks	Augmentation (labour has begun):
3 = ultrasound >=20 wks	1 none
Smoking:	2 oxytocin
Number of tobacco cigarettes usually smok	
each day during first 20 weeks of pregnanc	y attitude of membranes
Number of tobacco cigarettes usually smok	8 other
each day after 20 weeks of pregnancy	Induction (before labour begun):
(If none use '000'; occasional or smoked < 1 use 's undetermined use '999')	1 none
	2 oxytocin
Complications of pregnancy: 1 threatened abortion (<20wks)	3 prostaglandins
threatened preterm labour (<37wks) urinary tract infection	5 dilatation device i.e. Foley Catheter
	8 other
4 pre-eclampsia 5 antepartum haemorrhage (APH) plac	
6 APH – placental abruption	Analgesia (during labour):
7 APH – placental abruption	1 none
8 pre-labour rupture of membranes	2 nitrous oxide
9 gestational diabetes	4 epidural/caudal
gestational diabetes 11 gestational hypertension	5 spinal
12 pre-eclampsia superimposed on esse	
99 other (specify)	7 combined spinal/epidural
outer (specify)	8 other
Medical Conditions:	
1 essential hypertension	Duration of labour hr mir
3 asthma	1 st stage (hour & min):
4 genital herpes	2 nd stage (hour & min):
5 type 1 diabetes	9
6 type 2 diabetes	Postnatal blood loss in mLs:
8 other (specify)	
	Number of babies born (admin purposes only): MIDWIFE
Vaccinations during pregnancy:	Name
01=Vaccinated during 1 st trimester Int	fluenza Pertussis Signature
02=Vaccinated during 2 nd trimester	Date 2 0
03=Vaccinated during 3 rd trimester	Reg. No. N M W
	1,00,000
04=Vaccinated in unknown trimester 05=Not vaccinated	Complete this Pregnancy form once for each woman giving birth, and

Presentation: 1-vertex 2-breech 3-face 4-brow 8-other	Mother's last name	Mother's first name	Unit Rec No Estab
Anaesthesia (during delivery):		BIRTH DETAILS	Born before arrival: 1=ves 2=no
Discal anaesthesia to perineum	Anaesthesia (during deli	ivery):	
pudential a pejdural/caudal b pejdural/caudal combined spinal/epidural combined spinal/epidural combined spinal/epidural combined spinal/epidural combined spinal/epidural combined spinal/epidural cother combined spinal/epidural combined spinal/epidural continuous coessful continuous position combined spinal/epidural cother combined spinal/epidural continuous position continuous positive ainway pressure (CPAP) continuo	none		
Birth order: (specify this baby e.g. 1=1" baby born, 2	local anaesthesia	to perineum *	
Spinal general combined spinal/epidural comb	pudendal		Plurality: (number of babies this birth)
Presentation: 1-vertex 2-breech 3-face 4-brow 8-other Water birth: 1-yes 2-no Method of birth: 1-yes yout accurate. 1-yes yout accurate. 1-yes yout any accessful 1-yes yout accurate. 1-yes yout any accessful 1-yes yout accurate. 1-ye	epidural/caudal		Birth order: (specify this baby e.g. 1=1st baby born, 2=2nd)
Separed			Presentation:
other omplications of labour and birth circluse the reason for instrument delivery):			
mother complications of labour and birth childer the reason for instrument delivery! precipitate delivery fetal distress prolapsed cord cord tight around neck cephalopebic disproportion retained placenta — manual removal persistent occipito posterior shoulder dystocia failure to progress > 3 cm distribute to progress > 3 cm dis		epidural	To the state of th
complications of labour and birth include the reason for instrument delivery): precipitate delivery fetal distress prolapsed cord cord tight around neck cephalopelvic disproportion retained placenta — manual removal persistent occipito posterior shoulder dystocia persistent occipito posterior shoulder dystocia persivous caesarean section of failure to progress <= 3cm lafulre to progress > 5cm other (specify) rincipal reason for caesarean section other (specify) rincipal reason for caesarean section alock of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placental abruption vasa praevia placental praevia placental praevia placental praevia placental praevia placental abruption vasa praevia unsuccessful induction ord prolapse previous caesarean section of previous shoulder dystocia previous shoulder dystocia previous shoulder dystocia previous shoulder dystocia previous adverse fetal/neonatal outcome previous positive airway pressure (CPAP) bag and mask (IPPV) ba		• 00 000000	
Inductive the reason for instrument delivery):		and birth	
precipitate delivery fetal distress prolapsed cord cord tight around neck cephalopelvic disproportion retained placenta — manual removal persistent occipito posterior shoulder dystocia difailure to progress <= 3cm lafalure to progress > 3cm previous caesarean section other (specify) inicipal reason for caesarean section (Tick one box only): fetal compromise suspected fetal macrosomia malpresentation lack of progress <= 3cm lack of progress <= 3cm lack of progress in the 1st stage, 4cm to < 10cm lack of progress <= 3cm lack of progress in the 2nd stage placental praevia placental abruption vasa praevia antepartum/intrapartum haemorrhage multiple pregnancy unsuccessful atempt at assisted delivery previous perineal trauma/4 th degree tear previous adverse fetal/neonatal outcome of previous perineal trauma/4 th degree tear previous adverse fetal/neonatal outcome of their obstetric, medical, surgical, psychological indications erineal status: Intact 1 "degree tear degree tear degree tear degree tear degree tear degree tear degree tear defined to to Tores Strait Islander Torres Strait Islander both ont Tores Strait Islander Torres Strait Islander both ont Tores Strait Islander Torres Strait Islander both ont Aboriginal both original abort ont Tores Strait Islander Torres Strait Islander both ont Aboriginal both original abort ont Tores Strait Islander Torres Strait Islander both ont Aboriginal both original abort ont Tores Strait Islander Torres Strait Islander Torre			
fetal distress	precipitate deliver	У	
prolapsed cord cord tight around neck cephalopelvic disproportion retained placenta — manual removal persistent occipito posterior shoulder dystocia failure to progress < 3cm failure to progress < 3cm failure to progress < 3cm failure to progress > 3cm forcepriving caesarean section frontipal reason for caesarean section malpresentation lack of progress < 3cm lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placental abruption vasa praevia placental abruption vasa praevia multiple pregnancy unsuccessful induction cord tight whole cm) leack of progress in the 2nd stage placental abruption vasa praevia multiple pregnancy unsuccessful induction cord prolapse previous caesarean section previous shoulder dystocia previous caesarean section previous caesarean previous caesarean previous caes	fetal distress		
cord fight around neck cephalopelyic disproportion retained placenta – manual removal persistent occipito posterior shoulder dystocia failure to progress s = 3cm previous caesarean section difful cord progress = 3cm cother (specify) rincipal reason for caesarean section (Tick one box only): fetal compromise suspected fetal macrosomia malpresentation lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placenta praevia placental abruption vasa praevia multiple pregnancy unsuccessful attempt at assisted delivery unsuccessful induction for previous seasarean section more of the district induction previous seasarean section more of the district induction cord prolapse previous seasarean section previous setal induction previous perineal trauma/4 th degree tear previous perineal trauma/4 th degre	prolapsed cord		
cephalopelvic disproportion retained placenta – manual removal persistent occipito posterior shoulder dystocia of failure to progress <- 3 cm failure to progress > 3 cm 1 dibute to progress > 3 cm 1 dibute to progress > 3 cm 1 dibute to progress > 3 cm 2 other medical officer 3 cherry fetal compromise suspected fetal macrosomia malpresentation lack of progress of a cherry fetal compromise suspected fetal macrosomia malpresentation lack of progress of the 2 nd stage placental abruption vasa praevia placental abruption vasa praevia placental abruption vasa praevia placental abruption vasa praevia previous caesarean section 1 mone 2 succitation: (Record one only - the most intensive or high one previous shoulder dystocia more of the previous adverse fetal/neonatal outcome of the previous previous adverse fetal/neonatal outcome of the previous previous previous previous previous previous previous previ	cord tight around	neck	
retained placenta – manual removal persistent occipito posterior shoulder dystocia failure to progress <= 3cm previous caesarean section discontinuous caesarean discontinuous caesare	cephalopelvic disp	proportion	
persistent occipito posterior , shoulder dystocia 0 failure to progress < 3cm 1 failure to progress > 3cm 2 previous caesarean section 3 other (specify) rincipal reason for caesarean section (Tick one box only): fetal compromise suspected fetal macrosomia malpresentation lack of progress <= 3cm lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placental praevia placental abruption vasa praevia 0 antepartum/intrapartum haemorrhage 1 multiple pregnancy 2 unsuccessful induction 4 cord prolapse previous caesarean section 6 previous shoulder dystocia 7 previous perineal trauma/4 th degree tear provious adverse fetal/neonatal outcome 9 other obstetric, medical, surgical, psychological indications 0 maternal choice in the absence of any obstetric, medical, surgical, psychological indications 0 maternal choice in the absence of any obstetric, medical, surgical, psychological indications 0 maternal choice in the absence of any obstetric, medical, surgical, psychological indications 0 maternal choice in the absence of any obstetric, medical, surgical, psychological indications erineal status: 1 degree tear 2 degree tear 2 degree tear 2 degree tear 3 degree tear 2 degree tear 3 degree tear 3 degree tear 3 degree tear 4 other			
Shoulder dystocia failure to progress <= 3cm 1 failure to progress >= 3cm 2 previous caesarean section 3 other (specify)			8 emergency caesarean
failure to progress <= 3cm 1 failure to progress >= 3cm 2 obstetrician 2 other medical officer 3 midwife 3 other (specify) 5 self/no attendant 5			Accoucheur(s):
failure to progress > 3cm previous caesarean section fetal compromise suspected fetal macrosomia malpresentation lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placenta praevia placental abruption vasa praevia multiple pregnancy unsuccessful induction vasa previous caesarean section previous shoulder dystocia previous adverse fetal/neonatal outcome previous degree tear 2°d degree tear 3°d degree tear other Data D	The state of the s	<= 3cm	
previous caesarean section action of the previous perineal trauma/4 th degree tear other obstetric, medical, surgical, psychological indications amaternal choice in the absence of any obstetric, medical, surgical, psychological indications artifications of the previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications artifications of the previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications artifications of the previous adverse fetal/neonatal outcome of the other obstetric, medical, surgical, psychological indications artifications of the previous adverse fetal/neonatal outcome of the other obstetric, medical, surgical, psychological indications artifications of the previous adverse fetal/neonatal outcome of the obstetric, medical, surgical, psychological indications artifications of the previous adverse fetal/neonatal outcome of the obstetric, medical, surgical, psychological indications or obstetric, medical, surgical, psychological indications artifications of the previous adverse fetal/neonatal outcome of the obstetric, medical, surgical, psychological indications or obstetric, medical,			
other (specify) fincipal reason for caesarean section (Tick one box only): fetal compromise suspected fetal macrosomia malpresentation lack of progress <= 3cm lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placental abruption vasa praevia placental abruption vasa praevia multiple pregnancy unsuccessful attempt at assisted delivery unsuccessful induction cord prolapse previous caesarean section previous perineal trauma/4th degree tear pre			
fetal compromise suspected fetal macrosomia malpresentation lack of progress < 3cm lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placental abruption vasa praevia multiple pregnancy unsuccessful attempt at assisted delivery unsuccessful induction previous shoulder dystocia previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric, medical, surgical, psychological indications erincal status: intact BABY DETAILS BORGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander Jack of progress and the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage Status of baby at birth: 1=liveborn 2=stillborn (uns 3=antepartum stillborn 4=intrapartum stillborn 1=liveborn 2=stillborn (uns 3=antepartum stillborn 1=liveborn 2=stillborn (uns 4=intrapartum stillborn 1=liveborn 2=stillborn (uns 3=antepartum stillborn 1=liveborn 2=stillborn (uns 4=intrapartum stillborn 1=liveborn 2=stillborn (uns 4=intrapartum stillborn 1=liveborn 2=stillborn (uns 4=intrapartum stillborn Infant weight: (whole gram) Length: (whole gram) Length: (whole cm) Time to establish unassisted regular breathing: (whole cons) Time to estab		ii section	
firicipal reason for caesarean section (Tick one box only): fetal compromise suspected fetal macrosomia malpresentation lack of progress <= 3cm lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placental abruption vasa praevia placental abruption vasa praevia unsuccessful intention cord prolapse previous caesarean section previous shoulder dystocia previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications ometical, surgical, psychological indications ometical, surgical, psychological indications ometical, surgical, psychological indications office feetal/neonatal outcome office feetal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal/neonatal	ounce (speciny)		
fetal compromise suspected fetal macrosomia malpresentation lack of progress <= 3cm lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placental praevia placental abruption vasa praevia multiple pregnancy unsuccessful attempt at assisted delivery unsuccessful induction cord prolapse previous caesarean section previous perineal trauma/4 th degree tear previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications melical, surgical, psychological indications erineal status: intact 1th degree tear other BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander Apparison of the dashed of the dashed of the dashed of the dashed of the control of	rincipal reason for cae	sarean section (Tick one hex only):	
suspected fetal macrosomia malpresentation lack of progress = 3cm lack of progress = 3cm lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placental abruption vasa praevia placental abruption vasa praevia multiple pregnancy unsuccessful attempt at assisted delivery unsuccessful induction cord prolapse previous shoulder dystocia previous perineal trauma/4 th degree tear previous adverse fetal/neonatal outcome previous adverse fetal/n		salean section (rick one box only).	
malpresentation lack of progress <= 3cm lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placental praevia placental abruption vasa praevia multiple pregnancy unsuccessful induction cord prolapse previous caesarean section previous perineal frauma/4 th degree tear previous adverse fetal/neonatal outcome maternal choice in the absence of any obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric intact 1st degree tear 2d' degree tear 3d' degree tear 3d' degree tear 3d' degree tear 3d' degree tear other 2bay Jamas Status of baby at birth: 1=liveborn 2=stillborn (uns 3=antepartum stillborn lifant weight: (whole gram) Length: (whole mon) Length: (whole orm) Length: (whole orm) Length: (whole cm) Head circumference: (whole cm) Time to establish unassisted regular breathing: (whole results in the most intensive or high only oxygen therapy only oxygen therapy only oxygen therapy only oxygen therapy only continuous positive airway pressure (CPAP) bag and mask (IPPV) endotracheal intubation ext. cardiac massage and ventilation other Apgar score: 1 minute 5 minutes Estimated gestation: (whole weeks) Birth defects: (specify) Birth trauma: (specify) BABY SEPARATION DETAILS Separation date: Mode of separation: 1=transferred to: (specify establishment code) Special care number of days: (Excludes Level 1; whole days only) MIDWITE Name Aborginal but not Torres Strait Islander Torres Strait Islander but not Aboriginal Aborginal and Torres Strait Islander Torres Strait Islander but not Aboriginal	_	a a ra a a mila	Gender: 1=male 2= female 3=indeterminate
lack of progress <= 3cm lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placental praevia placental abruption vasa praevia nultiple pregnancy unsuccessful induction previous caesarean section previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric, medical, surgical, psychological indications mintat 1" degree tear 2" degree tear other 2" degree tear other 3" degree tear other BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander but not Aboriginal Aboriginal and Torres Strait Islander Domestical indications Infant weight: (whole gram) Length: (whole cm) Head circumference: (whole cm) Time to establish unassisted regular breathing: (whole med) Time to establish unassisted regular breathing: (whole or) Imfant weight: (whole cm) Length: (whole cm) Lengt		acrosonna	Status of baby at birth: 1=liveborn 2=stillborn (unspecified)
lack of progress in the 1st stage, 4cm to < 10cm lack of progress in the 2nd stage placental praevia placental abruption vasa praevia antepartum/intrapartum haemorrhage multiple pregnancy unsuccessful attempt at assisted delivery unsuccessful induction cord prolapse previous caesarean section previous shoulder dystocia previous perineal trauma/4 th degree tear indications maternal choice in the absence of any obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric, medical, surgical, psychological indications intact 1th degree tear/vaginal tear 2th degree tear 2th degree tear other BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander but not Aboriginal Aboriginal and Torres Strait Islander Torres Strait Islander and Torres Strait Islander Torres Strait Islander and Torres Strait Islander Torres Strait Islander but not Aboriginal Aboriginal and Torres Strait Islander Torres Strait Islander and Torres Strait Islander Torres Strait Islander but not Aboriginal		2000	3=antepartum stillborn 4=intrapartum stillborn
lack of progress in the 21d stage placenta praevia placental abruption vasa praevia multiple pregnancy unsuccessful induction cord prolapse previous caesarean section previous shoulder dystocia previous perineal frauma/4 th degree tear previous adverse fetal/neonatal outcome of maternal choice in the absence of any obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric intact 1th degree tear/vaginal tear 2rd degree tear 3rd degree tear episiotomy 4th degree tear other BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander Torres Strait Islander abreight of the sales and the sales	10		Infant weight: (whole gram)
placenta praevia placental abruption vasa praevia nultiple pregnancy unsuccessful attempt at assisted delivery unsuccessful induction cord prolapse previous caesarean section previous adverse fetal/neonatal outcome of previous adverse fetal/neonatal outcome of metical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications birth degree tear/ previous adverse fetal/neonatal outcome of there obstetric, medical, surgical, psychological indications omaternal choice in the absence of any obstetric, medical, surgical, psychological indications birth degree tear/ previous adverse fetal/neonatal outcome of there obstetric, medical, surgical, psychological indications birth ratural (specify) BABY SEPARATION DETAILS Separation date: Mode of separation: (Excludes Level 1; whole days only) MIDWITE Name Date Date			
placental abruption vasa praevia antepartum/intrapartum haemorrhage multiple pregnancy unsuccessful attempt at assisted delivery unsuccessful induction cord prolapse previous caesarean section previous shoulder dystocia previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications material choice in the absence of any obstetric, medical, surgical, psychological indications intact 1 "degree tear/vaginal tear 2 "d' degree tear 2 "d' degree tear 4 "d' degree tear other 4 "d' degree tear other Aboriginal but not Torres Strait Islander	A STATE OF THE PARTY OF THE PAR	the 2nd stage	
vasa praevia natepartum/intrapartum haemorrhage multiple pregnancy unsuccessful attempt at assisted delivery unsuccessful induction cord prolapse previous scaesarean section previous shoulder dystocia previous perineal trauma/4 th degree tear previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/heonatal outcome other obstetric, medical massage and ventilation other Apgar score: 1 minute Stimated gestation: (Record one) Baby Separation obstetric, medical, psychological indications previous adverse fetal/heonatal outcome other 1			
antepartum/intrapartum haemorrhage multiple pregnancy unsuccessful attempt at assisted delivery unsuccessful induction cord prolapse previous caesarean section previous shoulder dystocia previous perineal trauma/4 th degree tear previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric, medical, surgical psychological indications erineal status: 1st degree tear/vaginal tear 1st degree tear/vaginal tear 2st degree tear 3st degree tear 3st degree tear other BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres St		in	
multiple pregnancy unsuccessful attempt at assisted delivery unsuccessful induction cord prolapse previous caesarean section previous shoulder dystocia previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications medical, surgical, psychological indications medical, surgical, psychological indications medical, surgical, psychological indications reineal status: 11 st degree tear/vaginal tear 27 ^d degree tear 37 ^d degree tear 47 th degree tear episiotomy 4 th degree tear other BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander			Resuscitation: (Record one only - the most intensive or highest number
unsuccessful attempt at assisted delivery unsuccessful induction cord prolapse previous caesarean section previous shoulder dystocia previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications medical, surgical, psychological indications orienteal status: intact 1" degree tear/vaginal tear 2" degree tear 3" degree tear 4" degree tear other 4" degree tear other 4" degree tear other BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander According the sassisted delivery a cycle therapy only continuous positive airway pressure (CPAP) bag and mask (IPPV) endotracheal intubation 7 ext. cardiac massage and ventilation other Apgar score: 1 minute 5 minutes Estimated gestation: (whole weeks) Birth defects: (specify) Birth trauma: (specify) Birth trauma: (specify) BABY SEPARATION DETAILS Separation date: Mode of separation: 1 episiotomy 4" degree tear other BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander Date			1 none
unsuccessful induction d cord prolapse previous caesarean section previous shoulder dystocia previous sedverse fetal/neonatal outcome of other obstetric, medical, surgical, psychological indications erineal status: intact 1st degree tear/vaginal tear 2st degree tear 2st degree tear episiotomy 4st degree tear other BABY DETAILS BORGINNAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander Appar sore: 1 minute 5 minutes 6 previous adverse fetal/neonatal outcome 9 other obstetric, medical, surgical, psychological indications 8 previous adverse fetal/neonatal outcome 9 other obstetric, medical, surgical, psychological indications 8 previous adverse fetal/neonatal outcome 9 other obstetric, medical, surgical, psychological 8 other 9 previous and mask (IPPV) 6 endotracheal intubation 9 ext. cardiac massage and ventilation 9 other 9			2 suction only
cord prolapse previous caesarean section previous perineal trauma/4 th degree tear previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric, medical, surgical, psychological indications erineal status: 1st degree tear/vaginal tear			3 oxygen therapy only
previous caesarean section previous shoulder dystocia previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications medical, surgical, psychological indications previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric, medical, surgical, psychological indications previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/neonatal outcome other obstetric, medical, surgical, psychological indications previous adverse fetal/neonatal outcome other Apgar score: 1 minute Setimated gestation: (whole weeks) Birth trauma: (specify) BABY SEPARATION DETAILS Separation date: Mode of separation: 1=transferred to: (specify establishment code) Special care number of days: (Excludes Level 1; whole days only) MIDVITE Name Date Date	_	ction	4 continuous positive airway pressure (CPAP)
previous shoulder dystocia previous perineal trauma/4th degree tear previous adverse fetal/hoenatal outcome other obstetric, medical, surgical, psychological indications maternal choice in the absence of any obstetric, medical, surgical, psychological indications erineal status: intact 1th degree tear/vaginal tear 2th degree tear 2th degree tear aft degree tear other BABY SEPARATION DETAILS Separation date: Mode of separation: 1etransferred to: (specify establishment code) Special care number of days: (Excludes Level 1; whole days only) MiDWIFE Name Date	The state of the s		5 bag and mask (IPPV)
7 previous perineal trauma/4 th degree tear 8 previous adverse fetal/neonatal outcome 9 other obstetric, medical, surgical, psychological indications 0 maternal choice in the absence of any obstetric, medical, surgical, psychological indications erineal status: 1 intact 1 intact 1 2 degree tear/vaginal tear 2 degree tear 3 degree tear 4 degree tear 4 degree tear other Mode of separation: 1 = transferred 8 = died 9 = discharged home Transferred to: (specify establishment code) Special care number of days: (Excludes Level 1; whole days only) MiDWIFE BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander both of Aboriginal Aboriginal and Torres Strait Islander Appar score: 1 minute 5 minutes Estimated gestation: (whole weeks) Birth defects: (specify) Bary SEPARATION DETAILS Separation date: Mode of separation: 1 = transferred to: (specify establishment code) Special care number of days: (Excludes Level 1; whole days only) MiDWIFE Name Date			6 endotracheal intubation
previous adverse fetal/neonatal outcome of other obstetric, medical, surgical, psychological indications of maternal choice in the absence of any obstetric, medical, surgical, psychological indications of maternal choice in the absence of any obstetric, medical, surgical, psychological indications or maternal choice in the absence of any obstetric, medical, surgical, psychological indications or maternal choice in the absence of any obstetric, medical, surgical, psychological indications or maternal choice in the absence of any obstetric, medical, surgical, psychological indications Birth defects: (specify) Birth trauma: (specify) BABY SEPARATION DETAILS Separation date: Mode of separation: 1 = transferred 8 = died 9 = discharged home Transferred to: (specify establishment code) Special care number of days: (Excludes Level 1; whole days only) MIDWIFE Name Date			7 ext. cardiac massage and ventilation
other obstetric, medical, surgical, psychological indications of maternal choice in the absence of any obstetric, medical, surgical, psychological indications of maternal choice in the absence of any obstetric, medical, surgical, psychological indications of medical, surgical, surgical, psychological indications of medical, surgical,			8 other
5 minutes 1 maternal choice in the absence of any obstetric, medical, surgical, psychological indications 1 maternal choice in the absence of any obstetric, medical, surgical, psychological indications 2 maternal choice in the absence of any obstetric, medical, surgical, psychological indications 2 minutes 8 lith defects: (specify) 8 lith trauma: (specify) 8 laby SEPARATION DETAILS 8 separation date: 1 mode of separation: 1 mansferred 8 mode of separation: 1 mansferred to: (specify establishment code) 3 special care number of days: (Excludes Level 1; whole days only) 8 laby DETAILS 8 laboriginal but not Torres Strait Islander 1 morres Strait Islander border strait			
motivations maternal choice in the absence of any obstetric, medical, surgical, psychological indications		edical, surgical, psychological	
medical, surgical, psychological indications rerineal status: intact 11 th degree tear/vaginal tear 2n th degree tear 3n th degree tear 4n th degree tear epistotomy 4n th degree tear other BABY DETAILS BABY DETAILS BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander bate of the strait islander Torres Strait Islander aboriginal bate of the strait islander bate of the strait islander aboriginal and Torres Strait Islander bate of the strait islander aboriginal and Torres Strait Islander and the strait islander aboriginal and Torres Strait Islander and the strait Islander aboriginal and Torres Strait Islander and the strait islander aboriginal and Torres Strait Islander and the strait			
erineal status: intact			
intact 1st degree tear/vaginal tear 2st degree tear 3st degree tear 2st deg		psychological indications	Birth defects: (specify)
Intact			Birth trauma: (specify)
1" degree tear 2" degree tear 3" degree tear 4" degree tear 4" degree tear 5" degree tear 6" degree tear 6" degree tear 7" deg			
2 degree tear 3" degree tear episiotomy 4" degree tear other BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander but not Aboriginal Abordiginal and Torres Strait Islander Abordiginal and Torres Strait Islander Date Mode of separation: 1=transferred 8=died 9=discharged home Transferred to: (specify establishment code) Special care number of days: (Excludes Level 1; whole days only) MIDWIFE Name Date	1 st degree tear/va	ginal tear	
3" degree tear	2 nd degree tear		
episiotomy 4th degree tear other BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander but not Aboriginal Aboriginal and Torres Strait Islander Torres Strait Islander strait of the strait Islander Torres Strait Islander but not Aboriginal Aboriginal and Torres Strait Islander	3 rd degree tear		5 (C)
other Special care number of days: (Excludes Level 1; whole days only) MIDWIFE BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander but not Aboriginal Aboriginal and Torres Strait Islander Date	episiotomy		1=transferred 8=died 9=discharged home
other Special care number of days: (Excludes Level 1; whole days only) BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander but not Aboriginal Aboriginal and Torres Strait Islander Date	4 th degree tear		Transferred to: (specify establishment code)
(Excludes Level 1; whole days only) BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander but not Aboriginal Aboriginal and Torres Strait Islander			
BABY DETAILS BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander but not Aboriginal Aboriginal and Torres Strait Islander			
BORIGINAL STATUS OF BABY (Tick one box only) Aboriginal but not Torres Strait Islander Torres Strait Islander but not Aboriginal Aboriginal and Torres Strait Islander		DADY DETAILS	
Aboriginal but not Torres Strait Islander Torres Strait Islander but not Aboriginal Aboriginal and Torres Strait Islander			MIDWIFE
Torres Strait Islander but not Aboriginal Date			Name
Aboriginal and Torres Strait Islander			Date 2 0
Appriginal and Torres Strait Islander			Date
other Complete this Baby form once for each baby born, and		res Strait Islander	Complete this Baby form once for each baby born, and submit with