Western Australia

## **Seeds Regulations 1982**

Reprinted as at 20 August 1999

#### Western Australia

## **Seeds Regulations 1982**

# CONTENTS

1.	Citation	1
2.	Commencement	1
3.	Interpretation	1
4.	Exempted sales	1
5.	Crop seeds	2
6.	Chemical additives	2
7.	Weed seeds	2
8.	What constitutes a seed	2
9.	Germination tests	3
10.	Tolerances	3
11.	Select quality	4
12.	Sampling and analysis	4
13.	Fees	4
14.	Seed certification schemes	5
15.	Registration of seed processing works	5
16.	Operation of seed processing works	8
17.	Use of certain descriptions restricted	8
18.	Repeal	9

## **First Schedule**

## **Crop Seeds**

## **Prescribed Chemical Additives**

**Third Schedule** 

**Weed Seeds** 

**Fourth Schedule** 

**Germination Tests** 

**Fifth Schedule** 

**Tolerances** 

Sixth Schedule

**Sampling and Analysis** 

**Seventh Schedule** 

**Seed Analysis and Report fees** 

**Eighth Schedule** 

**Seed Processing Works** 

**Ninth Schedule** 

**Operation of Registered Seed Processing Works** 

**Notes** 

#### Western Australia

Seeds Act 1981

## **Seeds Regulations 1982**

#### 1. Citation

These regulations may be cited as the Seeds Regulations 1982 <sup>1</sup>.

#### 2. Commencement

These regulations operate on and from the day on which the regulations are published in the *Gazette* <sup>1</sup>.

#### 3. Interpretation

In these regulations unless the contrary intention appears —

- "Schedule", preceded by a designation, refers to the Schedule to these regulations so designated;
- "seed certification scheme" means a scheme prepared and conducted under section 26(1)(g) of the Act;
- "subregulation" means subregulation of the regulation in which the word is used;
- "the Act" means the Seeds Act 1981.

#### 4. Exempted sales

The classes of persons prescribed for the purposes of section 4(1) of the Act are —

(a) persons carrying on business in the course of which seed is solely used or prepared for sale for a purpose other than sowing; and

(b) persons carrying on business in the course of which seed is sold for direct export from Australia for use other than for sowing.

#### 5. Crop seeds

- (1) The seeds of the plants referred to in the First Schedule are crop seeds.
- (2) Where a seed lot sold contains crop seed and the mass of the seed lot is less than the mass set out in column 3 of the First Schedule in respect of each crop seed contained in the seed lot, Part II of the Act does not apply in relation to the seed lot.

#### 6. Chemical additives

The chemical additives information of which is required by section 7(2)(b) of the Act to be included in a statement in accordance with that subsection are those set out in the Second Schedule.

#### 7. Weed seeds

The seeds of the plants referred to in the Third Schedule are weed seeds.

#### 8. What constitutes a seed

- (1) In determining, for the purposes of the Act, the proportion in which a seed is contained, or the proportion of seed that is germinable
  - (a) intact seeds;
  - (b) achenes and similar fruits, schizocarps, and mericarps, with or without perianth and whether or not containing a true seed (unless it is readily apparent that no true seed is present);
  - (c) pieces of seeds, achenes, mericarps, and caryopses, resulting from breakage, that are more than one half their original size;

- (d) clusters of seeds, other than of the family *Poaceae*; and
- (e) florets and one-flowered spikelets of the family *Poaceae* with an obvious caryopsis containing endosperm,

are to be taken as being seeds of the species to which they belong, notwithstanding that they may be immature, undersized, shrivelled, diseased, or germinated, unless they are incapable of being identified as being of the species or they are transformed into fungal sclerotia, smut balls, or nematode galls.

(2) For the purposes of determining, in connection with a seed certification scheme, the proportion in which seed of a particular cultivar or having resistance to a particular disease or other adverse factor is contained, subsection (1) shall apply as if a reference to seeds of the species were a reference to seeds of the cultivar or having the relevant resistance, as the case may be.

#### 9. Germination tests

- (1) The test conditions to be used in ascertaining whether crop seed is germinable are as referred to in Part 1 of the Fourth Schedule.
- (2) The growth characteristics to be exhibited by germinable crop seed, when subjected to the test conditions referred to in subregulation (1), are as described in Part 2 of the Fourth Schedule.

#### 10. Tolerances

In the statement required by section 7 of the Act in respect of a seed lot, the tolerances applicable to —

- (a) the proportion in which a crop seed is contained in the seed lot, are as prescribed in Part 1 of the Fifth Schedule:
- (b) the minimum proportion of a crop seed that is germinable, are as prescribed in Part 2 of the Fifth Schedule;

- (c) the maximum proportion in which a weed seed is contained in the seed lot, are as prescribed in Part 3 of the Fifth Schedule; and
- (d) the maximum proportion in which seed not named under section 7(2)(d) of the Act is contained in the seed lot, are as prescribed in Part 4 of the Fifth Schedule.

#### 11. Select quality

- (1) The minimum proportion of a particular crop seed that a seed lot is required by section 9 of the Act to contain before a claim may be made that the crop seed is of "select quality" is as set out in column 4 of the First Schedule in respect of that crop seed.
- (2) The minimum proportion of a particular crop seed contained in a seed lot that is required by section 9 of the Act to be germinable seed before a claim may be made that the crop seed is of "select quality" is as set out in column 5 of the First Schedule in respect of that crop seed.
- (3) The maximum proportion of seed other than a particular crop seed that a seed lot is permitted by section 9 of the Act to contain if a claim is to be made that the crop seed is of "select quality" is 0.1%.

#### 12. Sampling and analysis

- (1) Where a sample is taken in accordance with Part 1 of the Sixth Schedule, the sample is, for the purposes of the Act, taken in the prescribed manner.
- (2) The method prescribed, for the purposes of the Act, for making an analysis of a sample of seed or material containing seed is a method in accordance with Part 2 of the Sixth Schedule.

#### 13. Fees

The fees payable under this Act, other than —

(a) the fees payable in connection with a seed certification scheme by the participants in the seed certification scheme; or

(b) fees payable for the registration, or renewal of registration, of seed processing works at which seed may be treated and packed for certification under a seed certification scheme,

are as set out in the Seventh Schedule.

#### 14. Seed certification schemes

- (1) The Minister is authorized to prepare and conduct schemes for the purpose of testing and certifying
  - (a) the cultivar of any kind of crop seed;
  - (b) the resistance of any crop seed to any disease or to any other adverse factor;
  - (c) the freedom of any crop seed from disease and pests;
  - (d) the proportion of any crop seed contained in any material tested;
  - (e) the proportion of any crop seed that is germinable;
  - (f) the proportion of any weed seed contained in any material tested; and
  - (g) that the material tested is of such quality that, upon its sale, it may, in accordance with section 9(1) of the Act, be described as crop seed of "select quality".
- (2) A person participating in a seed certification scheme who knowingly makes any statement in relation to a matter associated with the scheme that is false or misleading in any material particular commits an offence and is liable to a penalty not exceeding \$500.

#### 15. Registration of seed processing works

(1) Application may be made in writing to the Department for registration of premises as a seed processing works at which seed may be treated and packed for certification under a seed certification scheme specified in the application.

- (2) Subject to subregulation (3), where an officer authorized in that behalf by the Minister is satisfied that premises to which an application under subregulation (1) relates comply with the requirements of the Eighth Schedule he shall, upon payment of a fee of \$309 issue to the applicant a certificate of registration specifying
  - (a) the premises registered; and
  - (b) the seed certification scheme, or each seed certification scheme, if there be more than one, in respect of which the premises are registered,

and cause the premises to be appropriately registered in a register to be kept in the Department for that purpose.

- (3) Where application is made for the registration of premises pursuant to subregulation (2) and
  - (a) the applicant is a person to whom a certificate of registration has previously been issued in respect of any premises the registration of which has been cancelled in accordance with these regulations at any time while that person held such certificate of registration; or
  - (b) the premises have been previously registered under these regulations, whether upon the application of the same or any other person, and the registration of the premises has been cancelled in accordance with these regulations,

the Minister may direct that the application be refused and the applicant shall be advised accordingly.

(4) Application may be made to the Department in writing, accompanied by the certificate of registration to which the application relates, for the addition to a certificate of registration of any other seed certification scheme or schemes in respect of which it is desired that the premises the subject of the certificate be registered and, if an officer authorized in that behalf by the Minister is satisfied that the premises would comply with the requirements of the Eighth Schedule in relation to the other seed

- certification scheme or, as the case may be, schemes, he shall, upon payment of a fee of \$103, endorse the certificate of registration by adding to it the seed certification schemes concerned and shall cause a corresponding entry to be made in the register referred to in subregulation (2).
- (5) The registration of premises pursuant to subregulation (2) has effect, unless sooner cancelled in accordance with these regulations, for one year or during such further periods for which the registration is renewed, but during any period for which the registration is suspended the premises shall be deemed not to be registered.
- (6) Where, within 28 days before the registration of premises under this regulation is due to expire, application is made to the Department for the renewal of the registration of the premises and an officer authorized in that behalf by the Minister is satisfied that the premises comply with the requirements of the Eighth Schedule, the officer shall, upon payment of \$103, cause the registration of the premises to be renewed for a further year and an entry to that effect to be made in the register referred to in subregulation (2).
- (7) Where applications made under subregulations (4) and (6) at the same time and in respect of the same premises are both granted, only one fee of \$103 shall be payable in respect of both the endorsement and the renewal.

[Regulation 15 amended in Gazette 22 August 1986 p.3009; 13 November 1987 p.4196; 16 August 1988 p.2976; 30 June 1989 p.1995; 3 August 1990 p.3669; 8 November 1991 p.5709; 24 July 1992 p.3611; 17 September 1993 p.5047; 24 June 1994 p.2837; 21 July 1995 p.3066; 3 September 1996 p.4376; 19 August 1997 pp.4711-2; 23 June 1998 p.3317; 22 June 1999 p.2671.]

#### 16. Operation of seed processing works

- (1) Every seed processing works registered under regulation 15 shall be operated in accordance with the Ninth Schedule.

  Penalty: \$200.
- (2) Where a seed processing works is operated contrary to subregulation (1), the Minister may, whether or not any penalty has been imposed under that subregulation, cancel the registration of the seed processing works or suspend the registration of the seed processing works for such time as the Minister sees fit or until the Minister revokes the suspension.
- (3) The discretion of the Minister to determine whether seed is suitable to be certified under a particular seed certification scheme is not limited by the fact that the seed has been treated and packed in accordance with the Ninth Schedule.

#### 17. Use of certain descriptions restricted

- (1) The use of any of the words "certified", "certificated", "disease-resistant", "disease-immune", "wilt-resistant", "wilt-immune", or any other words implying the existence of genetically-carried morphological or physiological characteristics, in any label, invoice, circular, advertisement, or other document in relation to any seed lot, is prohibited unless
  - (a) the seed lot has been tested and certified pursuant to a scheme that is a seed certification scheme within the meaning given by regulation 3; or
  - (b) the seed lot has been certified under a seed certification scheme conducted by a department of the Government of another State of the Commonwealth, and the words used are accompanied by a statement of the name of that department and the name of the State in which the seeds were certified.

Penalty: \$200.

(2) For the purposes of subregulation (1) the Northern Territory of the Commonwealth is deemed to be a State of the Commonwealth.

## 18. Repeal

[Omitted under the Reprints Act 1984 s.7(4)(f).]

page 9

[Regs. 5, 11]

## **Crop Seeds**

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Botanical names	Common Names	Minimum	Minimum	Minimum	Purity	Germination
		$mass_1$	proportion required <sub>2</sub>	germinable proportion <sub>3</sub>	Group	Group
Abelmoschus esculentus	Okra	0.1	99	50	1	1
Aerva javanica	Kapok bush	1.0	90	10	4	3
Aeschynomene falcata	Jointvetch	10.0	99	60	3	2
Agropyron elongatum	Tall wheatgrass	10.0	99	85	4	3
Agrostis stolonifera	Creeping bent	0.5	99	85	4	3
Agrostis tenuis	Browntop bent	0.5	99	85	4	3
Allium cepa var. cepa	Onion	0.1	99	60	1	2
Allium cepa var.	Shallot	0.1	99	60	1	2
aggregatum	Silation	0.1	22	00	1	2
Allium porrum	Leek	0.1	99	60	1	2
Allium schoenoprasum	Chives	0.1	99	50	1	2
Alopercurus pratensis	Meadow foxtail	10.0	98	40	3	3
	Alyce clover	10.0	96 96	50	2	2
Alysicarpus vaginalis	Celery	0.1	98	50	2	2
Apium graveolens Apium graveolens var.	Celely	0.1	96	30	2	2
rapaceum	Celeriac	0.1	98	50	2	2
	Peanut	10.0	96 95	80	1	2
Arachis hypogaea			93 99	55	1	2
Asparagus officinalis	Asparagus	0.1			2	2
Astragalus hamosus	Milk vetch	10.0	99	60	2	2
Astrebla elymoides	Hoop mitchell	10.0	7.5	25	2	2
	grass	10.0	75	35	3	3
Astrebla lappacea	Curly mitchell	100				
	grass	10.0	75	35	3	3
Astrebla pectinata	Barley mitchell				_	_
	grass	10.0	75	35	3	3
Astrebla squarrosa	Bull mitchell grass	10.0	75	35	3	3
Atriplex nummularia	Oldman saltbush	10.0	60	70	4	3
Atriplex rhagodioides	River saltbush	10.0	60	70	4	3
Atriplex undulata	Wavyleaf saltbush	10.0	60	70	4	3
Atriplex semibaccata	Creeping saltbush	10.0	60	70	4	3
Avena sativa	Common oat	10.0	98	90	2	1
Avena strigosa	Sand oat	10.0	98	90	1	1
Axonopus compressus	Broadleaf carpet					
	grass	10.0	98	60	4	3
Beta vulgaris	Beet	0.1	97	60	2	3
Brachiaria decumbens	Signal grass	10.0	50	15	3	3
Brassica juncea	Indian mustard	10.0	99	80	2	2
Brassica oleracea var.						
acephala	Kale	0.1	99	70	2	2
Brassica oleracea var.						
botrytis	Cauliflower	0.1	99	70	2	2
Brassica oleracea var.						
capitata	Cabbage	0.1	99	70	2	2
Brassica oleracea var.	Cuodage	0.1		, ,	-	-
gemmifera	Brussels sprouts	0.1	99	70	2	2
Brassica oleracea var.	Brussels sprouts	0.1	//	70	-	-
gongylodes	Kohlrabi	0.1	99	70	2	2
Brassica oleracea var.	Broccoli	0.1	99	70	2	2
italica	Diocon	0.1	,,	70	2	2
Brassica napus var. napus	Rape	10.0	99	75	2	2
Brassica napus var.	карс	10.0	77	13	2	2
	Swede	0.1	99	70	2	2
napobrassica		0.1				
Brassica nigra	Black mustard	10.0	99	70 70	2	2
Brassica pekinensis	Chinese cabbage	0.1	99	70	2	2
Brassica rapa var. rapa	Turnip	0.1	99	70	2	2
Bromus mollis	Soft brome	10.0	95	70	3	3

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Botanical names	Common Names	Minimum mass <sub>1</sub>	Minimum proportion required <sub>2</sub>	Minimum germinable proportion <sub>3</sub>	Purity Group	Germination Group
Bromus unioloides	Prairie grass	10.0	95	80	3	3
Cajanus cajan	Pigeon pea	10.0	99	70	1	2
Calopogonium	Calopo	10.0	95	50	1	2
mucunoides						
Capsicum annuum	Green pepper	0.1	99	50	1	2
Capsicum frutescens	Hot pepper	0.1	99	50	1	2
Carica papaya	Pawpaw	0.1	98	30	2	2
Carthamus tinctorius	Safflower	10.0	98	80	1	2
Cenchrus ciliaris	Buffel grass	10.0	90	20	4	3
Cenchrus setiger	Birdwood grass	10.0	90	30	4	3
Centrosema pubescens	Centro	10.0	94	50	2	2
Chloris gayana	Rhodes grass	10.0	80	20	4	3
Cicer arietinum	Chick pea	10.0	99	75	1	3
Cichorium endivia	Endive	0.1	98	55	2	2
Cichorium intybus	Chicory	0.1	98	60	2	2
Citrullus lanatus var. caffer	Watermelon	0.1	99	65	1	2
Clitoria ternatea	Butterfly pea	10.0	94	50	1	2
Crotalaria goreensis	Gambia pea	10.0	98	70	2	2
Crotalaria cunninghamii	Parrot pea	10.0	98	70	2	2
Cucumis melo	Rock melon	0.1	99	70	1	2
Cucumis sativus	Cucumber	0.1	99	80	1	2
Cucurbita maxima	Squash	0.1	99	75	1	2
Cucurbita pepo	Marrow	0.1	99	75	1	2
Cyamopsis tetragonoloba	Guar	10.0	95	70	1	2
Cynara scolymus	Globe artichoke	0.1	98	60	2	2
Cynodon dactylon	Couch	0.5	98	80	3	3
Cynosurus cristatus	Crested dog's tail	10.0	98	80	3	3
Dactylis glomerata	Cocksfoot	10.0	80	70	4	3
Daucus carota	Carrot	0.1	95	50	2	2
Desmodium barbatum	Barbadinho	10.0	95	70	2	2
Desmodium biarticulatum	Engordo	10.0	95	70	2	2
Desmodium canum Desmodium heterocarpon	Kaimi clover Variable	10.0	95	70	2	2
	desmodium	10.0	95	70	2	2
Desmodium heterophyllum	Hetero desmodium	10.0	95	70	2	2
Desmodium intortum	Greenleaf			70	2	2
	desmodium	10.0	95			
Desmodium sandwicense Desmodium triflorum	Spanish clover Creeping tick	10.0	95	70	2	2
	clover	10.0	95	70	2	2
Desmodium tortuosum	Florida beggarweed	10.0	95	70	2	2
Desmodium uncinatum	Silverleaf					
	desmodium	10.0	95	70	2	2
Desmodium varians	Slender tick trefoil	10.0	95	70	2	2
Dichondra repens	Kidney weed	0.5	99	80	2	2
Echinochloa frumentacea	Siberian millet	10.0	98	75	3	3
Echinochloa utilis	Japanese millet	10.0	98	80	3	3
Ehrharta calycina	Perennial veldtgrass	10.0	65	40	4	3
Euchlaena mexicana	Teosinte	10.0	99	50	2	2
Fagopyrum esculentum	Buckwheat	10.0	99	75	2	2
Festuca arundinacea	Tall fescue	10.0	96	80	3	3
Festuca asperula	Graceful fescue	10.0	98	65	3	3
Festuca nigrescens	Chewing's fescue	0.5	98	80	3	3
Festuca pratensis	Meadow fescue	10.0	98	65	3	3
Festuca ovina	Sheep's fescue	10.0	98	65	3	3
Festuca rubra	Red fescue	10.0	98	65	3	3
Foeniculum vulgare	Fennel	0.1	98	60	2	2
Glycine max	Soybean	10.0	99	60	1	2
Gossypium arboreum	Asiatic cotton	10.0	98	70	2	2
Gossypium barbadense	Sea island cotton	10.0	98	70	2	2

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Botanical names	Common Names	Minimum	Minimum	Minimum	Purity	Germination
		$mass_1$	proportion	germinable	Group	Group
C : 1 1	A 1 11 11	10.0	required <sub>2</sub>	proportion <sub>3</sub>		
Gossypium herbaceum	Asiatic cotton	10.0 10.0	98 98	70 70	2 2	2 2
Gossypium hirsutum	Upland cotton		98 99	80	1	2
Helianthus annuus Hibiscus cannabinus	Sunflower Kenaf	10.0 10.0	99	50 50	1	2 2
Hibiscus sabdariffa	Rosella	0.1	99	50 50	1	2
Hordeum vulgare	Barley	10.0	98	90	1	1
Lablab purpureus	Lablab bean	10.0	99	75	1	2
Lactuca sativa	Lettuce	0.1	97	75 75	2	2
Lactuca sativa Lathyrus odoratus	Sweet pea	0.1	99	70	1	2
Lathyrus tingitanus	Tangier pea	10.0	99	70	i	2
Lens culinaris	Lentil	10.0	99	70	i	2
Lepidium sativum	Garden cress	0.1	99	70	3	2
Lespedeza cuneata	Perennial	0.1	//	70	5	-
Ecspedeza cuncuta	lespedeza	10.0	95	40	3	2
Lespedeza stipulacea	Korean lespedeza	10.0	95	40	3	2
Lespedeza striata	Japanese	10.0	75	40	5	-
	lespedeza	10.0	95	40	3	2
Lespedeza virginica	Virginian	10.0	25	.0	3	-
Despected in Silien	lespedeza	10.0	95	40	3	2
Leucaena leucocephala	Leucaena	10.0	98	60	1	2
Linum usitatissimum	Linseed	10.0	98	80	i	2
Lolium multiflorum	Italian ryegrass	10.0	98	80	3	3
Lolium perenne	Pereninal ryegrass	10.0	98	80	3	3
Lolium rigidum	Annual ryegrass	10.0	99	80	3	3
Lotononis bainesii	Lotononis	10.0	95	50	3	2
Lotus berthelottii	Garden lotus	10.0	95	75	3	2
Lupinus albus	White lupin	10.0	99	75 75	1	3
Lupinus angustifolius	Narrowleaf lupin	10.0	99	75 75	1	3
Lupinus cosentinii	Sandplain lupin	10.0	99	10	1	3
Lupinus luteus	Yellow lupin	10.0	99	75	1	3
Lycopersicon	renow rupin	10.0	99	13	1	3
lycopersicum	Tomato	0.1	98	75	2	2
Macroptilium	Tomato	0.1	90	13	2	2
atropurpureum	Siratro	10.0	98	70	1	2
Macroptilium lathyroides	Phasey bean	10.0	98	70 70	1	2
Macrotyloma axillare	Perennial horse	10.0	90	70	1	2
Macrotylonia axiliare	gram	10.0	98	60	1	2
Maaratulama uniflamum	Horse gram	10.0	98	60	1	2
Macrotyloma uniflorum Medicago littoralis	Strand medic	10.0	98 97	70	2	2
Medicago lupulina	Black medic	10.0	98	70 70	2	2
					2	2
Medicago murex	Murex medic	10.0	96	60	2	2
Medicago orbicularis	Button medic	10.0	96	50		
Medicago polymorpha	Burr medic	10.0	96	60	2	2
Medicago rugosa	Gama medic	10.0	97	70 75	2	2 2
Medicago sativa	Lucerne	10.0	98	75	2	
Medicago scutellata	Snail medic	10.0	96	70	2	2
Medicago tornata	Disc medic	10.0	97	70	2	2
Medicago truncatula	Barrel medic	10.0	97	70	2	2
Melilotus albus	Bokhara clover	10.0	98	70	2	2
Melinis minutiflora	Molasses grass	10.0	40	30	4	3
Mucuna deeringiana	Velvet bean	10.0	99	70	1	2
Nasturtium officinale	Watercress	0.1	99	80	2	2
Neonotonia wightii	Glycine	10.0	98	60	1	2
Nicotiana tabacum	Tobacco	0.1	98	60	4	3
Oenothera stricta	Common evening			40		
	primrose	0.1	97	40	4	3
Onobrychis viciifolia	Sainfoin	10.0	99	70	2	2
Origanum vulgare	Wild marjoram	0.1	98	40	2	2
Ornithopus compressus	Yellow serradella	10.0	99	20	3	3
Ornithopus sativus	French serradella	10.0	99	20	3	3
Oryza sativa	Rice	10.0	99	70	2	2
Panicum antidotale	Giant panic	10.0	80	50	4	3
Panicum coloratum	Coolah grass	10.0	60	20	4	3
Panicum maximum var.						

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Botanical names	Common Names	Minimum mass <sub>1</sub>	Minimum proportion required <sub>2</sub>	Minimum germinable proportion <sub>3</sub>	Purity Group	Germination Group
trichoglume	Green panic	10.0	70	20	4	3
Panicum miliaceum	Millet panic	10.0	98	75	4	3
Paspalum scrobiculatum	Scrobic	10.0	95	40	4	3
Paspalum dilatatum	Paspalum	10.0	70	70	4	3
Paspalum notatum	Bahia grass	10.0	60	60	4	3
	Plicatulum	10.0	60	40	4	3
Paspalum plicatulum Paspalum wettsteinii	Broadleaf			40	4	3
D : G 1 1:	paspalum	10.0	60			2
Passiflora edulis	Passion fruit	0.1	98	30	2	
Pastinaca sativa	Parsnip	0.1	98	40	2	2
Pennisetum clandestinum	Kikuyu grass	0.1	94	70	3	2
Pennisetum glaucum	Pearl millet	10.0	98	70	3	2
Pennisetum purpureum	Elephant grass	10.0	98	70	3	2
Petroselinum crispum	Parsley	0.1	98	40	2	2
Phalaris aquatica	Phalaris	10.0	97	70	3	2
Phalaris arundinacea	Reed canary grass	10.0	97	70	3	2
Phalaris canariensis	Canary grass	10.0	99	70	3	2
Phalaris coerulescens Phaseolus coccineus	Blue canary grass Scarlet runner	10.0	97	70	3	2
	bean	1.0	99	70	1	3
Phaseolus lunatus	Lima bean	1.0	99	75	1	3
Phaseolus vulgaris	Common bean	1.0	99	75	1	3
Phleum pratense	Timothy	10.0	98	80	3	3
Physalis peruviana	Cape gooseberry	0.1	99	30	2	2
Pisum sativum	Pea	1.0	99	75	1	2
Poa compressa	Canada bluegrass	10.0	80	40	4	3
			80	40	4	3
Poa nemoralis	Wood poa	10.0	80	40	4	3
Poa pratensis	Kentucky bluegrass	0.5	80	80	4	3
Poa trivialis	Rough					
	meadowgrass	0.5	80	80	4	3
Puccinellia ciliata	Puccinellia	10.0	97	35	4	3
Pueraria phaseoloides	Puero	10.0	94	50	2	2
Raphanus sativus	Radish	0.1	99	75	2	2
Rheum rhabarbarum	Rhubarb	0.1	99	50	2	2
Sanguisorba minor	Sheep's burnet	10.0	99	60	2	2
Salvia officinalis	Sage	0.1	99	40	2	2
Secale cereale	Rye	10.0	98	75	1	1
Sesamum indicum	Sesame	0.1	98	80	2	2
Setaria italica	Italian millet	10.0	98	75	4	3
Setaria porphyrantha	Purple pidgeon grass	10.0	98	75	4	3
Setaria sphacelata	Setaria	10.0	60	20	4	3
Sinapis alba	White mustard	10.0	99	65	2	2
Solanum melongena	Eggplant	0.1	99	50	1	2
		10.0	98	65	4	3
Sorghum almum	Columbus grass Forage sorghum		98 99	85	2	2
Sorghum bicolor		10.0				
Spinacia oleracea	Spinach	0.1	98	45	2	2
Stylosanthes guianensis	Stylo	10.0	90	40	4	3
Stylosanthes hamata	Caribbean stylo	10.0	90	40	4	3
Stylosanthes humilis	Townsville stylo	10.0	90	40	4	3
Stylosanthes scabra	Shrubby stylo	10.0	90	80	4	3
Tetragonia tetragonoides	New Zealand spinach	0.1	90	40	3	2
Thymus vulgaris	Thyme	0.1	98	40	2	2
Tragopogon porrifolius	Salsify	0.1	99	50	2	2
Trifolium alexandrnum	Berseem clover	10.0	98	75	2	2
Trifolium ambiguum	Caucasian clover	10.0	95	75	2	2
Trifolium cernuum	Drooping flowered clover	10.0	95	80	3	2
Trifolium cherleri	Cupped clover	10.0	97	80	2	2
	Suckling clover					
Trifolium dubium		10.0	96	80	3	2
Trifolium fragiferum	Strawbery clover	10.0	98	80	3	2
Trifolium glomeratum	Cluster clover	10.0	96	80	3	2

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Botanical names	Common Names	Minimum	Minimum	Minimum	Purity	Germination
		$mass_1$	proportion	germinable	Group	Group
			required <sub>2</sub>	proportion <sub>3</sub>		
Trifolium hirtum	Rose clover	10.0	98	80	2	2
Trifolium hybridum	Alsike clover	10.0	96	80	2	2
Trifolium incarnatum	Crimson clover	10.0	98	80	2	2
Trifolium pratense	Red clover	10.0	97	80	2	2
Trifolium repens	White clover	10.0	98	70	3	2
Trifolium resupinatum	Shaftal clover	10.0	96	80	3	2
Trifolium semipilosum	Kenya white					
•	clover	10.0	97	80	3	2
Trifolium spumosum	Bladder clover	10.0	97	80	2	2
Trifolium subterraneum	Subterranean					
	clover	10.0	98	80	2	2
Trigonella	Birdsfoot					
ornithopodioides	fenugreek	10.0	97	80	3	2
Triticosecale	Triticale	10.0	98	90	1	1
Triticum aestvum	Common wheat	10.0	98	90	1	1
Triticum durum	Durum wheat	10.0	98	90	1	1
Urochloa mosambicensis	Sabi grass	10.0	70	20	4	3
Vicia benghalensis	Purple vetch	10.0	99	70	1	2
Vicia faba var. equina	Horse bean	10.0	99	70	i	2
Vicia faba var. major	Broad bean	1.0	99	70	1	2
Vicia faba var. minor	Faba bean	10.0	99	70	1	2
Vicia hirsuta	Hairy vetch	10.0	99	60	1	2
Vicia sativa ssp. nigra	Narrowleaf vetch	10.0	99	60	1	2
Vicia sativa ssp. sativa	Common vetch	10.0	99	60	1	2
Vicia villosa ssp.	Woollypod vetch	10.0	99	60	i	2
dasycarpa	woonjpou veten	10.0		00	•	-
Vigna luteola	Dalrymple vigna	10.0	98	70	1	2
Vigna mungo	Urd	10.0	99	70	1	2
Vigna radiata	Mung bean	10.0	99	70	1	2
Vigna umbellata	Rice bean	10.0	99	75	i	2
Vigna unioenata Vigna unguiculata ssp.	Cowpea	10.0	99	70	1	2
unguiculata	Cowpea	10.0	79	,0	1	2
Zea mays	Maize	1.0	99	85	1	2

<sup>&</sup>lt;sup>1</sup> Minimum mass (in kg) of seed lot to which the Act applies.

[First Schedule inserted in Gazette 23 June 1998 pp. 3318-20.]

 $<sup>^2</sup>$  Minimum proportion (expressed in %) of crop seed required for "select quality".

<sup>&</sup>lt;sup>3</sup> Minimum proportion (expressed in %) of crop seed required to be germinable for "select quality".

[Reg. 6]

#### **Prescribed Chemical Additives**

#### **Insecticides**

**ACEPHATE** 

**ALDRIN** 

**ALUMINIUM PHOSPHIDE** 

**ALUMINIUM SILICATES** 

**AMINOCARB** 

ARSENIC CONTAINING COMPOUNDS

AZINPHOS-ETHYL

**AZINPHOS-METHYL** 

**BENDIOCARB** 

**BHC** 

**BIORESMETHRIN** 

**CALCIUM ARSENATE** 

**CALCIUM CYANIDE** 

**CAMPHECHLOR** 

**CARBARYL** 

**CARBOFURAN** 

**CARBON DISULPHIDE** 

CARBON TETRACHLORIDE

**CARBO-PHENOTHION** 

**CHLORDANE** 

**CHLORDIMEFORM** 

**CHLORFENVINPHOS** 

CHLORINATED TERPENE ISOMERS

**CHLOROPICRIN** 

**CHLORPYRIFOS** 

CHLORPYRIFOS-METHYL

**CYPERMETHRIN** 

DDT

**DECAMETHRIN** 

**DEMETON-O-METHYL** 

**DEMETON-S-METHYL** 

**DERRIS** 

**DIAZINON** 

1,1-DICHLORO-2, 2-bis (P-ETHYLPHENYL) ETHANE

**DICHLORVOS** 

**DICOFOL** 

**DIELDRIN** 

**DIMETHOATE** 

**DISULFOTON** 

**EDB** 

**ENDOSULFAN** 

**ENDRIN** 

ETHYLENE DICHLORIDE

**FENITROTHION** 

**FENSON** 

**FENTHION** 

**FORMOTHION** 

**HEPTACHLOR** 

HYDROCYANIC ACID

HYDROGEN PHOSPHIDE

INORGANIC BROMIDE

LEAD ARSENATE

LINDANE

**MALDISON** 

**MECARBAM** 

**MENAZON** 

**METHIDATHION** 

**METHIOCARB** 

**METHOMYL** 

**METHOXYCHLOR** 

METHYL BROMIDE

**MEVINPHOS** 

**MONOCROTOPHOS** 

**NALED** 

**OMETHOATE** 

**PARATHION** 

PARATHIONS-METHYL

**PERMETHRIN** 

**PHORATE** 

**PHOSMET** 

**PHOSPHAMIDON** 

**PHOSPHINE** 

PIPERONYL BUTOXIDE

PIRIMIPHOS-METHYL

**PROFENOFOS** 

**PROPARGITE** 

**PROPOXUR** 

**PYRETHRIN** 

**SCHRADAN** 

**SULPROFOS** 

**TETRADIFON** 

**THIOMETON** 

TRICHLORFON

TRICHLOROETHYLENE

#### **Fungicides**

BENOMYL

BENQUINOX

**CAPTAN** 

**CARBOXIN** 

**CHLORANIL** 

**CHLORDANE** 

**COPPER CARBONATE** 

1,2-bis (DIMETHYL-DITHIOCARBAMOYL-DITHIO (THIOCARBONYL) AMINO) ETHANE

5-ETHOXY-3-TRICHLORO-METHYL-1, 2, 4-THIADIAZOLE

N-(ETHYLMERCURI)-N-PHENYL 4-METHYLBENZENE-SULPHONAMIDE

**FENAMINOSULF** 

**FENFURAM** 

**FERBAM** 

**FORMOTHION** 

**HCB** 

2-n-Octyl-4 ISOTHIAZOLIN-3-ONE

**MANCOZEB** 

**MANEB** 

MERCURY CONTAINING COMPOUNDS (INORGANIC AND ORGANIC)

**METHFUROXAM** 

METHYOXYETHYL MERCURY CHLORIDE

METHYOXYETHYL MERCURY SILICATE

METHYL MERCURY DICYANAMIDE

PROPIONIC ACID

**QUINTOZENE** 

**TCMTB** 

**THIABENDAZOLE** 

**THIRAM** 

**TRIADIMEFON** 

**ZINEB** 

**ZIRAM** 

[Reg. 7]

## **Weed Seeds**

<b>Botanical Name</b>	<b>Common Name</b>
Acroptilon repens	Creeping knapweed
Allium triquetrum	Three corner garlic
Allium vineale	Crow garlic
Alternanthera denticulata	Lesser joyweed
Alternanthera nana	Hairy joyweed
Alternanthera nodiflora	Common joyweed
Anthemis arvensis	Corn chamomile
Anthemis cotula	Stinking mayweed
Arctium lappa	Burdock
Arctotheca calendula	Capeweed
Arrhenatherum elatius	False oatgrass
Asphodelus fistulosus	Onionweed
Avena barbata	Bearded oat
Avena fatua	Wild oat
Avena sterilis	Sterile oat
Baccharis halimifolia	Groundsel bush
Berberis vulgaris	Barberry
Brassica oxyrrhina	Smoothstem turnip
Brassica tournefortii	Wild turnip
Buglossoides arvensis	Corn gromwell
Calicotome spinosa	Spiny broom
Carduus pycnocephalus	Slender thistle
Carduus tenuiflorus	Winged slender thistle
Cenchrus biflorus	Gallon's curse
Cenchrus brownii	Burr grass
Cenchrus caliculatus	Hillside burrgrass
Cenchrus echinatus	Mossman river grass
Cenchrus gracillimus	Burrgrass
Cenchrus incertus	Spiny burrgrass

<b>Botanical Name</b>	<b>Common Name</b>
Cenchrus longispinis	Spiky burrgrass
Centaurea melitensis	Maltesecockspur
Centaurea nigra	Black knapweed
Centaurea paniculata	Panicled knapweed
Chenopodium album	Fat hen
Chenopodium carinatum	Kneeled goosefoot
Chenopodium cristatum	Crested goosefoot
Chenopodium glaucum	Galucous goosefoot
Cirsium vulgare	Spear thistle
Citrullus colocynthis	Colocynth
Cucumis myriocarpus	Prickly paddy melon
Cyperus eragrostis	Umbrella sedge
Cyperus esculentus	Yellow nutgrass
Cyperus rotundus	Nutgrass
Dispsacus sativus	Fuller's teazle
Dipsacus sylvestris	Wild teazle
Dittrichia graveolens	Stinkwort
Echinochloa crus-galli	Barnyard grass
Echium vulgare	Viper's bugloss
Eleusine indica	Crowsfoot grass
Eleusine tristachya	Goosegrass
Euphorbia escula	Leafy spurge
Euphorbia lathyris	Caper spurge
Galinsoga parviflora	Potato weed
Halogeton glomeratus	Halogeton
Hirschfeldia incana	Buchan weed
Hypericum tetrapterum	St. Peter's wort
Ipomoea indica	Blue morning glory
Ipomoea lonchophylla	Cowvine
Ipomoea plebeia	Bellvine
Jatropha curcas	Physic nut
Jatropra gossypifolia	Bellyache bush
Lactuca pulchella	Blue lettuce

<b>Botanical Name</b>	Common Name
Lactuca saligna	Wild lettuce
Lactuca serriola	Prickly lettuce
Lantana camara	Common lantana
Lepidium latifolium	Perennial peppercress
Leucanthemum vulgare	Ox eye daisy
Linaria dalmatica	Dalmatian toadflax
Lolium loliaceum	Stiff ryegrass
Lolium temulentum	Darnel
Mahonia repens	Oregon grape
Melilotus indicus	Hexham scent
Monerma cylindrica	Common barbgrass
Neslia paniculata	Ball mustard
Polygonum convolvulus	Black bindweed
Raphanus raphanistrum	Wild radish
Rapistrum rugosum	Turnip weed
Reseda alba	White mignonette
Reseda lutea	Cutleaf mignonette
Reseda luteola	Wild mignonette
Rubus fruticosus	Blackberry
Rubus laciniatus	Cutleaf blackberry
Rumex acetosa	Sour dock
Rumex acetosella	Sorrel
Rumex brownii	Swamp dock
Rumex conglomeratus	Clustered dock
Rumex crispus	Curled dock
Rumex obtusifolius	Broadleaf dock
Rumex pulcher	Fiddle dock
Salpichroa origanifolia	Pampas lily of the valley
Sesbania species	Sesbania pea
Sida calyxhymenia	Tall sida
Sida corrugata	Corrugated sida
Sida fibulifera	Pin sida
Sida platycalyx	Lifesaver burr

<b>Botanical Name</b>	Common Name
Sida rhombifolia	Common sida
Sida spinosa	Spiny sida
Sida subspicata	Spiked sida
Sida trichopoda	High sida
Silene vulgaris	Bladder campion
Sisymbrium altissimum	Tumbling mustard
Sisymbrium erysimoides	Smooth mustard
Sisymbrium irio	London rocket
Sisymbrium officinale	Hedge mustard
Sisymbrium orientale	Indian hedge mustard
Sisymbrium thellungii	African turnip weed
Solanum carolinense	Carolina horse nettle
Solanum hispidum	Giant devil's fig
Solanum hoplopetalum	Prickly potato weed
Solanum nigrum	Black berry nightshade
Solanum rostratum	Buffalo burr
Sonchus arvensis	Corn sowthistle
Sorghum almum	Columbus grass
Stipa brachychaeta	Espartillo
Taeniatherum caput-medusae	Medusa head
Tetragonia tetragonoides	New Zealand spinach
Toxicodendron radicans	Poison ivy
Tribulus occidentalis	Perennial caltrop
Verbascum species	Mulleins
Vulpia bromoides	Squirrel tail fescue

[Third Schedule amended in Gazette 13 November 1987 p.4196; 3 March 1995 p.770.]

#### **Fourth Schedule**

[Reg. 9]

#### **Germination Tests**

#### Part 1 — Test Conditions

The test conditions to be used in ascertaining whether crop seed is germinable are those printed in chapter 5, and in Annexes to chapter 5, of "Seed Science and Technology" Volume 4, Number 1, 1976, published by the International Seed Testing Association, as added to and amended in —

- (a) the "Report of the Rules Committee 1974-1977", printed in "Seed Science and Technology" Volume 6, Number 1, 1978; and
- (b) the "Report of the Rules Committee 1977-1980", printed in "Seed Science and Technology" Volume 9, Number 1, 1981, each published by the International Seed Testing Association.

#### Part 2 — Growth Characteristics of Germinable Seed

- (1) Germinable seeds are seeds which, when tested under the conditions referred to in Part 1, produce seedlings which
  - (a) possess
    - (i) a well-developed root system including a primary root, except for those plants normally producing seminal roots;
    - (ii) a well-developed and intact hypocotyl and/or epicotyl without damage to the conducting tissues and in dicotyledons, a normal plumule;
    - (iii) in the case of plants of the family *Poaceae*, a well-developed primary leaf within or emerging through the coleoptile; and
    - (iv) one cotyledon for seedlings of monocotyledons and 2 cotyledons for seedling of dicotyledons;

or

(b) although having one or more of the following slight defects, otherwise show vigorous and balanced development of the structures referred to in paragraph (a) and show the capacity

#### **Fourth Schedule**

for continued development into normal plants when grown in good quality soil, and under favourable conditions of water supply, temperature and light —

- (i) being seedlings of the *Zea* species a species of the family *Malvaceae* or *Cucurbitaceae*, or of a large-seeded legume, have a damaged primary root, but several adventitious and lateral roots of sufficient length and vigour to support the seedling in soil;
- (ii) are seedlings having superficial damage or decay to the essential structures of the seedling which is limited in area and does not affect the conducting tissues;
- (iii) are seedlings of dicotyledons with only one cotyledon.
- (2) Where seedlings are decayed by fungi or bacteria, and it is clearly apparent that
  - (a) the parent seed is not the source of infection; and
  - (b) but for the decay, the seedlings would have been in accordance with paragraph (a) or (b) of item 1,

the seedlings are deemed to be in accordance with that paragraph.

#### **Fifth Schedule**

[Reg. 10]

Tolerances

Part 1 — Proportion in which crop seed is contained

Stated	%	Stated	%	Stated	%
%	Tolerable	%	Tolerable	%	Tolerable
100.0	99.9-100	91.0	89.3-92.7	46.0	43.0-49.0
99.9	99.7-100	90.0	88.2-91.8	44.0	41.0-47.0
99.8	99.5-100	88.0	86.1-89.9	42.0	39.0-45.0
99.7	99.3-100	86.0	84.0-88.0	40.0	37.0-43.0
99.6	99.2-100	84.0	81.9-86.1	38.0	35.0-41.0
99.5	99.1-99.9	82.0	79.7-84.3	36.0	33.1-38.9
99.4	98.9-99.9	80.0	77.6-82.4	34.0	31.1-36.9
99.3	98.8-99.8	78.0	75.6-80.4	32.0	29.2-34.8
99.2	98.6-99.8	76.0	73.5-78.5	30.0	27.2-32.8
99.1	98.5-99.7	74.0	71.4-76.6	28.0	25.3-30.7
99.0	98.4-99.6	72.0	69.3-74.7	26.0	23.3-28.7
98.8	98.1-99.5	70.0	67.3-72.7	24.0	21.4-26.6
98.6	97.9-99.3	68.0	65.3-70.7	22.0	19.5-24.5
98.4	97.6-99.2	66.0	63.2-68.8	20.0	17.6-22.4
98.2	97.3-99.1	64.0	61.1-66.9	18.0	15.6-20.4
98.0	97.1-98.9	62.0	59.1-64.9	16.0	13.7-18.3
97.5	96.6-98.4	60.0	57.1-62.9	14.0	11.9-16.1
97.0	96.0-98.0	58.0	55.0-61.0	12.0	10.0-14.0
96.0	94.8-97.2	56.0	53.0-59.0	10.0	8.1-11.9
95.0	93.7-96.3	54.0	51.0-57.0	8.0	6.3-9.7
94.0	92.6-95.4	52.0	49.0-55.0	6.0	4.5-7.5
93.0	91.5-94.5	50.0	47.0-53.0	4.0	2.8-5.2
92.0	90.4-93.6	48.0	45.0-51.0	2.0	1.1-2.9

Where the stated % in question does not appear in the table above, the tolerance applicable is to be derived by straight line extrapolation from the tolerances prescribed for the nearest stated percentages above and below the stated % in question that appear in the table.

#### Fifth Schedule

Part 2 — Minimum proportion of crop seed that is germinable

Stated	Min.	Stated	Min.	Stated	Min.	Stated	Min.
Min.	%	Min.	%	Min.	%	Min.	%
%	Tolerable	%	Tolerable	%	Tolerable	%	Tolerable
1		26	17	37	40	76	68
2 3		27	18	52	41	77	69
3		28	19	53	42	78	70
4	1	29	20	54	43	79	71
5	1	30	21	55	44	80	72
6	2	31	22	56	45	81	73
7	3	32	23	57	46	82	75
8	3	33	23	58	47	83	76
9	4	34	24	59	48	84	77
10	5	35	25	60	50	85	78
11	5	36	26	61	51	86	79
12	6	37	27	62	52	87	81
13	7	38	28	63	53	88	82
14	8	29	29	64	54	89	83
15	8	40	30	65	55	90	84
16	9	41	31	66	56	91	86
17	10	42	31	67	57	92	87
18	11	43	32	68	58	93	88
19	12	44	33	69	60	94	90
20	12	45	34	70	61	95	91
21	13	46	35	71	62	96	92
22	14	47	36	72	63	97	94
23	15	48	37	73	64	98	95
24	16	49	38	74	65	99	96
25	17	50	39	75	66	100	97

Where the stated minimum % in question does not appear in the table above, the minimum % tolerable is to be derived by straight line extrapolation from the minimum % tolerable prescribed for the nearest stated minimum percentages above and below the stated minimum % in question that appear in the table.

Part 3 — Maximum proportion in which weed seed is contained

Stated	Max. No.	Stated	Max No.	Stated	Max No.	Stated	Max. No.
Max. No.	Per Mass	Max. No.	Per Mass	Max. No.	Per Mass	Max. No.	Per Mass
Per Mass	Tolerable	Per Mass	Tolerable	Per Mass	Tolerable	Per Mass	Tolerable
5	11	470	521	2 400	2 580	9 800	10 450
10	18	480	532	2 450	2 630	10 000	10 670
15	25	490	542	2 500	2 680	10 500	11 200
20	31	500	553	2 550	2 740	11 000	11 730
25	37	520	575	2 600	2 790	11 500	12 260
30	44	540	596	2 650	2 840	12 000	12 790
35	50	560	617	2 700	2 900	12 500	13 330
40	55	580	640	2 750	2 950	13 000	13 860
45	61	600	660	2 800	3 000	13 500	14 390
50	67	620	680	2 850	3 050	14 000	14 920
55	73	640	700	2 900	3 110	14 500	15 460
60	79	660	725	2 950	3 160	15 000	15 990
65	85	680	745	3 000	3 210	15 500	16 520
70	90	700	767	3 100	3 320	16 000	17 050
75	96	720	788	3 200	3 430	16 500	17 590
80	102	740	810	3 300	3 550	17 000	18 120
85 90	107	760	830	3 400	3 640	17 500	18 650
	113	780	850	3 500	3 750	18 000	19 180
95	118	800	875	3 600	3 850	18 500	19 710
100 110	124 135	820 840	895 915	3 700 3 800	3 960 4 070	19 000 19 500	20 250 20 780
	146	860	937	3 900			21 310
120 130	157	880 880	958 958	4 000	4 170 4 280	20 000 21 000	22 380
140	168	900	980	4 100	4 390	22 000	23 440
150	179	920	1 000	4 200	4 490	23 000	24 500
160	190	940	1 022	4 300	4 600	24 000	25 570
170	201	960	1 043	4 400	4 700	25 000	26 630
180	212	980	1 065	4 500	4 810	26 000	27 700
190	223	1 000	1 085	4 600	4 920	27 000	28 760
200	234	1 050	1 140	4 700	5 020	28 000	29 830
210	245	1 100	1 190	4 800	5 130	29 000	30 890
220	255	1 150	1 245	4 900	5 240	30 000	31 960
230	266	1 200	1 300	5 000	5 340	31 000	33 020
240	277	1 250	1 350	5 200	5 560	32 000	34 080
250	288	1 300	1 405	5 400	5 770	33 000	35 150
260	298	1 350	1 458	5 600	5 980	34 000	36 210
270	309	1 400	1 512	5 800	6 190	35 000	37 280
280	320	1 450	1 565	6 000	6 410	36 000	38 340
290	330	1 500	1 618	6 200	6 620	37 000	39 410
300	341	1 550	1 670	6 400	6 830	38 000	40 470
310	352	1 600	1 725	6 600	7 050	39 000	41 540
320	362	1 650	1 778	6 800	7 260	40 000	42 600
330	373	1 700	1 830	7 000	7 470	41 000	43 670
340	384	1 750	1 885	7 260	7 750	42 000	44 730
350	394	1 800	1 940	7 400	7 900	43 000	45 800
360	405	1 850	1 990	7 600	8 110	44 400	46 860
370	416	1 900	2 040	7 800	8 320	45 000	47 925
380	426	1 950	2 100	8 000	8 540	46 000	49 000
390	437	2 000	2 150	8 200	8 750	47 000	50 050
400	447	2 050	2 200	8 400	8 960	48 000	51 120
410	458	2 100	2 260	8 600	9 180	49 000	52 180
420	469	2 150	2 310	8 800	9 390	50 000	53 250
430	479	2 200	2 360	9 000	9 600	60 000	63 890
440	490	2 250	2 420	9 200	9 810	70 000	74 540
450	500	2 300	2 470	9 400	10 030	80 000	85 180
460	511	2 350	2 520	9 600	10 240	90 000	95 830
						100 000	106 470

Where the stated maximum number of weeds per mass does not appear in the table above, the maximum number of weeds per mass tolerable is that prescribed in respect of the next highest stated maximum number of seeds that appears in the table.

#### Fifth Schedule

Part 4 — Maximum proportion in which seed not named under section 7(2)(d) of the Act is contained

Stated		Stated		Stated	
	Maximum		Maximum		Maximum
Maximum	%	Maximum	%	Maximum	%
%	Tolerable	%	Tolerable	%	Tolerable
0.0	0.1	9.0	10.8	54.0	57.0
0.1	0.4	10.0	11.9	56.0	59.0
0.2	0.5	12.0	14.0	58.0	61.0
0.3	0.7	14.0	16.1	60.0	63.0
0.4	0.8	16.0	18.2	62.0	64.9
0.5	1.0	18.0	20.0	64.0	66.9
0.6	1.1	20.0	22.4	66.0	68.8
0.7	1.3	22.0	24.5	68.0	70.8
0.8	1.4	24.0	26.6	70.0	72.7
0.9	1.5	26.0	28.7	72.0	74.7
1.0	1.7	28.0	30.7	74.0	76.6
1.2	1.9	30.0	32.8	76.0	78.5
1.4	2.2	32.0	34.8	78.0	80.4
1.6	2.4	34.0	36.9	80.0	82.3
1.8	2.6	36.0	38.9	82.0	84.2
2.0	2.9	38.0	41.0	84.0	86.1
2.5	3.5	40.0	43.0	86.0	88.0
3.0	4.1	42.0	45.0	88.0	89.9
4.0	5.2	44.0	47.0	90.0	91.8
5.0	6.4	46.0	49.0	92.0	93.6
6.0	7.5	48.0	51.0	94.0	95.4
7.0	8.6	50.0	53.0	96.0	97.2
8.0	9.7	52.0	55.0	98.0	98.8

Where the stated maximum % in question does not appear in the table above, the maximum % tolerable is to be derived by straight line extrapolation from the maximum % tolerable prescribed for the nearest stated maximum % in question that appear in the table.

#### Sixth Schedule

[Reg. 10]

#### **Sampling and Analysis**

Part 1 — Sampling

A sample is not taken in accordance with this Part unless —

- (a) except where the sample is taken at the request of a person who provides the material sampled, the person appearing to be in charge of the material to be sampled (in this Part referred to as "the person in charge") is first invited to be present, and, where he so wishes, is permitted to be present, while the sample is being taken;
- (b) sampling procedures are in accordance with the rules contained in chapter 2, the annexe to chapter 2 and Appendix D of the 1993 International Rules for Seed Testing published by the International Seed Testing Association in "Seed Science and Technology", Volume 21, Supplement;
- (c) the sample taken is thoroughly mixed, divided into 3 approximately equal portions each of which is of a quantity not less than the sample size specified in the rules referred to in paragraph (b), and each portion is placed in a separate package that is then fastened and sealed;
- (d) the package containing each portion is then identified by writing on it or on a label attached to it
  - (i) the name and address of the person in charge and, where the material sampled is being sold, of the seller of the material sampled, if that information can then be ascertained;
  - (ii) a designation or code or other information sufficient to identify the material sampled;
  - (iii) the aggregate mass of the material sampled or, if the aggregate mass cannot then be ascertained, an estimate thereof;
  - (iv) the number of packages in which the material represented by the sample is contained; and

page 29

#### Sixth Schedule

- (v) the date on which the sample is taken;
- (e) where the person in charge is present, he is invited to mark with his name or initials each package (or the label attached thereto, as the case may be) in which each portion of the sample is contained and, where he so wishes, is permitted to so mark each such package (or the label attached thereto, as the case may be); and
- (f) one of the 3 packages referred to in paragraph (c) is given or sent to the person in charge, and the other 2 packages are sent to the Department.

#### Part 2 — Analysis

The methods to be used in the analysis of a seed sample are those contained in chapters 3, 4, 5 and 15 and in the annexes to chapters 3, 5 and 15 of the 1993 International Rules for Seed Testing published by the International Seed Testing Association in "Seed Science and Technology", Volume 21, Supplement.

[Sixth Schedule amended in Gazette 3 March 1995 p.771.]

## Seventh Schedule Seed Analysis and Report fees

	•	[Reg. 13]
		\$
1.	Fees for the analysis of a seed sample provided under section 25 of the Act and for a report of the result of the analysis are —	
	Pure seed content analysis; group 1	26.00
	Pure seed content analysis; group 2	36.00
	Pure seed content analysis; group 3	46.00
	Pure seed content analysis; group 4	62.00
	The pure seed content analysis group is displayed in column 6 of the First Schedule.	
	Germination analysis, group 1	36.00
	Germination analysis, group 2	41.00
	Germination analysis, group 3	46.00
	The germination analysis group is displayed in column 7 of the First Schedule.	
	Pure seed content analysis of chaffy seed	62.00
	Cultivar determination by fluorescence test	36.00
	Cultivar determination by grow-on test	82.00
	Moisture content determination	31.00
	Pest or disease test	36.00
	Weed seed presence test	32.00
	Caryopsis presence test	29.00
	Pigmented seed content	24.00
	Number of seeds (per unit volume)	26.00
	Seed identification	15.00
2.	Fee payable for an additional copy of an analysis report (the first copy of which is covered by the fee set out in item 1)	8.00
3.	Fee payable for an additional copy of any other report under the Act	8.00
	[Seventh Schedule inserted in Gazette 22 June 1999 pp	p.2671-2.J

## **Eighth Schedule**

[Reg. 15]

#### **Seed Processing Works**

- 1. (1) The seed processing works shall be suitably equipped to process seed to the standards required by each seed certification scheme in respect of which the seed processing works is to be registered.
  - (2) The equipment required by subitem (1) shall be located in a weather-proof building that has a floor of concrete or other suitable construction.
- 2. The seed processing works and its equipment shall be so laid out and organized as to enable free access to all parts of it to facilitate the cleaning and inspection of all parts of the seed processing works, its equipment, and the floor.
- 3. A system for the extraction of dust and other waste, adequate to remove reject material and to enable all processed seed and containers to be presented for inspection in a clean condition shall be provided in each building in which seed is processed.
- 4. The seed processing works shall be provided with adequate lighting.
- 5. There shall be, in the seed processing works, a seed testing bench that has a smooth, off-white surface, is so situated as to be free of dust and draught, and is otherwise suitable for the use of an inspector for analysis of seed.
- 6. Storage facilities shall be sufficient to enable the adequate storage of seed so that it is separated according to species and cultivar and whether it is untreated or treated, and, where practicable, so that places where equipment is to operate are not required to be used for storage.
- 7. The premises shall be designed and equipped so as to enable them to be operated in accordance with the requirements of these regulations.

#### **Ninth Schedule**

[Reg. 16]

## **Operation of Registered Seed Processing Works**

- 1. At all times during which the seed processing works is operating there shall be present and for the time being in charge of the operation a person (in this Schedule referred to as "the works supervisor") who has been nominated to, and approved by, an officer authorized to give such approval.
- 2. The works supervisor shall ensure that all stages of seed processing are adequately supervised, and shall have particular regard to the need to supervise casual workers.
- 3. Seed shall not be received for processing unless it is accompanied by a declaration
  - (a) identifying the seed; and
  - (b) specifying the area from which the seed was harvested,

with sufficient particularity for the purposes of the seed certification scheme under which the seed is to be certified.

- 4. Seed shall be processed to the highest standard practicable having regard to the impurities present.
- 5. At all stages of seed processing adequate precautions shall be taken to ensure that the condition of seed is maintained and its quality is not impaired by contamination or otherwise.
- 6. The quantity of seed that is to be represented by a particular sample taken for analysis by the Department shall not exceed the quantity specified in the annexe to chapter 2 of the 1993 International Rules for Seed Testing published by the International Seed Testing Association in "Seed Science and Technology", Volume 21, Supplement.
- 7. (1) Seed that is to be certified shall be packed in new bags made either of jute or propylene threads and of a strength approved by an officer authorized to give such approval.

#### **Ninth Schedule**

- (2) Unless the seed certification scheme under which the seed is to be certified provides that this subitem does not apply in relation to seed to be certified under that seed certification scheme, seed that is to be certified shall be packed in double bags each of which complies with subitem (1).
- (3) An officer authorized to give such approval may approve of the packing of seed for certification otherwise than in accordance with subItems (1) and (2), and seed packed in accordance with such approval is deemed to be packed in accordance with those subitems.
- 8. The works supervisor shall ensure that any seed packed and marked for certification is able to be positively identified as the seed to which a particular declaration such as is referred to in item 3 relates.
- 9. The works supervisor shall give to the inspector responsible for the sampling and initial analysis of seed the declaration referred to in item 3 that relates to that seed.
- 10. (1) Where sampling is to be by hand, the bags of seed to be sampled shall be in rows not more than 4 bags wide and otherwise so presented as to facilitate access by the inspector.
  - (2) Where sampling is to be by an automatic sampling device, it shall be operated in accordance with the directions of an officer authorized in that behalf.
- 11. (1) Where upon a preliminary analysis for seed content conducted at the seed processing works it appears to an inspector that the seed represented by the sample meets the seed content requirement of the relevant seed certification scheme, the bags containing the seed shall be sewn up so as to sew in the labels allocated to the seed that are provided by the inspector.
  - (2) In sewing up a bag and sewing in the label in accordance with subitem (1)
    - (a) a machine shall be used that is approved by an officer authorized to give such approval and the bag and label shall be sewn with a single line of continuous sewing with thread of an appropriate strength (a double line of sewing is not acceptable); or

- (b) the bag shall be sewn up pursuant to, and in accordance with any conditions attached to, special permission given by an inspector in a particular case.
- 12. Markings appropriate to the seed certification scheme under which seed is to be certified shall be stamped or stencilled on the face of each bag containing seed to be certified.
- 13. Seed packed and marked and awaiting certification shall not be removed from the seed processing works until it is certified, except with the special permission of an inspector.
- 14. (1) Where seed is packed and marked and awaiting certification and the Department declines to certify the seed, the seed shall be removed from the bags in which it is packed and the labels sewn into the bags shall be returned to an inspector.
  - (2) Seed that is not certified shall not be sold in bags marked for the purposes of a seed certification scheme and it shall be ensured that such seed is neither expressly or impliedly represented to be certified.
- 15. (1) The works supervisor shall ensure that all parts of the seed processing works, including the floor, are cleaned between the processing of each quantity of seed that is to be separately certified.
  - (2) The works manager shall cause records to be kept, to the satisfaction of an inspector, relating to the species, cultivar, and mass of each quantity of seed that is separately analysed.

[Ninth Schedule amended in Gazette 3 March 1995 p.771; 22 June 1999 p.2672.]

## Notes

This reprint is a compilation as at 20 August 1999 of the *Seeds Regulations 1982* and includes the amendments referred to in the following Table.

## **Table of Regulations**

Citation	Gazettal	Commencement	Miscellaneous
Seeds Regulations 1982	12 March 1982 pp.828-43	12 March 1982	
Seeds Amendment Regulations 1982	20 August 1982 p.3362	20 August 1982	
Seeds Amendment Regulations 1986	22 August 1986 pp.3008-9	22 August 1986	
Seeds Amendment Regulations 1987	13 November 1987 p.4196	13 November 1987	
Seeds Amendment Regulations 1988	27 May 1988 p.1792	27 May 1988	
Seeds Amendment Regulations (No. 2) 1988	19 August 1988 p.2976	19 August 1988	
Seeds Amendment Regulations 1989	30 June 1989 p.1995	30 June 1989	
Seeds Amendment Regulations 1990	3 August 1990 p.3669	3 August 1990	
Seeds Amendment Regulations 1991	8 November 1991 pp.5709-10	8 November 1991	
Seeds Amendment Regulations 1992	24 July 1992 pp.3610-11	24 July 1992	
Seeds Amendment Regulations 1993	17 September 1993 pp.5046-7	17 September 1993	
Seeds Amendment Regulations 1994	24 June 1994 pp.2837-8	1 July 1994 (see regulation 2)	
Seeds Amendment Regulations 1995	3 March 1995 pp.769-71	3 March 1995	
Seeds Amendment Regulations (No. 2) 1995	21 July 1995 pp.3066-7	21 July 1995	

Citation	Gazettal	Commencement	Miscellaneous
Seeds Amendment Regulations 1996	3 September 1996 pp.4376-7	4 September 1996 (see regulation 2)	
Seeds Amendment Regulations 1997	19 August 1997 pp.4711-12	19 August 1997	
Seeds Amendment Regulations 1998	23 June 1998 pp.3317-21	1 July 1998 (see regulation 2)	
Seeds Amendment Regulations 1999	22 June 1999 pp.2670-2	1 July 1999 (see regulation 2)	