

Western Australia

Seeds Act 1981

Seeds Regulations 1982

Reprint 2: The regulations as at 16 September 2005

Guide for using this reprint

What the reprint includes



Endnotes, Compilation table, and Table of provisions that have not come into operation

- 1. Details about the original regulations and legislation that has amended its text are shown in the Compilation table in endnote 1, at the back of the reprint. The table also shows any previous reprint.
- 2. Transitional, savings, or other provisions identified in the Compilation table may be important. The table may refer to another endnote setting out the text of these provisions in full.
- 3. A table of provisions that have not come into operation, to be found in endnote 1a if it is needed, lists any provisions of the regulations being reprinted that have not come into operation and any amendments that have not come into operation. The full text is set out in another endnote that is referred to in the table.

Notes amongst text (italicised and within square brackets)

1. If the reprint includes a regulation that was inserted, or has been amended, since the regulations being reprinted were made, editorial notes at the foot of the regulation give some history of how the regulation came to be as it is. If the regulation replaced an earlier regulation, no history of the earlier regulation is given (the full history of the regulations is in the Compilation table).

Notes of this kind may also be at the foot of Schedules or headings.

- 2. The other kind of editorial note shows something has been -
 - removed (because it was repealed or deleted from the law); or
 - omitted under the *Reprints Act 1984* s. 7(4) (because, although still technically part of the text, it no longer has any effect).

The text of anything removed or omitted can be found in an earlier reprint (if there is one) or one of the written laws identified in the Compilation table.

Reprint numbering and date

- 1. The reprint number (in the footer of each page of the document) shows how many times the regulations have been reprinted. For example, numbering a reprint as "Reprint 3" would mean that the reprint was the 3rd reprint since the regulations were published. Reprint numbering was implemented as from 1 January 2003.
- The information in the reprint is current on the date shown as the date as at which the regulations are reprinted. That date is not the date when the reprint was published by the State Law Publisher and it is probably not the date when the most recent amendment had effect.

Reprinted under the *Reprints Act 1984* as at 16 September 2005

Western Australia

Seeds Regulations 1982

CONTENTS

1.	Citation	1
2.	Commencement	1
3.	Interpretation	1
4.	Exempted sales	2
5.	Crop seeds	2
6.	Chemical additives	2
7.	Weed seeds	2
8.	What constitutes a seed	2 2 2 2 2 2 3 3 3
9.	Germination tests	3
10.	Tolerances	3
11.	Select quality	4
12.	Sampling and analysis	4
13.	Fees	4 5 5
14.	Seed certification schemes	5
15.	Registration of seed processing works	6
16.	Operation of seed processing works	8
17.	Use of certain descriptions restricted	8
	First Schedule — Crop seeds	

Second Schedule — Prescribed chemical additives

Third Schedule — Weed seeds

Reprint 2

page i

Contents

Fourth Schedule — Germination tests	
Part 1 — Test conditions	
Part 2 — Growth characteristics of germinable seed	
Fifth Schedule — Tolerances	
Part 1 — Proportion in which crop seed is contained	
Part 2 — Minimum proportion of crop seed that is germinable	
Part 3 — Maximum proportion in which weed seed is contained	
Part 4 — Maximum proportion in which seed not named under section 7(2)(d) of the Act is contained	
Sixth Schedule — Sampling and analysis	
Part 1 — Sampling	
Part 2 — Analysis	
Seventh Schedule — Seed analysis and report fees	
Eighth Schedule — Seed processing works	
Ninth Schedule — Operation of registered seed processing works	
Notes	
Compilation table	36

page ii



Reprinted under the *Reprints Act 1984* as at 16 September 2005

Western Australia

Seeds Act 1981

Seeds Regulations 1982

1. Citation

These regulations may be cited as the *Seeds Regulations 1982*¹.

2. Commencement

These regulations operate on and from the day on which the regulations are published in the *Gazette* 1 .

3. Interpretation

In these regulations unless the contrary intention appears —

"premises" includes a fixed or movable structure and a vehicle;

"Schedule", preceded by a designation, refers to the Schedule to these regulations so designated;

- **"seed certification scheme"** means a scheme prepared and conducted under section 26(1)(g) of the Act;
- **"subregulation"** means subregulation of the regulation in which the word is used;

"the Act" means the Seeds Act 1981.

[Regulation 3 amended in Gazette 22 May 2001 p. 2575.]

Reprint 2

4. Exempted sales

The classes of persons prescribed for the purposes of section 4(1) of the Act are —

- (a) persons carrying on business in the course of which seed is solely used or prepared for sale for a purpose other than sowing; and
- (b) persons carrying on business in the course of which seed is sold for direct export from Australia for use other than for sowing.

5. Crop seeds

- (1) The seeds of the plants referred to in the First Schedule are crop seeds.
- (2) Where a seed lot sold contains crop seed and the mass of the seed lot is less than the mass set out in column 3 of the First Schedule in respect of each crop seed contained in the seed lot, Part II of the Act does not apply in relation to the seed lot.

6. Chemical additives

The chemical additives information of which is required by section 7(2)(b) of the Act to be included in a statement in accordance with that subsection are those set out in the Second Schedule.

7. Weed seeds

The seeds of the plants referred to in the Third Schedule are weed seeds.

8. What constitutes a seed

- (1) In determining, for the purposes of the Act, the proportion in which a seed is contained, or the proportion of seed that is germinable
 - (a) intact seeds;
 - (b) achenes and similar fruits, schizocarps, and mericarps, with or without perianth and whether or not containing a

page 2

- (c) pieces of seeds, achenes, mericarps, and caryopses, resulting from breakage, that are more than one half their original size;
- (d) clusters of seeds, other than of the family *Poaceae*; and
- (e) florets and one-flowered spikelets of the family *Poaceae* with an obvious caryopsis containing endosperm,

are to be taken as being seeds of the species to which they belong, notwithstanding that they may be immature, undersized, shrivelled, diseased, or germinated, unless they are incapable of being identified as being of the species or they are transformed into fungal sclerotia, smut balls, or nematode galls.

(2) For the purposes of determining, in connection with a seed certification scheme, the proportion in which seed of a particular cultivar or having resistance to a particular disease or other adverse factor is contained, subsection (1) shall apply as if a reference to seeds of the species were a reference to seeds of the cultivar or having the relevant resistance, as the case may be.

9. Germination tests

- (1) The test conditions to be used in ascertaining whether crop seed is germinable are as referred to in Part 1 of the Fourth Schedule.
- (2) The growth characteristics to be exhibited by germinable crop seed, when subjected to the test conditions referred to in subregulation (1), are as described in Part 2 of the Fourth Schedule.

10. Tolerances

In the statement required by section 7 of the Act in respect of a seed lot, the tolerances applicable to --

 (a) the proportion in which a crop seed is contained in the seed lot, are as prescribed in Part 1 of the Fifth Schedule;

- (b) the minimum proportion of a crop seed that is germinable, are as prescribed in Part 2 of the Fifth Schedule;
- (c) the maximum proportion in which a weed seed is contained in the seed lot, are as prescribed in Part 3 of the Fifth Schedule; and
- (d) the maximum proportion in which seed not named under section 7(2)(d) of the Act is contained in the seed lot, are as prescribed in Part 4 of the Fifth Schedule.

11. Select quality

- (1) The minimum proportion of a particular crop seed that a seed lot is required by section 9 of the Act to contain before a claim may be made that the crop seed is of "select quality" is as set out in column 4 of the First Schedule in respect of that crop seed.
- (2) The minimum proportion of a particular crop seed contained in a seed lot that is required by section 9 of the Act to be germinable seed before a claim may be made that the crop seed is of "select quality" is as set out in column 5 of the First Schedule in respect of that crop seed.
- (3) The maximum proportion of seed other than a particular crop seed that a seed lot is permitted by section 9 of the Act to contain if a claim is to be made that the crop seed is of "select quality" is 0.1%.

12. Sampling and analysis

- (1) Where a sample is taken in accordance with Part 1 of the Sixth Schedule, the sample is, for the purposes of the Act, taken in the prescribed manner.
- (2) The method prescribed, for the purposes of the Act, for making an analysis of a sample of seed or material containing seed is a method in accordance with Part 2 of the Sixth Schedule.

13. Fees

The fees payable under this Act, other than —

- (a) the fees payable in connection with a seed certification scheme by the participants in the seed certification scheme; or
- (b) fees payable for the registration, or renewal of registration, of seed processing works at which seed may be treated and packed for certification under a seed certification scheme,

are as set out in the Seventh Schedule.

14. Seed certification schemes

- (1) The Minister is authorised to prepare and conduct schemes for the purpose of testing and certifying
 - (a) the cultivar of any kind of crop seed;
 - (b) the resistance of any crop seed to any disease or to any other adverse factor;
 - (c) the freedom of any crop seed from disease and pests;
 - (d) the proportion of any crop seed contained in any material tested;
 - (e) the proportion of any crop seed that is germinable;
 - (f) the proportion of any weed seed contained in any material tested; and
 - (g) that the material tested is of such quality that, upon its sale, it may, in accordance with section 9(1) of the Act, be described as crop seed of "select quality".
- (2) A person participating in a seed certification scheme who knowingly makes any statement in relation to a matter associated with the scheme that is false or misleading in any material particular commits an offence and is liable to a penalty not exceeding \$500.

Reprint 2

r. 15	
15.	Registration of seed processing works
(1)	Application may be made in writing to the Department for registration of premises as a seed processing works at which seed may be treated and packed for certification under a seed certification scheme specified in the application.
(2)	Subject to subregulation (3), where an officer authorised in that behalf by the Minister is satisfied that premises to which an application under subregulation (1) relates comply with the requirements of the Eighth Schedule he shall, upon payment of a fee of \$400 issue to the applicant a certificate of registration specifying —
	(a) the premises registered; and
	(b) the seed certification scheme, or each seed certification scheme, if there be more than one, in respect of which the premises are registered,
	and cause the premises to be appropriately registered in a register to be kept in the Department for that purpose.
(3)	Where application is made for the registration of premises pursuant to subregulation (2) and —
	 (a) the applicant is a person to whom a certificate of registration has previously been issued in respect of any premises the registration of which has been cancelled in

the premises have been previously registered under these (b) regulations, whether upon the application of the same or any other person, and the registration of the premises has been cancelled in accordance with these regulations,

person held such certificate of registration; or

accordance with these regulations at any time while that

the Minister may direct that the application be refused and the applicant shall be advised accordingly.

(4) Application may be made to the Department in writing, accompanied by the certificate of registration to which the application relates, for the addition to a certificate of registration

page 6

Reprint 2

r.

of any other seed certification scheme or schemes in respect of which it is desired that the premises the subject of the certificate be registered and, if an officer authorised in that behalf by the Minister is satisfied that the premises would comply with the requirements of the Eighth Schedule in relation to the other seed certification scheme or, as the case may be, schemes, he shall, upon payment of a fee of \$220, endorse the certificate of registration by adding to it the seed certification schemes concerned and shall cause a corresponding entry to be made in the register referred to in subregulation (2).

- (5) The registration of premises pursuant to subregulation (2) has effect, unless sooner cancelled in accordance with these regulations, for one year or during such further periods for which the registration is renewed, but during any period for which the registration is suspended the premises shall be deemed not to be registered.
- (6) Where, within 28 days before the registration of premises under this regulation is due to expire, application is made to the Department for the renewal of the registration of the premises and an officer authorised in that behalf by the Minister is satisfied that the premises comply with the requirements of the Eighth Schedule, the officer shall, upon payment of \$275, cause the registration of the premises to be renewed for a further year and an entry to that effect to be made in the register referred to in subregulation (2).
- (7) Where applications made under subregulations (4) and (6) at the same time and in respect of the same premises are both granted, only one fee of \$220 shall be payable in respect of both the endorsement and the renewal.

[Regulation 15 amended in Gazette 22 Aug 1986 p. 3009; 13 Nov 1987 p. 4196; 16 Aug 1988 p. 2976; 30 Jun 1989 p. 1995; 3 Aug 1990 p. 3669; 8 Nov 1991 p. 5709; 24 Jul 1992 p. 3611; 17 Sep 1993 p. 5047; 24 Jun 1994 p. 2837; 21 Jul 1995 p. 3066; 3 Sep 1996 p. 4376; 19 Aug 1997 p. 4711-2; 23 Jun 1998 p. 3317; 22 Jun 1999 p. 2671;

Reprint 2

r. 16

20 Jun 2000 p. 3006-7; 5 Jun 2001 p. 2850; 28 Jun 2002 p. 3046; 17 Jun 2003 p. 2204; 18 May 2004 p. 1566; 31 May 2005 p. 2400.]

16. Operation of seed processing works

- Every seed processing works registered under regulation 15 shall be operated in accordance with the Ninth Schedule.
 Penalty: \$200.
- (2) Where a seed processing works is operated contrary to subregulation (1), the Minister may, whether or not any penalty has been imposed under that subregulation, cancel the registration of the seed processing works or suspend the registration of the seed processing works for such time as the Minister sees fit or until the Minister revokes the suspension.
- (3) The discretion of the Minister to determine whether seed is suitable to be certified under a particular seed certification scheme is not limited by the fact that the seed has been treated and packed in accordance with the Ninth Schedule.

17. Use of certain descriptions restricted

- The use of any of the words "certified", "certificated", "disease-resistant", "disease-immune", "wilt-resistant", "wilt-immune", or any other words implying the existence of genetically-carried morphological or physiological characteristics, in any label, invoice, circular, advertisement, or other document in relation to any seed lot, is prohibited unless —
 - (a) the seed lot has been tested and certified pursuant to a scheme that is a seed certification scheme within the meaning given by regulation 3; or
 - (b) the seed lot has been certified under a seed certification scheme conducted by a department of the Government of another State of the Commonwealth, and the words used are accompanied by a statement of the name of that

page 8

department and the name of the State in which the seeds were certified.

Penalty: \$200.

- (2) For the purposes of subregulation (1) the Northern Territory of the Commonwealth is deemed to be a State of the Commonwealth.
- [18. Omitted under the Reprints Act 1984 s. 7(4)(f).]

Reprint 2

First Schedule

[Regs. 5, 11]

Crop seeds

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Botanical names	Common names	Minimum	Minimum	Minimum	Purity group	Germination
		$mass_1$	proportion	germinable		group
Abelmoschus esculentus	Okra	0.1	required ₂ 99	proportion ₃ 50	1	1
Aerva javanica	Kapok bush	1.0	99 90	50 10	4	3
Aeschynomene falcata	Jointvetch	10.0	90	60	4	2
			99		3 4	3
Agropyron elongatum	Tall wheatgrass	10.0	99	85 85	4	3
Agrostis stolonifera	Creeping bent	0.5				3
Agrostis tenuis	Browntop bent	0.5	99	85	4	
Allium cepa var. cepa	Onion	0.1	99	60	1	2
Allium cepa var. aggregatum	Shallot	0.1	99	60	1	2
Allium porrum	Leek	0.1	99	60	1	2
Allium schoenoprasum	Chives	0.1	99	50	1	2
Alopercurus pratensis	Meadow foxtail	10.0	98	40	3	3
Alysicarpus vaginalis	Alyce clover	10.0	96	50	2	2
Apium graveolens	Celery	0.1	98	50	2	2
Apium graveolens var.	Celeriac	0.1	98	50	2	2
rapaceum						2
Arachis hypogaea	Peanut	10.0	95	80	1	
Asparagus officinalis	Asparagus	0.1	99	55	1	2
Astragalus hamosus Astrebla elymoides	Milk vetch Hoop mitchell	10.0	99	60	2	2
	grass	10.0	75	35	3	3
Astrebla lappacea	Curly mitchell grass	10.0	75	35	3	3
Astrebla pectinata	Barley mitchell					
	grass	10.0	75	35	3	3
Astrebla squarrosa	Bull mitchell grass	10.0	75	35	3	3
Atriplex nummularia	Oldman saltbush	10.0	60	70	4	3
Atriplex rhagodioides	River saltbush	10.0	60	70	4	3
Atriplex undulata	Wavyleaf saltbush	10.0	60	70	4	3
Atriplex semibaccata	Creeping saltbush	10.0	60	70	4	3
Avena sativa	Common oat	10.0	98	90	2	1
Avena strigosa	Sand oat	10.0	98	90	1	1
Axonopus compressus	Broadleaf carpet					
	grass	10.0	98	60	4	3
Beta vulgaris	Beet	0.1	97	60	2	3
Brachiaria decumbens	Signal grass	10.0	50	15	3	3
Brassica juncea Brassica oleracea var.	Indian mustard	10.0	99	80	2	2
acephala Brassica oleracea var.	Kale	0.1	99	70	2	2
botrytis Brassica oleracea var.	Cauliflower	0.1	99	70	2	2
capitata	Cabbage	0.1	99	70	2	2
Brassica oleracea var. gemmifera Brassica oleracea var.	Brussels sprouts	0.1	99	70	2	2
	Kohlrabi	0.1	99	70	2	2
gongylodes Brassica oleracea var. italica	Broccoli	0.1	99 99	70 70	2 2	$\frac{2}{2}$
Brassica napus var. napus Brassica napus var.	Rape	10.0	99	75	2	2
napobrassica	Swede	0.1	99	70	2	2
Brassica nigra	Black mustard	10.0	99	70	2	2
Brassica ngra Brassica pekinensis	Chinese cabbage	0.1	99 99	70	$\frac{2}{2}$	2
Brassica pekinensis Brassica rapa var. rapa	Turnip	0.1	99 99	70	$\frac{2}{2}$	2
Bromus mollis	Soft brome	10.0	99 95	70	3	3
Diomus moms	Soft Diollie	10.0	75	70	5	5

page 10

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Botanical names	Common names	Minimum	Minimum	Minimum	Purity group	Germination
		$mass_1$	proportion	germinable		group
Bromus unioloides	Prairie grass	10.0	required ₂ 95	proportion ₃ 80	3	3
Cajanus cajan	Pigeon pea	10.0	95 99	70	1	2
Calopogonium	Calopo	10.0	95	50	1	2
mucunoides	1					
Cannabis sativa	Industrial hemp as	10.0	98	70	2	2
	defined in the					
	Industrial Hemp					
Capsicum annuum	Act 2004 s. 3(1) Green pepper	0.1	99	50	1	2
Capsicum frutescens	Hot pepper	0.1	99 99	50	1	2
Carica papaya	Pawpaw	0.1	98	30	2	2
Carthamus tinctorius	Safflower	10.0	98	80	1	2
Cenchrus ciliaris	Buffel grass	10.0	90	20	4	3
Cenchrus setiger	Birdwood grass	10.0	90	30	4	3
Centrosema pubescens	Centro	10.0	94	50	2	2
Chloris gayana Cicer arietinum	Rhodes grass	10.0 10.0	80 99	20 75	4 1	3 3
Cichorium endivia	Chick pea Endive	0.1	99 98	55	2	2
Cichorium intybus	Chicory	0.1	98	60	2	2
Citrullus lanatus var.	Watermelon	0.1	99	65	1	2
caffer						
Clitoria ternatea	Butterfly pea	10.0	94	50	1	2
Crotalaria goreensis	Gambia pea	10.0	98	70	2	2
Crotalaria cunninghamii	Parrot pea	10.0	98	70	2	2
Cucumis melo Cucumis sativus	Rock melon Cucumber	0.1 0.1	99 99	70 80	1	$2 \\ 2$
Cucurbita maxima	Squash	0.1	99 99	80 75	1	$\frac{2}{2}$
Cucurbita pepo	Marrow	0.1	99	75	1	2
Cyamopsis tetragonoloba	Guar	10.0	95	70	1	2
Cynara scolymus	Globe artichoke	0.1	98	60	2	2
Cynodon dactylon	Couch	0.5	98	80	3	3
Cynosurus cristatus	Crested dog's tail	10.0	98	80	3	3
Dactylis glomerata	Cocksfoot	10.0	80	70	4 2	3 2
Daucus carota Desmodium barbatum	Carrot Barbadinho	0.1 10.0	95 95	50 70	$\frac{2}{2}$	2
Desmodium biarticulatum	Engordo	10.0	95 95	70	2	2
Desmodium canum	Kaimi clover	10.0	95	70	2	2
Desmodium heterocarpon	Variable					
1	desmodium	10.0	95	70	2	2
Desmodium	Hetero desmodium	10.0	95	70	2	2
heterophyllum	~			-		
Desmodium intortum	Greenleaf	10.0	05	70	2	2
Desmodium sandwicense	desmodium	10.0 10.0	95 95	70	2	2
Desmodium triflorum	Spanish clover Creeping tick	10.0	95	70	2	2
Desinourum umorum	clover	10.0	95	70	2	2
Desmodium tortuosum	Florida	10.0	95	70	2	2
	beggarweed					
Desmodium uncinatum	Silverleaf					
	desmodium	10.0	95	70	2	2
Desmodium varians	Slender tick trefoil	10.0	95	70	2	2 2
Dichondra repens	Kidney weed Siberian millet	0.5 10.0	99 98	80	2 3	2 3
Echinochloa frumentacea Echinochloa utilis	Japanese millet	10.0	98 98	75 80	3	3
Ehrharta calycina	Perennial	10.0	20	00	5	5
	veldtgrass	10.0	65	40	4	3
Euchlaena mexicana	Teosinte	10.0	99	50	2	2
Fagopyrum esculentum	Buckwheat	10.0	99	75	2	2
Festuca arundinacea	Tall fescue	10.0	96	80	3	3
Festuca asperula	Graceful fescue	10.0	98	65	3	3
Festuca nigrescens	Chewing's fescue	0.5	98	80	3	3
Festuca pratensis Festuca ovina	Meadow fescue Sheep's fescue	10.0 10.0	98 98	65 65	3 3	3 3
	Red fescue	10.0	98 98	65	3	3
Festuca rubra						

Reprint 2

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Botanical names	Common names	Minimum	Minimum	Minimum	Purity group	Germination
		$mass_1$	proportion required ₂	germinable proportion ₃		group
Glycine max	Soybean	10.0	99	60	1	2
Gossypium arboreum	Asiatic cotton	10.0	98	70	2	2
Gossypium barbadense	Sea island cotton	10.0	98	70	2	2
Gossypium herbaceum	Asiatic cotton	10.0	98	70	2	2
Gossypium hirsutum	Upland cotton	10.0	98	70	2	2
Helianthus annuus	Sunflower	10.0	99	80	1	2
Hibiscus cannabinus	Kenaf	10.0	99	50	1	2
Hibiscus sabdariffa	Rosella	0.1	99	50	1	2 1
Hordeum vulgare Lablab purpureus	Barley Lablab bean	10.0 10.0	98 99	90 75	1 1	2
Lactuca sativa	Latituce	0.1	99 97	75	2	2
Lathyrus odoratus	Sweet pea	0.1	99	70	1	2
Lathyrus tingitanus	Tangier pea	10.0	99	70	1	2
Lens culinaris	Lentil	10.0	99	70	1	2
Lepidium sativum	Garden cress	0.1	99	70	3	2
Lespedeza cuneata	Perennial					
	lespedeza	10.0	95	40	3	2
Lespedeza stipulacea	Korean lespedeza	10.0	95	40	3	2
Lespedeza striata	Japanese					
	lespedeza	10.0	95	40	3	2
Lespedeza virginica	Virginian					
	lespedeza	10.0	95	40	3	2
Leucaena leucocephala	Leucaena	10.0	98	60	1	2
Linum usitatissimum	Linseed	10.0	98	80	1	2
Lolium multiflorum	Italian ryegrass	10.0	98 98	80	3	3
Lolium perenne Lolium rigidum	Pereninal ryegrass Annual ryegrass	10.0 10.0	98 99	80 80	3 3	3 3
Lotononis bainesii	Lotononis	10.0	99 95	50	3	2
Lotus berthelottii	Garden lotus	10.0	95 95	75	3	2
Lupinus albus	White lupin	10.0	99	75	1	3
Lupinus angustifolius	Narrowleaf lupin	10.0	99	75	1	3
Lupinus cosentinii	Sandplain lupin	10.0	99	10	1	3
Lupinus luteus	Yellow lupin	10.0	99	75	1	3
Lycopersicon	1					
lycopersicum	Tomato	0.1	98	75	2	2
Macroptilium						
atropurpureum	Siratro	10.0	98	70	1	2
Macroptilium lathyroides	Phasey bean	10.0	98	70	1	2
Macrotyloma axillare	Perennial horse	10.0	00	c 0		2
M (1) (2)	gram	10.0	98	60	1	2
Macrotyloma uniflorum	Horse gram	10.0	98 97	60 70	1 2	2 2
Medicago littoralis	Strand medic Black medic	10.0 10.0	97	70	$\frac{2}{2}$	2
Medicago lupulina Medicago murex	Murex medic	10.0	98 96	60	$\frac{2}{2}$	2
Medicago orbicularis	Button medic	10.0	96	50	2	2
Medicago polymorpha	Burr medic	10.0	96	60	2	2
Medicago rugosa	Gama medic	10.0	97	70	2	2
Medicago sativa	Lucerne	10.0	98	75	2	2
Medicago scutellata	Snail medic	10.0	96	70	2	2
Medicago tornata	Disc medic	10.0	97	70	2	2
Medicago truncatula	Barrel medic	10.0	97	70	2	2
Melilotus albus	Bokhara clover	10.0	98	70	2	2
Melinis minutiflora	Molasses grass	10.0	40	30	4	3
Mucuna deeringiana	Velvet bean	10.0	99	70	1	2
Nasturtium officinale	Watercress	0.1	99	80	2	2
Neonotonia wightii	Glycine	10.0	98	60	1	2
Nicotiana tabacum	Tobacco	0.1	98	60	4	3
Oenothera stricta	Common evening	0.1	07	40	4	2
Onobrychis viciifolia	primrose Sainfoin	0.1	97 99	40 70	4 2	3 2
Origanum vulgare	Wild marjoram	10.0 0.1	99 98	70 40	$\frac{2}{2}$	2
Ornithopus compressus	Yellow serradella	10.0	98 99	20	23	3
Ornithopus sativus	French serradella	10.0	99 99	20	3	3
Oryza sativa	Rice	10.0	99 99	20 70	2	2
Panicum antidotale	Giant panic	10.0	80	50	4	3
				-		

page 12

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Botanical names	Common names	Minimum mass ₁	Minimum proportion required ₂	Minimum germinable proportion ₃	Purity group	Germination group
Panicum coloratum	Coolah grass	10.0	60	20	4	3
Panicum maximum var.	Cooluit gruss	10.0	00	20	-	5
trichoglume	Green panic	10.0	70	20	4	3
Panicum miliaceum	Millet panic	10.0	98	75	4	3
Paspalum scrobiculatum	Scrobic	10.0	95	40	4	3
Paspalum dilatatum	Paspalum	10.0	70	70	4	3
Paspalum notatum	Bahia grass	10.0	60	60	4	3
Paspalum plicatulum	Plicatulum	10.0	60	40	4	3
Paspalum wettsteinii	Broadleaf					
	paspalum	10.0	60	40	4	3
Passiflora edulis	Passion fruit	0.1	98	30	2	2
Pastinaca sativa	Parsnip	0.1	98	40	2	2
Pennisetum clandestinum	Kikuyu grass	0.1	94	70	3	2
Pennisetum glaucum	Pearl millet	10.0	98	70	3	2
Pennisetum purpureum	Elephant grass	10.0	98	70	3	2
Petroselinum crispum	Parsley	0.1	98	40	2	2
Phalaris aquatica	Phalaris	10.0	97	70	3	2
Phalaris arundinacea	Reed canary grass	10.0	97	70	3	2
Phalaris canariensis	Canary grass	10.0	99	70	3	2
Phalaris coerulescens	Blue canary grass	10.0	97	70	3	2
Phaseolus coccineus	Scarlet runner					
	bean	1.0	99	70	1	3
Phaseolus lunatus	Lima bean	1.0	99	75	1	3
Phaseolus vulgaris	Common bean	1.0	99	75	1	3
Phleum pratense	Timothy	10.0	98	80	3	3
Physalis peruviana	Cape gooseberry	0.1	99	30	2	2
Pisum sativum	Pea	1.0	99	75	1	2
Poa compressa	Canada bluegrass	10.0	80	40	4	3
Poa nemoralis	Wood poa	10.0	80	40	4	3
Poa pratensis	Kentucky					
	bluegrass	0.5	80	80	4	3
Poa trivialis	Rough					
	meadowgrass	0.5	80	80	4	3
Puccinellia ciliata	Puccinellia	10.0	97	35	4	3
Pueraria phaseoloides	Puero	10.0	94	50	2	2
Raphanus sativus	Radish	0.1	99	75	2	2
Rheum rhabarbarum	Rhubarb	0.1	99	50	2	2
Sanguisorba minor	Sheep's burnet	10.0	99	60	2	2
Salvia officinalis	Sage	0.1	99	40	2	2
Secale cereale	Rye	10.0	98	75	1	1
Sesamum indicum	Sesame	0.1	98	80	2	2
Setaria italica	Italian millet	10.0	98	75	4	3
Setaria porphyrantha	Purple pidgeon					
	grass	10.0	98	75	4	3
Setaria sphacelata	Setaria	10.0	60	20	4	3
Sinapis alba	White mustard	10.0	99	65	2	2
Solanum melongena	Eggplant	0.1	99	50	1	2
Sorghum almum	Columbus grass	10.0	98	65	4	3
Sorghum bicolor	Forage sorghum	10.0	99	85	2	2
Spinacia oleracea	Spinach	0.1	98	45	2	2
Stylosanthes guianensis	Stylo	10.0	90	40	4	3
Stylosanthes hamata	Caribbean stylo	10.0	90	40	4	3
Stylosanthes humilis	Townsville stylo	10.0	90	40	4	3
Stylosanthes scabra	Shrubby stylo	10.0	90	80	4	3
Tetragonia tetragonoides	New Zealand					
-	spinach	0.1	90	40	3	2
Thymus vulgaris	Thyme	0.1	98	40	2	2
Tragopogon porrifolius	Salsify	0.1	99	50	2	2
Trifolium alexandrnum	Berseem clover	10.0	98	75	2	2
Trifolium ambiguum	Caucasian clover	10.0	95	75	2	2
Trifolium cernuum	Drooping flowered					
	clover	10.0	95	80	3	2
	Cupped clover	10.0	97	80	2	2
Trifolium cherleri						
Trifolium cherleri Trifolium dubium	Suckling clover	10.0	96	80	3	2

Reprint 2

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Botanical names	Common names	Minimum mass ₁	Minimum proportion required ₂	Minimum germinable proportion ₃	Purity group	Germination group
Trifolium glomeratum	Cluster clover	10.0	96	80	3	2
Trifolium hirtum	Rose clover	10.0	98	80	2	2
Trifolium hybridum	Alsike clover	10.0	96	80	2	2
Trifolium incarnatum	Crimson clover	10.0	98	80	2	2
Trifolium pratense	Red clover	10.0	97	80	2	2
Trifolium repens	White clover	10.0	98	70	3	2
Trifolium resupinatum Trifolium semipilosum	Shaftal clover Kenya white	10.0	96	80	3	2
	clover	10.0	97	80	3	2
Trifolium spumosum Trifolium subterraneum	Bladder clover Subterranean	10.0	97	80	2	2
Trigonella	clover Birdsfoot	10.0	98	80	2	2
ornithopodioides	fenugreek	10.0	97	80	3	2
Triticosecale	Triticale	10.0	98	90	1	1
Triticum aestvum	Common wheat	10.0	98	90	1	1
Triticum durum	Durum wheat	10.0	98	90	1	1
Urochloa mosambicensis	Sabi grass	10.0	70	20	4	3
Vicia benghalensis	Purple vetch	10.0	99	70	1	2
Vicia faba var. equina	Horse bean	10.0	99	70	1	2
Vicia faba var. major	Broad bean	1.0	99	70	1	2
Vicia faba var. minor	Faba bean	10.0	99	70	1	2
Vicia hirsuta	Hairy vetch	10.0	99	60	1	2
Vicia sativa ssp. nigra	Narrowleaf vetch	10.0	99	60	1	2
Vicia sativa ssp. sativa	Common vetch	10.0	99	60	1	2
Vicia villosa ssp. dasycarpa	Woollypod vetch	10.0	99	60	1	2
Vigna luteola	Dalrymple vigna	10.0	98	70	1	2
Vigna mungo	Urd	10.0	99	70	1	2
Vigna radiata	Mung bean	10.0	99	70	1	2
Vigna umbellata	Rice bean	10.0	99	75	1	2
Vigna unguiculata ssp. unguiculata	Cowpea	10.0	99	70	1	2
Zea mays	Maize	1.0	99	85	1	2

¹ Minimum mass (in kg) of seed lot to which the Act applies.

² Minimum proportion (expressed in %) of crop seed required for "select quality".

³ Minimum proportion (expressed in %) of crop seed required to be germinable for "select quality".

[First Schedule inserted in Gazette 23 Jun 1998 p. 3318-20; amended in Gazette 14 Jun 2005 p. 2630.]

page 14

Second Schedule

[Reg. 6]

Prescribed chemical additives

Insecticides

ACEPHATE ALDRIN ALUMINIUM PHOSPHIDE ALUMINIUM SILICATES AMINOCARB ARSENIC CONTAINING COMPOUNDS AZINPHOS-ETHYL **AZINPHOS-METHYL** BENDIOCARB BHC BIORESMETHRIN CALCIUM ARSENATE CALCIUM CYANIDE CAMPHECHLOR CARBARYL CARBOFURAN CARBON DISULPHIDE CARBON TETRACHLORIDE **CARBO-PHENOTHION** CHLORDANE CHLORDIMEFORM **CHLORFENVINPHOS** CHLORINATED TERPENE ISOMERS **CHLOROPICRIN CHLORPYRIFOS** CHLORPYRIFOS-METHYL **CYPERMETHRIN**

Reprint 2

DDT DECAMETHRIN **DEMETON-O-METHYL DEMETON-S-METHYL DERRIS** DIAZINON 1,1-DICHLORO-2, 2-bis (P-ETHYLPHENYL) ETHANE DICHLORVOS DICOFOL DIELDRIN DIMETHOATE DISULFOTON EDB **ENDOSULFAN ENDRIN** ETHYLENE DICHLORIDE **FENITROTHION FENSON FENTHION** FORMOTHION HEPTACHLOR HYDROCYANIC ACID HYDROGEN PHOSPHIDE **INORGANIC BROMIDE** LEAD ARSENATE LINDANE MALDISON **MECARBAM** MENAZON **METHIDATHION METHIOCARB METHOMYL METHOXYCHLOR**

page 16

METHYL BROMIDE **MEVINPHOS** MONOCROTOPHOS NALED **OMETHOATE** PARATHION PARATHIONS-METHYL PERMETHRIN PHORATE PHOSMET PHOSPHAMIDON PHOSPHINE PIPERONYL BUTOXIDE PIRIMIPHOS-METHYL PROFENOFOS PROPARGITE PROPOXUR **PYRETHRIN SCHRADAN SULPROFOS TETRADIFON** THIOMETON TRICHLORFON TRICHLOROETHYLENE

Fungicides

BENOMYL BENQUINOX CAPTAN CARBOXIN CHLORANIL CHLORDANE COPPER CARBONATE

Reprint 2

1,2-bis (DIMETHYL-DITHIOCARBAMOYL-DITHIO (THIOCARBONYL) AMINO) ETHANE 5-ETHOXY-3-TRICHLORO-METHYL-1, 2, 4-THIADIAZOLE N-(ETHYLMERCURI)-N-PHENYL 4-METHYLBENZENE-SULPHONAMIDE FENAMINOSULF **FENFURAM FERBAM** FORMOTHION HCB 2-n-Octyl-4 ISOTHIAZOLIN-3-ONE MANCOZEB MANEB MERCURY CONTAINING COMPOUNDS (INORGANIC AND ORGANIC) METHFUROXAM METHYOXYETHYL MERCURY CHLORIDE METHYOXYETHYL MERCURY SILICATE METHYL MERCURY DICYANAMIDE **PROPIONIC ACID** QUINTOZENE TCMTB THIABENDAZOLE THIRAM TRIADIMEFON ZINEB ZIRAM

page 18

Third Schedule

[Reg. 7]

Weed seeds

Botanical name	Common name
Allium triquetrum	Three corner garlic
Allium vineale	Crow garlic
Alternanthera denticulata	Lesser joyweed
Alternanthera nana	Hairy joyweed
Alternanthera nodiflora	Common joyweed
Anthemis arvensis	Corn chamomile
Anthemis cotula	Stinking mayweed
Arctium lappa	Burdock
Arctotheca calendula	Capeweed
Arrhenatherum elatius	False oatgrass
Asphodelus fistulosus	Onionweed
Avena barbata	Bearded oat
Avena fatua	Wild oat
Avena sterilis	Sterile oat
Baccharis halimifolia	Groundsel bush
Berberis vulgaris	Barberry
Brassica oxyrrhina	Smoothstem turnip
Brassica tournefortii	Wild turnip
Buglossoides arvensis	Corn gromwell
Calicotome spinosa	Spiny broom
Carduus pycnocephalus	Slender thistle
Carduus tenuiflorus	Winged slender thistle
Cenchrus biflorus	Gallon's curse
Cenchrus brownii	Burr grass
Cenchrus caliculatus	Hillside burrgrass
Cenchrus echinatus	Mossman river grass
Cenchrus gracillimus	Burrgrass
Cenchrus incertus	Spiny burrgrass
Cenchrus longispinis	Spiky burrgrass
Centaurea melitensis	Maltesecockspur

Reprint 2

Botanical name	Common name
Centaurea nigra	Black knapweed
Centaurea paniculata	Panicled knapweed
Chenopodium album	Fat hen
Chenopodium carinatum	Kneeled goosefoot
Chenopodium cristatum	Crested goosefoot
Chenopodium glaucum	Galucous goosefoot
Cirsium vulgare	Spear thistle
Citrullus colocynthis	Colocynth
Cucumis myriocarpus	Prickly paddy melon
Cyperus eragrostis	Umbrella sedge
Cyperus esculentus	Yellow nutgrass
Cyperus rotundus	Nutgrass
Dispsacus sativus	Fuller's teazle
Dipsacus sylvestris	Wild teazle
Dittrichia graveolens	Stinkwort
Echinochloa crus-galli	Barnyard grass
Echium vulgare	Viper's bugloss
Eleusine indica	Crowsfoot grass
Eleusine tristachya	Goosegrass
Euphorbia escula	Leafy spurge
Euphorbia lathyris	Caper spurge
Galinsoga parviflora	Potato weed
Halogeton glomeratus	Halogeton
Hirschfeldia incana	Buchan weed
Hypericum tetrapterum	St. Peter's wort
Ipomoea indica	Blue morning glory
Ipomoea lonchophylla	Cowvine
Ipomoea plebeia	Bellvine
Jatropha curcas	Physic nut
Jatropra gossypifolia	Bellyache bush
Lactuca pulchella	Blue lettuce
Lactuca saligna	Wild lettuce
Lactuca serriola	Prickly lettuce
Lantana camara	Common lantana

page 20

Botanical	name
-----------	------

Botanical name	Common name
Lepidium latifolium	Perennial peppercress
Leucanthemum vulgare	Ox eye daisy
Linaria dalmatica	Dalmatian toadflax
Lolium loliaceum	Stiff ryegrass
Lolium temulentum	Darnel
Mahonia repens	Oregon grape
Melilotus indicus	Hexham scent
Monerma cylindrica	Common barbgrass
Neslia paniculata	Ball mustard
Polygonum convolvulus	Black bindweed
Raphanus raphanistrum	Wild radish
Rapistrum rugosum	Turnip weed
Reseda alba	White mignonette
Reseda lutea	Cutleaf mignonette
Reseda luteola	Wild mignonette
Rubus fruticosus	Blackberry
Rubus laciniatus	Cutleaf blackberry
Rumex acetosa	Sour dock
Rumex acetosella	Sorrel
Rumex brownii	Swamp dock
Rumex conglomeratus	Clustered dock
Rumex crispus	Curled dock
Rumex obtusifolius	Broadleaf dock
Rumex pulcher	Fiddle dock
Salpichroa origanifolia	Pampas lily of the valley
Sesbania species	Sesbania pea
Sida calyxhymenia	Tall sida
Sida corrugata	Corrugated sida
Sida fibulifera	Pin sida
Sida platycalyx	Lifesaver burr
Sida rhombifolia	Common sida
Sida spinosa	Spiny sida
Sida subspicata	Spiked sida
Sida trichopoda	High sida

Reprint 2

Common name

Silene vulgaris	Bladder campion
Sisymbrium altissimum	Tumbling mustard
Sisymbrium erysimoides	Smooth mustard
Sisymbrium irio	London rocket
Sisymbrium officinale	Hedge mustard
Sisymbrium orientale	Indian hedge mustard
Sisymbrium thellungii	African turnip weed
Solanum carolinense	Carolina horse nettle
Solanum hispidum	Giant devil's fig
Solanum hoplopetalum	Prickly potato weed
Solanum nigrum	Black berry nightshade
Solanum rostratum	Buffalo burr
Sonchus arvensis	Corn sowthistle
Sorghum almum	Columbus grass
Stipa brachychaeta	Espartillo
Taeniatherum caput-medusae	Medusa head
Tetragonia tetragonoides	New Zealand spinach
Toxicodendron radicans	Poison ivy
Tribulus occidentalis	Perennial caltrop
Verbascum species	Mulleins
Vulpia bromoides	Squirrel tail fescue

[Third Schedule amended in Gazette 13 Nov 1987 p. 4196; 3 Mar 1995 p. 770; 14 Jun 2005 p. 2630.]

page 22

Fourth Schedule

[Reg. 9]

Germination tests

Part 1 — Test conditions

The test conditions to be used in ascertaining whether crop seed is germinable are those printed in chapter 5, and in Annexes to chapter 5, of "Seed Science and Technology" Volume 4, Number 1, 1976, published by the International Seed Testing Association, as added to and amended in —

- (a) the "Report of the Rules Committee 1974-1977", printed in "Seed Science and Technology" Volume 6, Number 1, 1978; and
- (b) the "Report of the Rules Committee 1977-1980", printed in "Seed Science and Technology" Volume 9, Number 1, 1981,

each published by the International Seed Testing Association.

Part 2 — Growth characteristics of germinable seed

- (1) Germinable seeds are seeds which, when tested under the conditions referred to in Part 1, produce seedlings which
 - (a) possess
 - a well-developed root system including a primary root, except for those plants normally producing seminal roots;
 - (ii) a well-developed and intact hypocotyl and/or epicotyl without damage to the conducting tissues and in dicotyledons, a normal plumule;
 - (iii) in the case of plants of the family *Poaceae*, a well-developed primary leaf within or emerging through the coleoptile; and
 - (iv) one cotyledon for seedlings of monocotyledons and 2 cotyledons for seedling of dicotyledons;
 - or
 - (b) although having one or more of the following slight defects, otherwise show vigorous and balanced development of the structures referred to in paragraph (a) and show the capacity

Reprint 2

for continued development into normal plants when grown in good quality soil, and under favourable conditions of water supply, temperature and light —

- being seedlings of the Zea species a species of the family Malvaceae or Cucurbitaceae, or of a large-seeded legume, have a damaged primary root, but several adventitious and lateral roots of sufficient length and vigour to support the seedling in soil;
- (ii) are seedlings having superficial damage or decay to the essential structures of the seedling which is limited in area and does not affect the conducting tissues;
- (iii) are seedlings of dicotyledons with only one cotyledon.
- (2) Where seedlings are decayed by fungi or bacteria, and it is clearly apparent that
 - (a) the parent seed is not the source of infection; and
 - (b) but for the decay, the seedlings would have been in accordance with paragraph (a) or (b) of item 1,

the seedlings are deemed to be in accordance with that paragraph.

page 24

Fifth Schedule

[Reg. 10]

Tolerances

					1
Stated	%	Stated	%	Stated	%
%	Tolerable	%	Tolerable	%	Tolerable
100.0	99.9-100	91.0	89.3-92.7	46.0	43.0-49.0
99.9	99.7-100	90.0	88.2-91.8	44.0	41.0-47.0
99.8	99.5-100	88.0	86.1-89.9	42.0	39.0-45.0
99.7	99.3-100	86.0	84.0-88.0	40.0	37.0-43.0
99.6	99.2-100	84.0	81.9-86.1	38.0	35.0-41.0
99.5	99.1-99.9	82.0	79.7-84.3	36.0	33.1-38.9
99.4	98.9-99.9	80.0	77.6-82.4	34.0	31.1-36.9
99.3	98.8-99.8	78.0	75.6-80.4	32.0	29.2-34.8
99.2	98.6-99.8	76.0	73.5-78.5	30.0	27.2-32.8
99.1	98.5-99.7	74.0	71.4-76.6	28.0	25.3-30.7
99.0	98.4-99.6	72.0	69.3-74.7	26.0	23.3-28.7
98.8	98.1-99.5	70.0	67.3-72.7	24.0	21.4-26.6
98.6	97.9-99.3	68.0	65.3-70.7	22.0	19.5-24.5
98.4	97.6-99.2	66.0	63.2-68.8	20.0	17.6-22.4
98.2	97.3-99.1	64.0	61.1-66.9	18.0	15.6-20.4
98.0	97.1-98.9	62.0	59.1-64.9	16.0	13.7-18.3
97.5	96.6-98.4	60.0	57.1-62.9	14.0	11.9-16.1
97.0	96.0-98.0	58.0	55.0-61.0	12.0	10.0-14.0
96.0	94.8-97.2	56.0	53.0-59.0	10.0	8.1-11.9
95.0	93.7-96.3	54.0	51.0-57.0	8.0	6.3-9.7
94.0	92.6-95.4	52.0	49.0-55.0	6.0	4.5-7.5
93.0	91.5-94.5	50.0	47.0-53.0	4.0	2.8-5.2
92.0	90.4-93.6	48.0	45.0-51.0	2.0	1.1-2.9

Part 1 — Proportion in which crop seed is contained

Where the stated % in question does not appear in the table above, the tolerance applicable is to be derived by straight line extrapolation from the tolerances prescribed for the nearest stated percentages above and below the stated % in question that appear in the table.

Reprint 2

Stated	Min.	Stated	Min.	Stated	Min.	Stated	Min.
Min.	%	Min.	%	Min.	%	Min.	%
%	Tolerable	%	Tolerable	%	Tolerable	%	Tolerable
1		26	17	37	40	76	68
2		27	18	52	41	77	69
3		28	19	53	42	78	70
4	1	29	20	54	43	79	71
5	1	30	21	55	44	80	72
6	2	31	22	56	45	81	73
7	3	32	23	57	46	82	75
8	3	33	23	58	47	83	76
9	4	34	24	59	48	84	77
10	5	35	25	60	50	85	78
11	5	36	26	61	51	86	79
12	6	37	27	62	52	87	81
13	7	38	28	63	53	88	82
14	8	29	29	64	54	89	83
15	8	40	30	65	55	90	84
16	9	41	31	66	56	91	86
17	10	42	31	67	57	92	87
18	11	43	32	68	58	93	88
19	12	44	33	69	60	94	90
20	12	45	34	70	61	95	91
21	13	46	35	71	62	96	92
22	14	47	36	72	63	97	94
23	15	48	37	73	64	98	95
24	16	49	38	74	65	99	96
25	17	50	39	75	66	100	97

Part 2 — Minimum proportion of crop seed that is germinable

Where the stated minimum % in question does not appear in the table above, the minimum % tolerable is to be derived by straight line extrapolation from the minimum % tolerable prescribed for the nearest stated minimum percentages above and below the stated minimum % in question that appear in the table.

Max No. Per Mass Max No. Per Mass Max No. Per Mass Per Mass Per Mass 5 11 470 521 2400 2580 9800 10 450 15 25 490 532 2400 2630 1000 11 000 11 730 25 371 520 575 2600 2740 11 000 12 260 30 44 540 596 2600 2900 12 500 13 350 40 55 580 660 6280 3000 13 000 13 860 45 61 600 660 2800 3000 13 000 14 920 55 73 660 725 2900 3110 14 500 15 490 65 85 680 745 3000 3210 15 500 16 520 75 96 720 788 3200 3430 16 500 17 950 75 96 72	Etata J	Stated Max. No. Stated Max No. Stated Max No. Stated Max. No.						Mar Na
Per Mass Tolerable Per Mass Tolerable Per Mass Tolerable 5 11 470 521 2400 2580 9800 10450 5 11 480 532 2450 2630 10000 11200 20 31 500 553 2550 2740 11000 112260 30 44 540 5966 2650 2840 12000 12260 35 50 556 617 620 680 2850 3050 14000 14930 50 677 620 680 2850 3160 15000 15460 60 799 660 725 2950 3160 15000 1590 75 96 720 787 3100 3220 16000 17050 75 96 720 788 300 3550 17000 18120 760 90 760 767 30		Max. No. Bon Moss	Stated Max No	Max No. Bon Moss		Max No. Bon Moss	Stated May No	Max. No. Bon Moss
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$								
15254905422 5002 68010 50011 120020315005732 6402 79011 150012 22035505606172 7002 90012 25013 30040555806402 7002 90013 50014 39050676208803 05013 50014 39055676406802 8003 05014 50014 92066796607252 9503 16014 50015 46067907007673 1003 21015 50016 52070907007673 1003 32016 50017 590801027408103 3003 46017 50018 120851077608503 5003 75018 60019 180901137808503 5003 85018 50019 180951188008753 6003 85018 5002 7301001248208953 7003 96019 90020 2801101358409573 9004 1702 900021 3101301578809884 1004 39022 00023 440150179920100022 100023 30024 40025 77016019094010224 3004 60024 00025 770 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
$\begin{array}{c c c c c c c c c c c c c c c c c c c $								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
3044540596 $2 \ 650$ $2 \ 840$ $12 \ 000$ $12 \ 790$ 35505060 $17 \ 270$ $2 \ 950$ $13 \ 300$ $13 \ 860$ 4055580640 $2 \ 750$ $2 \ 950$ $13 \ 000$ $13 \ 860$ 5067620680 $2 \ 850$ $3 \ 050$ $14 \ 000$ $14 \ 920$ 5573660725 $2 \ 950$ $3 \ 160$ $15 \ 000$ $15 \ 990$ 6385680745 $3 \ 000$ $3 \ 210$ $15 \ 000$ $16 \ 520$ 7090700767 $3 \ 100$ $3 \ 320$ $16 \ 000$ $17 \ 050$ 80102740 810 $3 \ 300$ $3 \ 450$ $17 \ 000$ 81107760 830 $3 \ 400$ $3 \ 640$ $17 \ 050$ 85107760 830 $3 \ 500$ $3 \ 960$ $19 \ 000$ $20 \ 250$ 110125 840 915 $3 \ 800$ 470 $19 \ 950$ $20 \ 780$ 120146 860 937 $3 \ 900$ 470 $19 \ 900$ $20 \ 250$ 110135 840 915 $3 \ 800$ 470 $19 \ 900$ $22 \ 380$ 140168 900 980 $4 \ 000$ $4 \ 280$ $22 \ 000$ $23 \ 480$ 150179 920 1000 $4 \ 280$ 4000 $24 \ 900$ $22 \ 900$ $24 \ 900$ 160190 940 1022 $4 \ 300$ 500 $27 $								
35505606172 7002 90012 30013 33040555806402 8003 00013 58014 39050676206802 8003 05014 00014 92055736407002 9003 11014 50015 46060796607252 9503 16015 90016 52070907007673 1003 32016 60017 95075967207883 3003 55017 90018 120801027408103 3003 55018 50019 180901137808503 5003 75018 60019 180951188008753 6003 96019 90020 2801101248208953 7003 96019 90020 2801201468609373 9004 17020 00021 3101301578009804 1004 39022 00023 44015017992010024 3004 40024 00024 50016019094010224 3004 40024 00024 50016019994010224 3004 40024 00024 50016019094010224 3004 60024 00024 5001702019661 4434 4004 80027 000 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		50						
50 67 620 680 2850 3050 14000 14420 55 73 640 705 2950 3160 15000 15460 66 85 680 745 2950 3160 15000 15900 70 90 700 767 3100 3220 16000 17150 75 96 720 788 3200 3430 16500 171500 80 102 740 810 3300 3550 17000 18120 85 107 760 830 3400 3640 17500 18650 90 113 780 850 3500 3750 18000 19180 95 118 800 875 3600 3850 18500 19710 100 124 820 895 3700 4960 20250 110 135 840 915 3800 4170 20000 21310 130 157 880 958 4000 4280 21000 22380 140 168 900 980 4100 4290 22000 23440 150 179 920 1000 4200 4490 25000 26633 180 212 980 1065 4500 4810 22000 28760 200 2341 1050 11440 4700 5200 2800 27700 284 1000 <		55	580	640	2 750		13 000	13 860
55 73 640 700 2900 3110 14500 15400 65 85 680 745 2950 3160 15000 15990 65 85 680 745 3000 3210 15500 16520 70 90 700 767 3100 3320 16500 17750 80 102 740 810 3300 3550 17700 18120 85 107 760 830 3400 3640 17500 18650 90 113 780 855 3600 3850 18500 19180 95 118 800 875 3600 3960 19000 20250 110 124 820 895 3700 4470 19000 21310 120 146 860 937 3900 4170 20000 23440 150 179 920 1000 4200 4490 23000 24500 160 190 940 1022 4400 4500 27000 2860 170 201 960 1043 4400 4700 25000 26630 180 212 980 1065 4600 4920 27000 28760 200 234 1000 1085 4600 4920 27000 28760 200 234 1000 1085 460	45	61	600	660	2 800	3 000	13 500	14 390
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	50	67	620	680	2 850	3 050	14 000	14 920
65 85 680 745 $3\ 000$ $3\ 210$ $15\ 500$ $16\ 520$ 70 90 700 767 $3\ 100$ $3\ 320$ $16\ 000$ $17\ 050$ 75 96 720 788 $3\ 200$ $3\ 430$ $16\ 500$ $17\ 590$ 80 102 740 810 $3\ 300$ $3\ 540$ $17\ 500$ $18\ 120$ 85 107 760 830 $3\ 400$ $3\ 640$ $17\ 500$ $18\ 650$ 90 113 780 855 $3\ 600$ $3\ 850$ $18\ 500$ $19\ 100$ 100 124 820 895 $3\ 700$ $3\ 960$ $19\ 000$ $20\ 250$ 110 125 840 915 $3\ 800$ $4\ 170$ $20\ 000$ $21\ 310$ 120 146 860 937 $3\ 900$ $4\ 170$ $20\ 000$ $22\ 340$ 140 168 900 980 $4\ 000$ $4\ 230$ $22\ 000$ $23\ 400$ 150 179 920 $1\ 000$ $4\ 200$ $4\ 490$ $23\ 000$ $24\ 500$ 160 190 940 $1\ 022$ $4\ 300$ $4\ 600$ $24\ 000$ $25\ 570$ 170 201 960 $1\ 043$ $4\ 400$ $4\ 700$ $25\ 000$ $26\ 630$ 180 212 980 $1\ 025$ $4\ 500$ $4\ 810$ $29\ 000$ $30\ 890$ 220 234 $1\ 050$ $1\ 140$ $4\ 700$ $5\ 240$ $30\ 000$ $31\ 960$ <	55	73	640	700	2 900	3 1 1 0		15 460
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	60	79	660	725	2 950	3 160	15 000	15 990
7596 720 788 3200 3430 16500 17590 80 102 740 810 3300 3550 17000 18120 85 107 760 830 3400 3640 17500 18120 90 113 780 850 3500 3750 18000 19180 95 118 800 875 3600 3750 18000 19180 100 124 820 895 3700 3960 19000 20250 110 135 840 915 3800 4070 19500 20780 120 146 860 937 3900 4170 20000 21310 140 168 900 980 4000 4230 21000 223400 140 168 900 980 4100 4390 22000 24500 160 190 940 1022 4300 4600 24000 25570 170 201 960 1043 4400 4700 25000 26630 180 212 980 1065 4500 4810 26000 27700 200 234 1050 1140 4700 5240 30000 31960 210 2357 1550 1245 4900 5240 30000 31960 230 266 1200 1300 5000 5340 31000 36210 <t< td=""><td></td><td></td><td></td><td>745</td><td>3 000</td><td></td><td></td><td></td></t<>				745	3 000			
80 102 740 810 3300 3550 17000 18120 85 107 760 830 3400 3640 17500 18650 90 113 780 850 3500 3750 18000 19180 95 118 800 875 3600 3850 18500 19710 110 135 840 915 3800 4070 19500 20250 120 146 860 937 3900 4170 20000 21310 130 157 880 958 4000 4280 21000 22300 140 168 900 980 4100 4390 22000 23440 150 179 920 1000 4200 4490 223000 24500 160 190 940 1022 4300 4600 24000 25570 170 201 960 1043 4400 4700 25000 26630 180 212 980 1065 4500 4810 26000 27700 290 234 1050 1140 4700 4500 29800 3980 210 245 1100 1190 4800 5130 29000 30890 220 255 1150 1245 4900 5244 30000 31960 230 266 1200 1300 5000 5770 33000 35150 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
851077608303 4003 64017 50018 650901137808503 5003 75018 00019 180951188008753 6003 85018 90020 2501101248208953 7003 96019 90020 2501201468609373 9004 17020 00021 3101301578809584 0004 28021 00022 3401401689009804 1004 39022 00023 4401501799201 0004 2004 49023 00024 5001601909401 0224 3004 60025 60026 6301702019601 0434 4004 70025 60026 6301802129801 0654 5004 81026 00027 7001902231 0001 1404 7005 13029 00038 8021023441 1051 1404 7005 24030 00031 9602302661 2001 3005 0005 54031 00033 02024027771 2501 3505 2005 56032 00034 9802502881 3001 4455 4005 77033 00035 1502602981 3501 6756 0006 62037 00038 9402703091 4001 512<								
901137808503 5003 75018 00019 180951188008753 6003 85018 50019 7101001248208953 7003 96019 00020 2501101358409153 8004 07019 50020 78012014686609373 9004 17020 00021 3101301578809584 0004 28021 00022 3401401689009804 1004 39022 00023 4401501799201 0004 2004 49023 00024 5001601909401 0224 3004 60024 00025 5701702019661 0434 4004 70025 00028 7601802129801 0654 5004 81026 00027 7001902231 1001 1804 7005 02028 003 8802102451 1001 1904 8005 13029 00030 8902202551 1501 2454 9005 24031 00033 0202402771 2501 3505 2005 56032 00034 0802502881 3001 4055 4005 77033 00035 1502602981 3501 6786 6007 75039 00034 16030034 11 5501 670<								
951188008753 6003 85018 50019 7101001248208953 7003 96019 00020 2501101358409153 8004 07019 50020 7801201468609373 9004 17020 00021 3101301578809584 0004 28021 00022 3801401689009804 1004 39022 00023 4401501799201 0004 2004 49023 00024 5001601909401 0224 3004 60025 5701702019601 0434 4004 70025 00026 6301802129801 0654 5004 92027 00028 7602002341 0501 1404 7005 02028 00029 8302102451 1001 1904 8005 13029 00030 8902202551 1501 2454 9005 24030 00031 9602302661 2001 3005 0005 540330 00035 1502602981 3501 4055 4005 77033 00035 1502602981 3501 6756 0006 41036 00038 4003003411 5501 6756 0006 62037 00039 4103003411 5501 6756								
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		-						
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								
13015788095840004280210002238014016890098041004390220002344015017992010004200449023000245001601909401022430046002400025570170201960104344004700250002663018021298010654500481026000277001902231000108546004920270002876020023410501140470050202800029830210245110013005000524030000319602302661200130050005340310003302024027712501350520055603200034 080250288130014055400577033 00035 150260298135014585600598034 00036 210270309140015125800619035 00037 280280320145015656000641036 00038 340290330150016186200662037 00039 410300341155015656000705039 00041 540320362165017786800726040 00042 600<								
140 168 900 980 $4\ 100$ $4\ 390$ $22\ 000$ $23\ 440$ 150 179 920 $1\ 000$ $4\ 200$ $4\ 490$ $23\ 000$ $24\ 500$ 160 190 940 $1\ 022$ $4\ 300$ $4\ 600$ $24\ 000$ $25\ 570$ 170 201 960 $1\ 043$ $4\ 400$ $4\ 700$ $25\ 000$ $26\ 630$ 180 212 980 $1\ 065$ $4\ 500$ $4\ 910$ $27\ 000$ $28\ 760$ 200 234 $1\ 050$ $1\ 140$ $4\ 700$ $5\ 020$ $28\ 000$ $29\ 830$ 210 245 $1\ 100$ $1\ 190$ $4\ 800$ $5\ 130$ $29\ 000$ $30\ 890$ 220 255 $1\ 150$ $1\ 245$ $4\ 900$ $5\ 240$ $30\ 000$ $31\ 960$ 230 266 $1\ 200$ $1\ 300$ $5\ 000$ $5\ 340$ $31\ 000$ $33\ 020$ 240 277 $1\ 250$ $1\ 350$ $5\ 200$ $5\ 560$ $32\ 000$ $34\ 080$ 250 288 $1\ 300$ $1\ 458$ $5\ 600$ $5\ 980$ $34\ 000$ $36\ 210$ 270 309 $1\ 450$ $1\ 550$ $6\ 600$ $6\ 620$ $37\ 000$ $38\ 340$ 280 320 $1\ 450$ $1\ 550$ $6\ 600$ $7\ 50$ $39\ 000$ $41\ 50$ 280 320 $1\ 450$ $1\ 550$ $6\ 600$ $7\ 250$ $39\ 000$ $41\ 50$ 300 341 $1\ 550$ $1\ 670$ $6\ 620$ <								
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$\begin{array}{c c c c c c c c c c c c c c c c c c c $								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								
420 469 2 150 2 310 8 800 9 390 50 000 53 250 430 479 2 200 2 360 9 000 9 600 60 000 63 890 440 490 2 250 2 420 9 200 9 810 70 000 74 540 450 500 2 350 2 470 9 400 10 030 80 000 85 180 460 511 2 350 2 520 9 600 10 240 90 000 95 830		458					49 000	
430 479 2 200 2 360 9 000 9 600 60 000 63 890 440 490 2 250 2 420 9 200 9 810 70 000 74 540 450 500 2 300 2 470 9 400 10 030 80 000 85 180 460 511 2 350 2 520 9 600 10 240 90 000 95 830								
450 500 2 300 2 470 9 400 10 030 80 000 85 180 460 511 2 350 2 520 9 600 10 240 90 000 95 830	430							
460 511 2 350 2 520 9 600 10 240 90 000 95 830		490		2 420		9 810	70 000	
	450	500	2 300	2 470	9 400	10 030	80 000	85 180
100 000 106 470	460	511	2 350	2 520	9 600	10 240		
100 000 100 470							100 000	106 470

Part 3 — Maximum proportion in which weed seed is contained

Where the stated maximum number of weeds per mass does not appear in the table above, the maximum number of weeds per mass tolerable is that prescribed in respect of the next highest stated maximum number of seeds that appears in the table.

Reprint 2

Stated Maximum	Maximum %	Stated Maximum	Maximum %	Stated Maximum	Maximum %
%	Tolerable	%	Tolerable	%	Tolerable
0.0	0.1	9.0	10.8	54.0	57.0
0.1	0.4	10.0	11.9	56.0	59.0
0.2	0.5	12.0	14.0	58.0	61.0
0.3	0.7	14.0	16.1	60.0	63.0
0.4	0.8	16.0	18.2	62.0	64.9
0.5	1.0	18.0	20.0	64.0	66.9
0.6	1.1	20.0	22.4	66.0	68.8
0.7	1.3	22.0	24.5	68.0	70.8
0.8	1.4	24.0	26.6	70.0	72.7
0.9	1.5	26.0	28.7	72.0	74.7
1.0	1.7	28.0	30.7	74.0	76.6
1.2	1.9	30.0	32.8	76.0	78.5
1.4	2.2	32.0	34.8	78.0	80.4
1.6	2.4	34.0	36.9	80.0	82.3
1.8	2.6	36.0	38.9	82.0	84.2
2.0	2.9	38.0	41.0	84.0	86.1
2.5	3.5	40.0	43.0	86.0	88.0
3.0	4.1	42.0	45.0	88.0	89.9
4.0	5.2	44.0	47.0	90.0	91.8
5.0	6.4	46.0	49.0	92.0	93.6
6.0	7.5	48.0	51.0	94.0	95.4
7.0	8.6	50.0	53.0	96.0	97.2
8.0	9.7	52.0	55.0	98.0	98.8

Part 4 — Maximum proportion in which seed not named under section 7(2)(d) of the Act is contained

Where the stated maximum % in question does not appear in the table above, the maximum % tolerable is to be derived by straight line extrapolation from the maximum % tolerable prescribed for the nearest stated maximum % in question that appear in the table.

page 28

Sixth Schedule

[Reg. 10]

Sampling and analysis

Part 1 — Sampling

A sample is not taken in accordance with this Part unless —

- (a) except where the sample is taken at the request of a person who provides the material sampled, the person appearing to be in charge of the material to be sampled (in this Part referred to as "the person in charge") is first invited to be present, and, where he so wishes, is permitted to be present, while the sample is being taken;
- (b) sampling procedures are in accordance with the rules contained in chapter 2, the annexe to chapter 2 and Appendix D of the 1993 International Rules for Seed Testing published by the International Seed Testing Association in "Seed Science and Technology", Volume 21, Supplement;
- (c) the sample taken is thoroughly mixed, divided into 3 approximately equal portions each of which is of a quantity not less than the sample size specified in the rules referred to in paragraph (b), and each portion is placed in a separate package that is then fastened and sealed;
- (d) the package containing each portion is then identified by writing on it or on a label attached to it
 - the name and address of the person in charge and, where the material sampled is being sold, of the seller of the material sampled, if that information can then be ascertained;
 - (ii) a designation or code or other information sufficient to identify the material sampled;
 - (iii) the aggregate mass of the material sampled or, if the aggregate mass cannot then be ascertained, an estimate thereof;
 - (iv) the number of packages in which the material represented by the sample is contained; and
 - (v) the date on which the sample is taken;

Reprint 2

- (e) where the person in charge is present, he is invited to mark with his name or initials each package (or the label attached thereto, as the case may be) in which each portion of the sample is contained and, where he so wishes, is permitted to so mark each such package (or the label attached thereto, as the case may be); and
- (f) one of the 3 packages referred to in paragraph (c) is given or sent to the person in charge, and the other 2 packages are sent to the Department.

[Part 1 amended in Gazette 3 Mar 1995 p. 771.]

Part 2 — Analysis

The methods to be used in the analysis of a seed sample are those contained in chapters 3, 4, 5 and 15 and in the annexes to chapters 3, 5 and 15 of the 1993 International Rules for Seed Testing published by the International Seed Testing Association in "Seed Science and Technology", Volume 21, Supplement.

[Part 2 inserted in Gazette 3 Mar 1995 p. 771.]

page 30

Seventh Schedule

Seed analysis and report fees

[r. 13]

	\$
Fees for the analysis of a seed sample	
provided under section 25 of the Act a	and for
a report of the result of the analysis ar	те —
Pure seed content analysis, group 1	50.00
Pure seed content analysis, group 2	
Pure seed content analysis, group 3	
Pure seed content analysis, group 4	
The pure seed content analysis group of the First Schedule.	is displayed in column 6
Germination analysis, group 1	
Germination analysis, group 2	
Germination analysis, group 3	
The germination analysis group is dis of the First Schedule.	played in column 7
Pure seed content analysis of chaffy s	eed 92.00
Cultivar determination by grow-on tes	
Moisture content determination	55.00
Pest or disease test	
Weed seed presence test	55.00
Caryopsis presence test	55.00
Pigmented seed content	
Number of seeds (per unit volume)	
Seed identification	
	M 2005 2400 1 1

[Seventh Schedule inserted in Gazette 31 May 2005 p. 2400-1.]

Reprint 2

Eighth Schedule

[Reg. 15]

Seed processing works

- 1. (1) The seed processing works shall be suitably equipped to process seed to the standards required by each seed certification scheme in respect of which the seed processing works is to be registered.
 - [(2) deleted]
- 2. The seed processing works and its equipment shall be so laid out and organized as to enable free access to all parts of it to facilitate the cleaning and inspection of all parts of the seed processing works and its equipment.
- 3. The seed processing works shall be provided with a system for the extraction of dust and other waste, adequate to remove reject material and to enable all processed seed and containers to be presented for inspection in a clean condition.
- 4. The seed processing works shall be provided with adequate lighting.
- 5. There shall be, in the seed processing works, a seed testing bench that has a smooth, off-white surface, is so situated as to be free of dust and draught, and is otherwise suitable for the use of an inspector for analysis of seed.
- 6. Storage facilities shall be sufficient to enable the adequate storage of seed so that it is separated according to species and cultivar and whether it is untreated or treated, and, where practicable, so that places where equipment is to operate are not required to be used for storage.
- 7. The premises shall be designed and equipped so as to enable them to be operated in accordance with the requirements of these regulations.

[Eighth Schedule amended in Gazette 22 May 2001 p. 2575-6.]

page 32

Ninth Schedule

[Reg. 16]

Operation of registered seed processing works

- 1. At all times during which the seed processing works is operating there shall be present and for the time being in charge of the operation a person (in this Schedule referred to as "**the works supervisor**") who has been nominated to, and approved by, an officer authorised to give such approval.
- 2. The works supervisor shall ensure that all stages of seed processing are adequately supervised, and shall have particular regard to the need to supervise casual workers.
- 3. Seed shall not be received for processing unless it is accompanied by a declaration
 - (a) identifying the seed; and
 - (b) specifying the area from which the seed was harvested,

with sufficient particularity for the purposes of the seed certification scheme under which the seed is to be certified.

- 4. Seed shall be processed to the highest standard practicable having regard to the impurities present.
- 5. At all stages of seed processing adequate precautions shall be taken to ensure that the condition of seed is maintained and its quality is not impaired by contamination or otherwise.
- 6. The quantity of seed that is to be represented by a particular sample taken for analysis by the Department shall not exceed the quantity specified in the annexe to chapter 2 of the 1993 International Rules for Seed Testing published by the International Seed Testing Association in "Seed Science and Technology", Volume 21, Supplement.
- 7. (1) Seed that is to be certified shall be packed in new bags made either of jute or propylene threads and of a strength approved by an officer authorised to give such approval.
 - (2) Unless the seed certification scheme under which the seed is to be certified provides that this subitem does not apply in relation to seed

Reprint 2

to be certified under that seed certification scheme, seed that is to be certified shall be packed in double bags each of which complies with subitem (1).

- (3) An officer authorised to give such approval may approve of the packing of seed for certification otherwise than in accordance with subitems (1) and (2), and seed packed in accordance with such approval is deemed to be packed in accordance with those subitems.
- 8. The works supervisor shall ensure that any seed packed and marked for certification is able to be positively identified as the seed to which a particular declaration such as is referred to in item 3 relates.
- 9. The works supervisor shall give to the inspector responsible for the sampling and initial analysis of seed the declaration referred to in item 3 that relates to that seed.
- 10. (1) Where sampling is to be by hand, the bags of seed to be sampled shall be in rows not more than 4 bags wide and otherwise so presented as to facilitate access by the inspector.
 - (2) Where sampling is to be by an automatic sampling device, it shall be operated in accordance with the directions of an officer authorised in that behalf.
- 11. (1) Where upon a preliminary analysis for seed content conducted at the seed processing works it appears to an inspector that the seed represented by the sample meets the seed content requirement of the relevant seed certification scheme, the bags containing the seed shall be sewn up so as to sew in the labels allocated to the seed that are provided by the inspector.
 - (2) In sewing up a bag and sewing in the label in accordance with subitem (1)
 - (a) a machine shall be used that is approved by an officer authorised to give such approval and the bag and label shall be sewn with a single line of continuous sewing with thread of an appropriate strength (a double line of sewing is not acceptable); or
 - (b) the bag shall be sewn up pursuant to, and in accordance with any conditions attached to, special permission given by an inspector in a particular case.

page 34

- 12. Markings appropriate to the seed certification scheme under which seed is to be certified shall be stamped or stencilled on the face of each bag containing seed to be certified.
- 13. Seed packed and marked and awaiting certification shall not be removed from the seed processing works until it is certified, except with the special permission of an inspector.
- 14. (1) Where seed is packed and marked and awaiting certification and the Department declines to certify the seed, the seed shall be removed from the bags in which it is packed and the labels sewn into the bags shall be returned to an inspector.
 - (2) Seed that is not certified shall not be sold in bags marked for the purposes of a seed certification scheme and it shall be ensured that such seed is neither expressly or impliedly represented to be certified.
- 15. (1) The works supervisor shall ensure that all parts of the seed processing works, including the floor, are cleaned between the processing of each quantity of seed that is to be separately certified.
 - (2) The works manager shall cause records to be kept, to the satisfaction of an inspector, relating to the species, cultivar, and mass of each quantity of seed that is separately analysed.

[Ninth Schedule amended in Gazette 3 Mar 1995 p. 771; 22 Jun 1999 p. 2672.]

Reprint 2

1

Notes

This reprint is a compilation as at 16 September 2005 of the *Seeds Regulations 1982* and includes the amendments made by the other written laws referred to in the following table. The table also contains information about any reprint.

	•	
Citation	Gazettal	Commencement
Seeds Regulations 1982	12 Mar 1982 p. 828-43	12 Mar 1982
Seeds Amendment Regulations 1982	20 Aug 1982 p. 3362	20 Aug 1982
Seeds Amendment Regulations 1986	22 Aug 1986 p. 3008-9	22 Aug 1986
Seeds Amendment Regulations 1987	13 Nov 1987 p. 4196	13 Nov 1987
Seeds Amendment Regulations 1988	27 May 1988 p. 1792	27 May 1988
Seeds Amendment Regulations (No. 2) 1988	19 Aug 1988 p. 2976	19 Aug 1988
Seeds Amendment Regulations 1989	30 Jun 1989 p. 1995	30 Jun 1989
Seeds Amendment Regulations 1990	3 Aug 1990 p. 3669	3 Aug 1990
Seeds Amendment Regulations 1991	8 Nov 1991 p. 5709-10	8 Nov 1991
Seeds Amendment Regulations 1992	24 Jul 1992 p. 3610-11	24 Jul 1992
Seeds Amendment Regulations 1993	17 Sep 1993 p. 5046-7	17 Sep 1993
Seeds Amendment Regulations 1994	24 Jun 1994 p. 2837-8	1 Jul 1994 (see r. 2)
Seeds Amendment Regulations 1995	3 Mar 1995 p. 769-71	3 Mar 1995
Seeds Amendment Regulations (No. 2) 1995	21 Jul 1995 p. 3066-7	21 Jul 1995
Seeds Amendment Regulations 1996	3 Sep 1996 p. 4376-7	4 Sep 1996 (see r. 2)
Seeds Amendment Regulations 1997	19 Aug 1997 p. 4711-12	19 Aug 1997

Compilation table

page 36

23 Jun 1998 p. 3317-21	1 Jul 1998 (see r. 2)
22 Jun 1999 p. 2670-2	1 Jul 1999 (see r. 2)
2 as at 20 Aug 19	999 (includes amendments listed
20 Jun 2000 p. 3006-7	1 Jul 2000 (see r. 2)
22 May 2001 p. 2575-6	22 May 2001
5 Jun 2001 p. 2849-51	1 Jul 2001 (see r. 2)
28 Jun 2002 p. 3045-7	1 Jul 2002 (see r. 2)
17 Jun 2003 p. 2204-5	1 Jul 2003 (see r. 2)
18 May 2004 p. 1566-7	1 Jul 2004 (see r. 2)
31 May 2005 p. 2400-1	1 Jul 2005 (see r. 2)
14 Jun 2005 p. 2629-30	14 Jun 2005
	 p. 3317-21 22 Jun 1999 p. 2670-2 32 as at 20 Aug 1 20 Jun 2000 p. 3006-7 22 May 2001 p. 2575-6 5 Jun 2001 p. 2849-51 28 Jun 2002 p. 3045-7 17 Jun 2003 p. 2204-5 18 May 2004 p. 1566-7 31 May 2005 p. 2400-1 14 Jun 2005

above)

By Authority: JOHN A. STRIJK, Government Printer