## **ENVIRONMENTAL PROTECTION**

#### **EP301**

#### **ENVIRONMENTAL PROTECTION ACT 1986**

# ENVIRONMENTAL PROTECTION AMENDMENT REGULATIONS (NO. 2) 1993

#### Citation

1. These regulations may be cited as the Environmental Protection Amendment Regulations (No. 2) 1993.

#### Principal regulations

- 2. In these regulations the Environmental Protection Regulations 1987\* are referred to as the principal regulations.
  - [\* Published in the Gazette of 20 February 1987 at pp. 444-9. For amendments to 7 September 1993 see 1992 Index to Legislation of Western Australia, Table 4, p. 66 and the Gazette of 13 July 1993.]

#### Regulation 5 amended

- Regulation 5 of the principal regulations is amended
  - (a) in subregulation (1) by deleting "\$50." and substituting the following
    - " \$80. "; and
  - (b) in subregulation (2) (a) -
    - (i) in subparagraph (ii) by deleting "\$70" and substituting the following
      - " \$120 "; and
    - (ii) in subparagraph (iii) by deleting "\$70" and substituting the following
      - **\$120** ".

#### Schedule 2 and 3 repealed and Schedules substituted

4. Schedule 2 and 3 to the principal regulations are repealed and the following Schedules substituted —

#### Schedule 2

(regulation 5 (2) (a))

# LICENCE FEES FOR PREMISES BASED ON DISCHARGE OF WASTE

	63 11 25 25	
Column 1	Column 2	
Maximum quantity of waste permitted to be discharged from premises	Annual fee	
Not more than 20 cubic metres per day	\$120	
More than 20 cubic metres, but not more than 200 cubic metres, per day	\$230	
More than 200 cubic metres, but not more than 2000 cubic metres, per day	\$680	
More than 2000 cubic metres, but not more than 10000 cubic metres, per day	\$2680	
More than 10000 cubic metres per day	\$5600	

#### Schedule 3

(regulation 5 (2) (b) and (3))

## LICENCE FEES FOR SPECIFIC PRESCRIBED PREMISES

	Col	umn 1	Column 2
-	Pre	mises (	\$ per annum)
1. P	REMISES E	BEING USED FOR —	
(a)	Abrasive (i)	Blasting Works — in which all blasting is carried out in an enclosed chamber from which particulate emissions from the exit gases conform to the standard of concentration prescribed in the Clean Air (Determination of Air Impurities in Gases Discharged to the Atmosphere) Regulations 1983	80
	(ii)	all other abrasive blasting works	320
(b)	Asphalt a (i) (ii) (iii)	processing more than 10 000 tonnes of material per year	80 400
	(iv)	1 000 000 tonnes of material per year	800 1600
(c)	(i)	producing lime or grinding cement clinker not more than 200 000 tonnes of material per year.	1600
	(ii)	producing more than 200 000 tonnes of lime or grinding more than 200 000 tonnes of cement clinker per year	3200
(d)	Cement Pr	oduct Manufacturing Works — processing more than 500 tonnes but not more than 5000 tonnes of	00
	(ii)	processing more than 5000 tonnes but not more than 50 000 tonnes of concrete per year	80 400
	(iii)	tonnes of concrete per year	800
	(iv)	processing more than 500 000 tonnes of concrete per year	1600
(e)	Ceramic W (i) (ii)	orks (excluding glass works) — producing not more than 5000 tonnes of products per year producing more than 5000 tonnes	80
	(iii)	of products per yearproducing more than 50 000	400
		tonnes but not more than 500 000 tonnes of products per year	800
	(iv)	producing more than 500 000 tonnes of products per year	1600

<b>(f)</b>	Chemical 1 (i)	Manufacturing Works — excluding plaster (gypsum) works and alumina or bauxite refineries — (A) producing not more than 100 tonnes of total chemical products per year(B) producing more than 100 tonnes but not more than 1000 tonnes of total chemical products per year(C) producing more than	80 400
		1000 tonnes but not more than 10 000 tonnes of total chemical products per year(D) producing more than 10 000 tonnes but not more than	800
		products per year(E) producing more than 100 000 tonnes but not more than	1600
		500 000 tonnes of total chemical products per year	3200
	<b>/**</b> \	products per year	4800
	(ii) (iii)	used for the treatment or processing of plaster (gypsum) used for the treatment or processing of alumina or bauxite—	400
		(A) processing not more than 1 000 000 tonnes of material per year	1600
		1 000 000 tonnes of material per year	3200
(g)	Concrete B (i)	atching Plants — processing more than 500 tonnes (230 cubic metres) but not more than 5000 tonnes (2300 cubic metres) of concrete or concrete	80
	(ii)	products per year	80
×	(iii)	products per year	400
	(iv)	(230 000 cubic metres) of concrete or concrete products per yearprocessing more than 500 000	800
	(IV)	tonnes (230 000 cubic metres) of concrete or concrete products per year	1600
(h)	Fibreglass (i)	using more than 500 kilograms but not more than 5 tonnes of	
	(ii)	polyester resin per yearusing more than 5 tonnes but not more than 250 tonnes of polyester	80
	(iii)	resin per yearusing more than 250 tonnes of polyester resin per year	160 320

(i)	Gas Works based on coal, oil or hydrocarbon	
	derivatives —  (i) producing not more than 50 000	
	gigajoules per year	400
	(ii) producing more than 50 000 gigajoules but not more than	
	1 000 000 gigajoules per year	800
	(iii) producing more than 1 000 000 gigajoules but not more than	
	5 000 000 gigajoules per year	1600
	(iv) producing more than 5 000 000 gigajoules per year	3200
	a Control of the Cont	
(j)	Glass Works —	
•	(i) producing not more than 1000	80
	tonnes of products per year (ii) producing more than 1000 tonnes	00
	but not more than 10 000 tonnes	400
	of products per year(iii) producing more than 10 000	400
	tonnes but not more than 100 000 tonnes of products per year	800
	(iv) producing more than 100 000	
	tonnes of products per year	1600
(k)	Grinding and Milling Works -	
(/	(i) producing more than 200 tonnes	
	but not more than 5000 tonnes of material per year	80
	(ii) producing more than 5000 tonnes but not more than 50 000 tonnes	
	of material per year	400
	(iii) producing more than 50 000 tonnes but not more than 500 000	
	tonnes of material per year	800
	(iv) producing more than 500 000 tonnes but not more than	
	5 000 000 tonnes of material per	1600
	year	
	tonnes of material per year	3200
(1)	Loading or Unloading Vessels	320
(1)	Dodding of Circulating Cossession	020
(m)	Primary Metallurgical Works smelting or	
(/	converting ores to metals of any kind —	
	(i) producing not more than 10 000 tonnes of metal per year	800
	(ii) producing more than 10 000 tonnes but not more than 200 000	
	tonnes of metal per year	1600
	(iii) producing more than 200 000 tonnes of metal per year	3200
	willies of metal per year	0200
(n)	(i) Oil Refinery	3200
(/	(ii) Waste Oil Reclaiming Refinery	400
-	- 1	
(o)	Scrap Metal Reclaiming Works —	
	(i) reclaiming not more than 200 tonnes of metal per year	80
	(ii) reclaiming more than 200 tonnes but not more than 2000 tonnes of	
	metal per year	400
	(iii) reclaiming more than 2000 tonnes but not more than 10 000 tonnes	
	of metal per year	800
	(iv) reclaiming more than 10 000 tonnes of metal per year	1600
	coming or mount por Journmann	10001200

	An Sin Sin	60 10
(p)	Stockyards	80
(q)	Waste Water Treatment Plants in which the volume treated is —  (i) more than 20 m³ but not more than 200 m³ per day	80 160 240 400
(r)	Works used for the Rendering or Reduction of Animal Matter —  (i) producing not more than 100 tonnes of products per week  (ii) producing more than 100 tonnes of products per week	160 400
2. PI E	REMISES ON WHICH THERE IS RECTED ANY —	
(a)	Boiler or boilers consuming or capable of consuming either alone or in the aggregate more than 500 kilograms of combustible material per hour —  (i) consuming more than 500 kilograms but not more than 1 tonne of combustible material per hour	80 160 400 800 1600
(b)	Coke Works —  (i) producing not more than 10 000 tonnes of coke per year  (ii) producing more than 10 000 tonnes but not more than 100 000 tonnes of coke per year  (iii) producing more than 100 000 tonnes of coke per year	400 800 1600
(c)	Furnace used for the melting of non-ferrous metals —  (i) melting not more than 200 tonnes of metal per year	80 400 800 1600

[24]	Se	otember	1993
------	----	---------	------

(d) Furnace or cupola used for the smelting of alloys of iron or steel —		
(i) melting not more than 1000 tonnes of metal per year	80	
(ii) melting more than 1000 tonnes but not more than 10 000 tonnes of metal per year	400	
(iii) melting more than 10 000 tonnes but not more than 100 000 tonnes	800	
(iv) of metal per year melting more than 100 000 tonnes of metal per year	1600	
3. PREMISES ON WHICH FUEL BURNING		
EQUIPMENT OR INDUSTRIAL PLANT IS OPERATED BY THE WESTERN AUSTRALIAN		
GOVERNMENT RAILWAYS COMMISSION CONSTITUTED UNDER THE GOVERNMENT RAILWAYS ACT 1904 —		
In the aggregate in respect to all premises	3200	. ".

By His Excellency's Command,

M. C. WAUCHOPE, Clerk of the Council.

Recommended by the Environmental Protection Authority at Meeting No. 579 held on Thursday, 2 September 1993 and amendment recommended at Meeting No. 580 held on Wednesday, 8 September 1993.

C. H. WELKER, Deputy Chairman.