

Western Australia

Dongara-Eneabba Railway Act 1974

As at 28 Jan 2000

Version 01-a0-07

Extract from www.slp.wa.gov.au, see that website for further information

Western Australia

Dongara-Eneabba Railway Act 1974

CONTENTS

| | | |
|----|--------------------------------|---|
| 1. | Citation | 1 |
| 2. | Authority to construct railway | 1 |
| 3. | Authority for deviation | 1 |

Schedule

Notes

Dongara-Eneabba Railway Act 1974

An Act to authorize the construction of a railway from the Guildford-Greenough Flats Railway at Dongara to Eneabba.

1. Citation

This Act may be cited as the *Dongara-Eneabba Railway Act 1974*¹.

2. Authority to construct railway

It shall be lawful to construct and maintain a railway, with all necessary, proper and usual works and conveniences in connection therewith, along the line described in the Schedule.

3. Authority for deviation

Notwithstanding anything contained in the *Public Works Act 1902*, it shall be lawful to deviate from the line as described in the Schedule to the extent of 5 kilometres on either side thereof.

Schedule

Schedule

Dongara-Eneabba Railway

Description of line of railway

Commence at a point being 421.517 km or thereabouts from Perth on the Guildford-Greenough Flats Railway (50 Victoria 24, 1886) and proceeding thence on a bearing of 96° 27' for a distance of 292 m or thereabouts; thence on a bearing of 168° 30' for a distance of 1 609 m or thereabouts; thence on a bearing of 140° 00' for a distance of 1 851 m or thereabouts; thence on a bearing of 156° 00' for a distance of 2 112 m or thereabouts; thence on a bearing of 177° 00' for a distance of 925 m or thereabouts; thence on a bearing of 156° 00' for a distance of 4 707 m or thereabouts; thence on a bearing of 143° 00' for a distance of 1 810 m or thereabouts; thence on a bearing of 163° 00' for a distance of 583 m or thereabouts; thence on a bearing of 180° 00' for a distance of 1 670 m or thereabouts; thence on a bearing of 171° 00' for a distance of 4 526 m or thereabouts; thence on a bearing of 180° 00' for a distance of 3 098 m or thereabouts; thence on a bearing of 174° 00' for a distance of 3 701 m or thereabouts; thence on a bearing of 138° 00' for a distance of 925 m or thereabouts; thence on a bearing of 162° 00' for a distance of 805 m or thereabouts; thence on a bearing of 131° 00' for a distance of 2 132 m or thereabouts; thence on a bearing of 181° 00' for a distance of 1 609 m or thereabouts; thence on a bearing of 162° 00' for a distance of 1 408 m or thereabouts; thence on a bearing of 157° 00' for a distance of 1 408 m or thereabouts; thence on a bearing of 152° 00' for a distance of 7 342 m or thereabouts; thence on a bearing of 104° 00' for a distance of 3 319 m or thereabouts; thence on a bearing of 152° 00' for a distance of 4 023 m or thereabouts; thence on a bearing of 150° 30' for a distance of 23 254 m or thereabouts; thence on a bearing of 188° 00' for a distance of 2 937 m or thereabouts; thence on a bearing of 110° 00' for a distance of 1 207 m or thereabouts; thence on a bearing of 90° 00' for a distance of 1 710 m or thereabouts; thence on a bearing of 168° 00' for a distance of 1 469 m or thereabouts; thence on a bearing of 180° 00' for a distance of 6 196 m or thereabouts; and being a total distance of 86.628 km or thereabouts.

Notes

- ¹ This is a compilation of the *Dongara-Eneabba Railway Act 1974*.

Compilation table

| Short title | Number and year | Assent | Commencement |
|---|----------------------------|---------------|---------------------|
| <i>Dongara-Eneabba Railway Act 1974</i> | 24 of 1974 | 23 Oct 1974 | 23 Oct 1974 |